# ESPP EU nutrient research & development projects list

EU H2020 (FP), LIFE, INTERREG and national funded R&D projects on nutrient recycling and management

Date: 13-04-2018



European Sustainable Phosphorus Platform (ESPP) - Kimo van Dijk kimovandijk@phosphorusplatform.eu www.phosphorusplatform.eu

#### **Table of Contents**

1	Overview projects	2
2	ESPP research project members	6
3	Running EU funded projects	11
4	Running non-EU funded research	60
	Finished EU funded projects	
6	Finished non-EU funded research	. 133
7	Projects to add (PLEASE FILL IN)	. 160

This list of R&D projects relevant to nutrient recycling and nutrient management will be published by the European Sustainable Phosphorus Platform (ESPP). It will include your R&D project to our list of R&D projects on nutrient recycling and management (not only phosphorus), for promotion on our website (<a href="www.phosphorusplatform.eu">www.phosphorusplatform.eu</a>) and in our network of companies, public bodies and other stakeholders. Please provide your input via <a href="www.phosphorusplatform.eu">kimovandijk@phosphorusplatform.eu</a>

The first table in this document provides an overview of all projects included. In the last table you can fill in your suggested relevant missing projects.

#### 1 Overview projects

ESPP research project members	Running EU funded projects	Running non-EU funded research	Finished EU funded projects	Finished non-EU funded research
ENRICH	3R2020+	Biochar-Soil-Plant Interface research	ADD-ON	Agri4Value
Phos4You	A_Propeau	BiofuelcellAPP	ALL-GAS	AquaEnviro UK
QUB Phosphorus from wastewater	AgriChemWhey	CLOOP	ALL-GAS	ASHES
Run4Life	AgriMax	Ecosec mobile struvite reactor	ANPHOS	AVA-CleanPhos
SMART-Plant	AgroCycle	Ecosec mobile struvite reactor	AQUA	Bio-Ore
SYSTEMIC	ALGAECAN	Ferti-Mine	Aquavlan	BIOUREA
Wetsus Phosphate Recovery theme	Anadry	Helsinki wastewater nutrient recovery	ARBOR	BioVakka Vehmaa biogas / digestate
	ANSWER	I-PHYC	BALTIC MANURE	DemoWare
	Aquemfree	IWARRC	BioEcoSim	EDASK
	ARREAU (EIP Water, international project)	MIND-P	BIOFECTOR	ePhos
	Baltic Slurry Acidification	Netherlands Micronutrients from batteries	Biorefine project	ExtraPhos
	BEST	Nurec4org	BioSTEP	FIX-PHOS
	BioRaEE	Nutrient Cycling Ecosystem	Bioteam	Global TraPs
	Biorefine Cluster Europe	OFP	BONUS MICROALGAE	GOBI
	CHROMIC	Pasrea	BONUS OPTITREAT	GreenSpeed
	CIRCWASTE	PFeWTR	BONUS PROMISE	H2O-C2C
	Clamber	Phos4Life	CANTOGETHER	IF2O - COOPERL
	DECISIVE	PyroPhos	CLONIC	IMPROVE-P
	DOP	RAVINNELASKURI	Combine	KIVIREKI
	DRAINUSE	RAVITA	DeBugger	KRN-Mephrec
	ECOGRANULARWATER	Rec Alkaline	DemEAUmed	MAB3
	Electro-Sludge	ReCoverP	DEPURGAN	Manure Nutrient Calculator
	FAIRWAY	SAVE	DIGESMART	Manuvalor
	Feed-a-Gene	SOILFOOD	DYNAMIX	Normative Manure System
	FERTINNOWA	Töölö Bay Sea Bottom Remediation	ECOPHOS	Nutricycle
	FORCE	TransBio	End-o-Sludge	Nutrient Clearing House

ESPP research project members	Running EU funded projects	Running non-EU funded research	Finished EU funded projects	Finished non-EU funded research
	GreenAgri	UK CIP2	ES-WAMAR	Nutrient Neutral Municipality
	iCirBus-4Industries	UK food system phosphorus project	EUROLEGUME	Nutrient recovery Grødaland
	INCOVER	UNEP INMS	EURoot	NUTS
	INNOQUA	UPM and Yara recycled fertilisers	FATIMA	OCAPI
	InPhos	Valurine	Fertiplus	Ochre and biochar research
	INSPIRATION		FUSIONS	Organic waste P recycling Norway
	INTMET		FUTUREROOTS	Phorwärts
	ITERAMS		GISWASTE	Phosph'Or
	LANDMARK		GR3	PIDA
	LEMNA		HotPaNTS	Polonite
	MANURE STANDARDS		HTC4WASTE	POWER
	Mest op Maat - Dünger nach Maß		HTCycle	PProduct
	METGROW PLUS		In-BRIEF	PRecover
	MIN-GUIDE		INEMAD-GR3	ProPhos
	NEWEST		InnoPellet	RecoPhos Germany
	Newfert		IPHYC-H2020	Recovering and Reusing Resources in Urbanized Ecosystems
	No_Waste		Lo2x	RECYPHOS
	NoAW		Manev	Redmedite
	NUTRINFLOW		ManureEcoMine	ReNOx
	Pegasus		MicroFert	Short-Rotation-Plantation nutrient recycling
	PFeWTR		MIX-FERTILIZER	Sludge phosphorus reycling Norway
	PHOSave		Mubic	Sludge2Soil
	Pilots4U		NECOVERY	SLURRY-MAX
	POWERSTEP		NEWAPP	Sustainable Airport Cities
	RDI2CluB		NOSHAN	TERRY-P Tool
	REFRESH		N-SINK	Tetraphos
	ReNu2Farm		NUTREC	The Resource Container
	REPAIR		Omzet Amersfoort	Tianshui Shui Sweetest Apples Ltd
	SABANA		OPEN: EU	TURKISTEHO

ESPP research project members	Running EU funded projects	Running non-EU funded research	Finished EU funded projects	Finished non-EU funded research
	SALTgae		PHARMAFILTER	VALODIM
	SCRREEN		PharmDegrade	Waste to Product (W2P)
	Sharebox		PhoReSE	ZAWENT
	SIM4NEXUS		PhorWater	
	Smart Fertirrigation		PhosFarm	
	SolACE		POLFREE	
	Sto3Re		P-REX	
	STRADE		PROTEINSECT	
	SURE		PYROCHAR	
	SusCritMat		R3Water	
	SUSFANS		R4R	
	Teholanta		RecoPhos (thermal)	
	TRANSrisk		RE-DIRECT	
	TURKISTEHO		REFERTIL	
	URBIOFIN		REMPHOS	
	VicInAqua		reNEW	
	Water2REturn		REPHATER	
	WATERPROTECT		ReuseWaste	
	WaterSEED		Revawaste	
	WETWINE		RichWater	
	YEAST		Routes	
	ZERO BRINE		SATURN	
			SIPs	
			Sludge2Energy	
			SMART Fertigation	
			SMARTSOIL	
			Stop CyanoBloom	
			SusPhos	
			SuWaNu	
			TL-BIOFER	
			TREAT&USE	
			VALPORC	

ESPP research project	Running EU funded projects	Running non-EU funded research	Finished EU funded	Finished non-EU funded
members			projects	research
			ValueFromUrine	
			WOGAnMBR	
			WW4ENVIRONMENT	
			WW-SIP	
			ZIPRU	

### 2 ESPP research project members

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
ENRICH	Enhanced	The goal of the ENRICH proposal is to contribute to	1-9-2017	28-2-2021	LIFE+	http://e	slopez	Sílvia López
	Nitrogen	circular economy through the recovery of nutrients from				<u>c.europ</u>	p@cet	Palau
	and	Waste Water Treatment Plants (WWTPs) and its				a.eu/en	aqua.c	
	phosphorus	valorisation in agriculture (either direct use on crops or				<u>vironme</u>	om,	
	Recovery	through the fertilizer industry). ENRICH will tackle this				nt/life/p	<u>raquel.</u>	
	from	value chain by developing a new treatment train that will				roject/P	gonzal	
	wastewater	be designed, built and operated in an urban WWTP. The				rojects/i	ez@ltl	
	and	products obtained will be mixed in order to find optimal				ndex.cf	<u>evante</u>	
	Integration	mixtures and the agronomic properties of these products				m?fusea	<u>.com</u>	
	in the value	will be validated at full-scale through field tests in order				ction=se		
	Chain	to ensure the viability of the products obtained.				arch.dsp		
		Moreover, a business model of the whole value chain will				Page&n		
		be defined, involving several partners from different				_proj_id		
		sectors, in order to ensure the replicability in other case				<u>=6275&amp;</u>		
		studies or other EU regions.				<u>docType</u>		
						<u>=pdf</u>		
Phos4You	PHOSphoru	The Phos4You project will include building demonstration	16-9-2016	14-9-2020	INTERRE	http://w	<u>Plotea</u>	Marie-Edith
	s Recovery	phosphorus recovery installations at sewage treatment			GVB	<u>ww.nwe</u>	<u>u.Mari</u>	Ploteau
	from waste	sites, innovative phosphorus recovery technologies, new			NWE	<u>urope.e</u>	<u>e-</u>	
	water FOR	recycled phosphorus products for fertilisers, working on a				<u>u/phos4</u>	<u>Edith</u>	
	YOUr life	standard to assess recycled fertiliser quality and				<u>you</u>	@eglv.	
		addressing social acceptance of recycled nutrient					<u>de</u>	
		products. Phos4You partners are Lippeverband (lead),						
		Université de Liège, IRSTEA, Cork Institute of Technology,						
		FHNW, Universiteit Gent, Glasgow Caledonian University,						
		University of the Highlands and Islands, Veolia						
		Environnement, Emschergenossenschaft, NV HVC – SNB,						
		Scottish Water.						
QUB	Phosphorus	The successful adoption of emerging technologies for the	2014	2020	EPA UK	https://	<u>k.maci</u>	dr. Katrina
Phosphor	sustainabili	recovery of phosphorus is driven by efficiency, economic				phosph	<u>ntosh</u>	Macintosh
us from	ty in	viability, purity and/or bioavailability of the recovered				<u>orusie.w</u>	<u>@qub.</u>	
wastewat	Ireland and	product and legislation. The overall aim of this EPA				<u>ordpres</u>	<u>ac.uk,</u>	
er	innovative	funded project is to investigate phosphorus sustainability				<u>s.com</u>	<u>J.McGr</u>	

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	technologie s to recover phosphorus from wastewater s	within the wastewater sector in Ireland and develop innovative technologies to recover P from wastewaters.					ath@q ub.ac. uk,	person
Run4Life	Recovery and Utilisation of Nutrients for Low Impact Fertiliser	The Run4Life project will develop an alternative strategy for improving nutrient recovery rates and material qualities, based on a decentralised treatment of segregated black water (BW), kitchen waste and grey water combining existing WWT with innovative ultra-low water flushing vacuum toilets for concentrating black water hyper-thermophilic anaerobic digestion as onestep process for fertilisers production and bioelectrochemical systems for nitrogen recovery. It is foreseen up to 100% nutrient (NPK) recovery (2 and >15 times current phosphorus and nitrogen recovery rates) and >90% water reuse. Obtained products will be >90% reused thanks to prospective end-users in the consortium and a new Business model based on a cooperative financial scheme. Run4Life impacts will be evaluated on safety and security (Risk Assessment), from an environmental point of view (Life Cycle Assessment and Environmental Technical Verification), on the economy (Benefit Cost Analysis) and considering Social Risk Perception. Active measures will be developed with the support of a Stakeholders and Exploitation Panel for achieving institutional, legal and social acceptance. Different parts of Run4Life will be large scale demonstrated at 4 demo-sites in Belgium, Spain, Netherlands and Sweden, adapting the concept to different scenarios (market, society, legislation). Performance tests will be carried out with obtained products (compared to commercial fertilisers) with close collaboration with fertiliser companies. Process will be optimised by on-line monitoring key performance	1-6-2017	31-5-2021	Horizon 2020, H2020- CIRC- 2016Tw oStage, CIRC-02- 2016- 2017 - Water in the context of the circular econom y	http://w ww.run 4life- project. eu	beatriz .delcas tillo@f cc.es, emarti nezd@ fcc.es, FRogal la@fcc .es, ESanto sS@fc c.es, nicolas .moral es.per eira@f cc.es	Eva Martínez Díaz and Frank Rogalla

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact
		indicators (nutrient concentration, pathogens,						person
		micropollutants). The information obtained in the 4						
		demo-sites will be used for process simulation to						
		conceive a unified Run4Life model which will be applied						
		in a fifth demo-site in Czech Republic, allowing new						
		business opportunities and providing data for critical raw						
		material policies.						
SMART-	Scale-up of	SMART-Plant will scale-up in real environment eco-	1-6-2016	31-5-2020	Horizon	http://w	<u>malam</u>	Prof
Plant	low-carbon	innovative and energy-efficient solutions to renovate			2020,	<u>ww.sma</u>	<u>is.simo</u>	Francesco
	footprint	existing wastewater treatment plants and close the			H2020-	<u>rt-</u>	s@gm	Fatone,
	material	circular value chain by applying low-carbon techniques to			WATER-	<u>plant.eu</u>	<u>ail.co</u>	Simos
	recovery	recover materials that are otherwise lost. 7+2 pilot			2015-		<u>m,</u>	Malamis,
	techniques	systems will be optimized for > 2 years in real			two-		<u>f.faton</u>	Christian
	in existing	environment in 5 municipal water treatment plants,			stage,		<u>e@uni</u>	Remy and
	wastewater	including also 2 post-processing facilities. The systems			WATER-		vpm.it,	Peter Vale
	treatment	will be automated with the aim of optimizing wastewater			1b-2015		<u>malam</u>	
	plants	treatment, resource recovery, energy-efficiency and			-		<u>is.simo</u>	
		reduction of greenhouse emissions. A comprehensive			Demons		s@gm	
		SMART portfolio comprising biopolymers, cellulose,			tration/		<u>ail.co</u>	
		fertilisers and intermediates will be recovered and			pilot		<u>m,</u>	
		processed up to the final commercializable end-products.			activitie		<u>Christi</u>	
		The integration of resource recovery assets to system			S		an.Re	
		wide asset management programs will be evaluated in					my@k	
		each site following the resource recovery paradigm for					<u>ompet</u>	
		the wastewater treatment plant of the future, enabled					enz-	
		through SMART-Plant solutions. The project will prove					wasser	
		the feasibility of circular management of urban					<u>.de,</u>	
		wastewater and environmental sustainability of the					<u>smart-</u>	
		systems, to be demonstrated through Life Cycle					<u>plant</u>	
		Assessment and Life Cycle Costing approaches to prove					@aten	
		the global benefit of the scaled-up water solutions.					<u>eo.uni</u>	
		Dynamic modelling and superstructure framework for					<u>vr.it,</u>	
		decision support will be developed and validated to					peter.	
		identify the optimum SMART-Plant system integration					vale@	
		options for recovered resources and technologies. Global					severn	
		market deployment will be achieved as right fit solution					trent.c	

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		for water utilities and relevant industrial stakeholders,					<u>o.uk,</u>	<b>P</b> 0.00
		considering the strategic implications of the resource					smart-	
		recovery paradigm in case of both public and private					<u>plant</u>	
		water management. New public-private partnership					@univ	
		models will be explored connecting the water sector to					pm.it	
		the chemical industry and its downstream segments such						
		as the construction and agricultural sector, thus						
		generating new opportunities for funding, as well as						
		potential public-private competition.						
SYSTEMIC	Large scale	The SYSTEMIC project, 2017-2021, is a public private	1-6-2017	1-6-2021	Horizon	http://w	oscar.s	Oscar
	demonstrat	partnership that will demonstrate new approaches for			2020,	ww.syst	<u>choum</u>	Schoumans
	ion projects	the valorisation of biowaste into green energy, mineral			H2020-	<u>emicpro</u>	ans@	
	for	fertilisers and organic soil improvers. Biowaste, which			IND-CE-	<u>ject.eu</u>	<u>wur.nl,</u>	
	recovery of	includes animal manure, sewage sludge and food waste,			2016-		<u>system</u>	
	nutrients	forms an enormous resource of valuable nutrients. The			17,		<u>ic@wu</u>	
	from	project will include five demonstration-scale nutrient			CIRC-01-		<u>r.nl</u>	
	manure	recovery installations, operating in combination with			2016-			
	and sewage	large anaerobic digesters and field testing of the			2017:			
	sludge	recovered nutrient fertiliser products to demonstrate			Systemi			
		agronomic value, business case and environmental			c, eco-			
		benefits. The five demonstrations plants are Groot			innovati			
		Zevert (NL), AMPower (BE), Acqua&Sole (IT), GNS (DE),			ve			
		and RIKA biofuels (UK). Nutrients will be recovered by			approac			
		ammonia stripping (product ammonium sulphate),			hes for			
		reverse osmosis (nitrogen and nitrogen-potassium			the			
		concentrates), phosphate extraction and precipitation			circular			
		(calcium phosphate), and in organic digestate residuals,			econom			
		alongside production of purified irrigation water and			y: large-			
		biogas. The SYSTEMIC partners are: Wageningen			scale			
		Environmental Research NL (lead), AM Power BE, Groot-			demons			
		Zevert Vergisting NL, AcquaSole IT, RIKA Biofuels UK, GNS			tration			
		DE, A-Farmers Ltd FI, ICL Europe NL, Nijhuis Water			projects			
		Technology NL, Proman Management AU, Ghent						
		University BE, Milano University IT, VCM BE, European						
		Biogas Association BE, RISE BE.						
Wetsus	Phosphate	Phosphate is an important fertiliser needed for food	?	Ongoing	Kemira,	http://w	<u>leon.k</u>	Leon

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
Phosphat e Recovery theme	recovery from iron phosphate and iron based phosphate adsorbents	production. The sources of phosphate are finite and mining and processing of the ore is an energy intensive and polluting process. An appreciable part of the phosphorus in food ends up in the wastewater and manure. Currently chemicals and energy are used to remove the phosphate from the wastewater as emissions from phosphate to the surface water is unwanted. This theme focuses on new approaches to remove phosphate from wastewater and manure in such manner that the phosphate becomes available as fertilizer and the water will be clean. These new approaches need to remove phosphate from wastewater and manure in such manner that costs for recovery are reduced and high value			ICL, STOWA	ww.wet sus.nl/p hosphat e- recover Y	orving @wets us.nl	Korving
		products are produced at the same time.						

## 3 Running EU funded projects

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
3R2020+	From waste to resource by recycling	The aim is to investigate innovative technologies to recycle different waste flows with no commercial value. In particular, the project will allow to obtain: (1) greendiesel, (2) PHA, hydrogen, caproic and D-lactic acids, (3) metals and (4) struvite and ammonic sulphate as fertilizers, coming from (1) LDPE, (2) digestate and biogas, (3) incineration ashes and slags and (4) sewage sludge, respectively.	1-6-2015	31-5-2019	CIEN call (CDTI)	http://w ww.3r2 020.com	gortizv @urba ser.co m, calvar ezr@u rbaser. com, eferna ndez@ urbase	Gema Ortiz
A_Propea u	Includes phosphorus filtering from artificially drained agricultural fields	The research station for vegetable production (PSKW) has up to 50 years (since 1963) experience in the research of both the cultivation of greenhouse vegetables and the cultivation of vegetables in open field. It is a nongovernmental and a non-profit organization. PSKW aims to create a link between the fundamental scientific research carried out at the universities and the growers. Their experience in dissemination activities and (semi)field trials combined with their close contact with growers guarantees the implementation of (best) practices and new technologies. Growers obtain the achieved results by organized open days, through the website of the research station, horticulture magazines like "Proeftuinnieuws" and "Management en Techniek", study evenings at the various Growers Associations, the technical committees and the working groups and the close collaboration with extension services throughout the chain.	1-9-2014	1-9-2018	IWT (Belgiu m) and EU funding	https:// www.pr oefstati on.be/p roject/i wt- a_prope au	r.com info@ proefs tation. be, Stany. Vande rmoer e@UG ent.be	Stany Vandermoer e, Joris De Nies, Ellen Goovaerts
AgriChem Whey	An integrated biorefinery	Whey Permeate (WP) and De-lactosed Whey Permeate (DLP) are major side-streams of dairy processing and represent a key challenge for the dairy industry due to a	1-1-2018	31-12- 2021	Horizon 2020, H2020-	https:// cordis.e uropa.e	ir@gla nbia.c om	?

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	for the	lack of reliability in current disposal routes and represent			BBI-JTI-	u/projec		person
	conversion	a sustainability bottleneck for the expansion of milk			2016,	t/rcn/21		
	of dairy	production in Europe in the "post-milk-quota era". The			BBI-	<u>2573 e</u>		
	side	AgriChemWhey project will build a first-of-a-kind,			2016-	<u>n.html</u>		
	streams to	industrial-scale biorefinery with integrated symbiotic			F01 -			
	high value	industrial and agricultural value chains that will valorise			Valorisa			
	bio-based	over 25,000 tonnes (100% dry matter) per annum of			tion of			
	chemicals	excess WP and DLP to several added value products for			by-			
		growing global markets including lactic acid, polylactic			product			
		acid, minerals for human nutrition and bio-based			s or			
		fertilisers. This will be achieved through a coordinated			waste-			
		investment process and development path to realise the			streams			
		Flagship plant, representing the first major industrial			from			
		venture to convert residues from food processing, as			the food			
		second generation feedstocks, to value added bio-based			processi			
		products. The Flagship will prove the techno-economic			ng			
		viability of the innovative WP/DLP-to-lactic acid			industry			
		biorefinery technology and will establish a new value			into			
		chain for industrial symbiosis with other local actors for			high			
		the production of high value sustainable food and feed			added-			
		(including high quality mushrooms) products from other			value			
		side streams, as an enhanced circular bioeconomy			product			
		approach to agriculture and agri-food waste. This offers			s for			
		society and industry the opportunity for greater resource			market			
		efficiency - less food waste, more products from the			applicati			
		same starting material (milk), and integration of food and			ons			
		non-food material production.						
AgriMax	Agri and	Agrimax will develop two pilot processing plants and use	1-10-2016	30-9-2020	Horizon	http://w	gianluc	Gianluca
	food waste	them to demonstrate the technical and commercial			2020,	ww.agri	a.belot	Belotti and
	valorisation	feasibility of extracting high-value compounds from			H2020-	max-	ti@iris	Emma
	co-ops	agricultural and food processing waste.By applying them			BBI-PPP-	project.	.cat,	Needham
	based on	sequentially, Agrimax will produce a cascade of bio-based			2015-2-	<u>eu</u>	emma.	
	flexible	compounds with high-value applications, including			1,		needh	
	multi-	agricultural materials such as bio-fertilisers,			BBI.VC3.		am@b	
	feedstocks	biodegradable pots and mulching films. Agrimax will			D5-2015		iovale.	
	biorefinery	apply a range of processing technologies, to recover a			-		org	

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact
AgroCycl	processing technologie s for new high added value application s  A blueprint and EU policy-forming protocol for the recycling and valorisation of agri-food waste	significant amount of the valuable compounds contained in waste from the growing and processing of cereals, olives, potatoes and tomatoes. These technologies will include: ultrasound-assisted extraction; solvent extraction; filtration; and thermal and enzymatic treatments. Agrimax will construct two pilot processing plants, in Italy and Spain, capable of processing waste from all four selected crops (cereals, olives, potatoes and tomatoes). Local agricultural cooperatives will provide waste for processing and their contributions will be coordinated with the help of an online platform. End users will test the new, bio-based compounds products to validate their cost effectiveness and performance.  The AgroCycle project will convert low value agricultural waste into highly valuable products, achieving a 10% increase in waste recycling and valorisation by 2020. This will be achieved by developing a detailed and holistic understanding of the waste streams and piloting a key number of waste utilisation/valorisation pathways. It will bring technologies and systems from TRL4 to TRL7 within the 3 years of the project. A post-project commercialisation plan will bring commercially promising technologies/systems to TRL8 and TRL9, ensuring AgroCycle will have an enduring impact by achieving sustainable use of AWCB both inside and outside the agricultural sector, leading to the realisation of a Circular Economy.	1-6-2016	31-5-2019	Valorisa tion of agricult ural residues and side streams from the agrofood industry  Horizon 2020, H2020-WATER-2015-two-stage, WASTE-7-2015 - Ensuring sustaina ble use of agricult ural waste, coproduct s and by-product s	http://w ww.agro cycle.eu	agrocy cle@u cd.ie, tom.cu rran@ ucd.ie, Barbar a.Bre mner @uhi. ac.uk	Prof. Shane Ward and Ger Hanley
ALGAECA	Adding	The LIFE ALGAECAN project will demonstrate the	2-10-2017	31-12-	LIFE	https://	jesmar	Jesús Martín

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
N	sustainabili ty to the fruit and vegetable processing industry through solar- powered algal wastewater treatment	feasibility of applying solar-powered algal treatment to the effluents generated by the fruit and vegetable processing industry (FVPI) as a way of reducing the environmental impact of this sector at the same time that valuable algae-based market products are generated. This technology will be suitable for being replicated, transferred or mainstreamed anywhere. The ALGAECAN project proposes a sustainable treatment model of high loaded and salty effluents that combines cost-effective heterotrophic algae cultivation with spray drying of the collected microalgae to obtain a product of commercial interest as raw material for the production of biofostilises.		2020		www.lif ealgaec an.eu	<u>@carti</u> <u>f.es</u>	
Anadry	Dry anaerobic digestion as an alternative manageme nt & treatment solution for sewage sludge	biofertilisers, animal feed, bioplastics or biodiesel.  The project LIFE-ANADRY will test Dry Anaerobic Digestion (AD) technology under thermophilic (55 °C) and mesophilic (35 °C) conditions as a more effective treatment method for the sewage sludge produced in WWTPs. The implementation of dry AD of sewage sludge at semi- or pre-industrial scale has not been carried out to date. The project will test this technology in a 20 m3 pilot plant to be installed in the urban WWTP of Mula (Murcia, Spain). It will demonstrate that the abovementioned process offers a vast improvement in terms of effectiveness, cost-effectiveness and sustainability over other methods for sludge treatment in small to medium-size WWTPs. The process will offer: 1. Enhancement of biogas production with a concomitant reduction in energy use; 2. Reduction of the operating costs in the WWTPs; 3. Sludge stabilisation and hygienisation; 4. Reduction of carbon emissions due to the minimisation of the use of inorganic fertilisers (recycling sludge as fertiliser); and 5. Comprehensive data that supports the attractiveness of the technique for full-scale application.	1-9-2015	28-2-2019	LIFE+	http://w ww.life- anadry. eu/inde x.php/e n	laura.p astor @dam = aguas. es	Laura Pastor- Alcañiz
ANSWER	Advanced	LIFE-ANSWER will demonstrate an integrated and	1-9-2016	31-5-2019	LIFE+	http://w	<u>jcirizas</u>	Juan
l	Nutrient	innovative technology for treating wastewater from				<u>ww.life-</u>	<u>@mah</u>	Francisco

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact
Aquemfr	Solutions With Electroche mical Recovery  Developme nt of a system to decontami nate water from washing of containers and phytosanita ry treatments equipment	breweries, and other food and drink sectors. In particular, the proposed technology will combine electrocoagulation and bioelectrogenesis microbial treatments for the complete (100%) removal of wastewater pollutants. This technology will be implemented in Alovera (Spain) in a pilot waste water treatment plant (WWTP) able to treat 10 m3/h of wastewater. The final dry residue will be valorised for both energy production (making the process energy efficient) and fertiliser. The project is in line with the Water Framework Directive and its objective of achieving good status for all EU water bodies.  The main objective of the project is to demonstrate an alternative economic and ecological technique to completely degrade pesticide residues in waste water produced on farms by remnants in containers and tanks of phytosanitary treatment equipment, and rinsing of them after use, machinery and equipment cleaning, etc., with innovative equipment located on farms, providing solutions to a current European problem, especially in the Mediterranean area.	1-7-2014	30-6-2018	LIFE+	http://w ww.life- aquemfr ee.eu	jose.fe noll@c arm.es , isabel. garrid o3@ca rm.es, fulgen cio.co ntrera s@car m.es	Derson Ciriza  José Fenoll
ARREAU (EIP Water, internati onal project)	by solar photocatal ysis. Acceleratin g Resource Recovery from Water Cycle (AG108)	ARREAU will develop market plans for viable and profitable value chains for resources from the water cycle, including nutrients and metal salts. ARREAU will build on existing cutting edge initiatives in several regions in Europe, where resources with a high added value are produced, such as phosphorus and cellulose from	2014	Ongoing	EIP Water funding	http://w ww.eip- water.e u/ARRE AU	CKabb e@p- rex.eu, Theo.v an.den .Hoven	Christian Kabbe
		wastewater and iron and calcium carbonate residuals from drinking water. This will contribute to increasing resource efficiency and will create jobs and market					@kwr water. nl	

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
Baltic Slurry Acidificati on	Reducing nitrogen loss from livestock production by promoting the use of slurry acidificatio n techniques in the Balti Sea Region	opportunities for the European industry and SMEs. Although the techniques and therefore resources are available in the water cycle, widespread production of resources fall far behind its potential. The activities in the water cycle are run by utilities, not used to commercially develop products and bringing these to a highly competing –price, quality, service, security of supplymarket. ARREAU will review current European initiatives and best practices of resource recovery and reuse. Barriers and constraints for resource recovery and reuse will be identified. ARREAU will explore the key success factors of resource value chains with all engaged stakeholders. The outcomes will be used to develop frameworks that can be used to remove bottlenecks and enable successful resource recovery in other regions in Europe and beyond.  Baltic Slurry Acidification project aims to promote the implementation of Slurry Acidification Techniques (SATs) throughout the Baltic Sea Region. Reducing ammonia losses will reduce airborne eutrophication of the Baltic Sea. Increased usage of SATs will give an environmental benefit for the whole region. The usage of SATs benefits farmers by increasing the nitrogen use efficiency of their manure fertilisers and thereby decreasing their dependency on mineral nitrogen.	1-3-2016	28-2-2019	Interreg Baltic Sea Region	http://w ww.balti cslurry.e u	erik.si ndhoj @ri.se	Erik Sindhöj
BEST	Better Efficiency for Industrial Sewage Treatment	BEST tackles both eutrophication and risks of hazardous substances to the Baltic Sea through concrete demonstration and pilot investments, training and transferring best practises. The project aims at better control of industrial discharges by jointly developing sustainable cooperation and optimal treatment for	1-10-2017	1-9-2020	Interreg Baltic Sea Region Program me	http://w ww.itam erihaast e.net/en /our w ork/our	esa.nik unen @hel.f i, kajsa.r osqvist	Esa Nikunen

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		industrial discharges with municipal authorities, water utilities and industrial companies and cut down the load of nutrients and hazardous substances to the Baltic Sea. Furthermore, the project promotes the exchange of good practices. The project stresses the importance of transnational cooperation and supports wastewater treatment plants (WWTPs) in the Baltic Sea region to further improve their performance and reach the HELCOM (Baltic Marine Environment Protection Commission) standards in treated wastewaters (0,5 mg P/I). Pilot actions and investments implemented in the project will be applicable in all WWTPs to solve similar challenges focused in the project, thus benefitting the whole Baltic Sea region.				_project s/best	@hel.f i	
BioRaEE	Nutrients, energy and livelihood from biogas plants to rural areas	Recycled fertilisers are of interest to farmers but the fertilisers must meet their needs. Technologies and plant operators need to match this need and the entire processing chains must be sustainable. This requires demonstrations and impact assessments.	2017	2019	EIP / Finnish Ministry of Agricult ure and Forestry	http://w ww.syke .fi/bioka asulaito ksestara vinteita	Heidi.r intama ki@ym paristo .fi	Heidi Rintamäki
Biorefine Cluster Europe	European cluster for biorefinery projects	The Biorefine Cluster Europe interconnects projects and people within the domain of biobased resource recovery, striving to contribute to a more sustainable resource management. The competence focus lies within the biorefinery sector: the refinement of chemicals, materials, energy and products from biobased waste streams. It can be subdivided in four categories: (1) Biobased (waste)streams as an input for the circular economy, (2) Bioprocesses, (3) Sustainable bio-energy production in its various shapes and forms, and (4) Resource Recovery: extracting minerals, chemicals, water and materials from biomass. The objectives of the network are: Strengthen interaction between projects involved, Foster dissemination and stakeholders outreach (triple helix approach), Enhance research, policy &	2015	Ongoing	INTERRE G North- West Europe	https:// www.bi orefine. eu	info@ biorefi ne.eu, erik.m eers@ ugent. Be, eva.cly mans @uge nt.be	Erik Meers

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		business development, Identifying gaps in knowledge and addressing them through new project development						Person
CHROMIC	EffiCient mineral processing and Hydrometa Ilurgical RecOvery of by- product Metals from low- grade metal contalning seCondary raw materials	CHROMIC aims to develop such new recovery processes for critical (Cr, Nb) and economically valuable (Mo, V) by-product metals from secondary resources, based on the smart integration of enhanced pre-treatment, selective alkaline leaching and highly selective metal recovery across the value chain. An overarching assessment of the related economic, environmental and health and safety aspects will be carried out in an iterative way to ensure that the developed technologies meet the requirements of the circular economy whilst being in line with current market demand. The technology will be developed for two models streams (stainless steel slags and ferrochrome slags) with the potential of replication to numerous industrial residues across Europe. Involvement of society from early on will smooth the path towards implementation, so that the CHROMIC processes can contribute to securing Europe's supply of critical raw materials.	1-11-2016	31-10- 2020	Horizon 2020, H2020- SC5- 2016- OneStag eB, SC5- 13- 2016- 2017 - New solution s for sustaina ble producti on of raw material s	http://w ww.chro mic.eu	Liesbe th.hor ckman s@vito .be	Liesbeth Horckmans
CIRCWAS	Towards circular economy in Finland	The aim of the LIFE IP CIRCWASTE-FINLAND project is to implement the National Waste Plan of Finland (NWP). The project will help with the implementation of the current NWP as well as optimise the implementation of the next NWP for 2017–2022 in order to help keep materials circulating in the economy for a longer time. It has been designed to respond to the bottlenecks currently being experienced and the future challenges in waste legislation and the waste management business – e.g. The Roadmap to a Resource Efficient Europe (COM(2011)571) and the Circular Economy Package (COM(2014)398). In particular, the project will initiate a transitional change towards a circular economy. The LIFE IP CIRCWASTE-FINLAND project will increase capacity	1-10-2016	31-12- 2023	LIFE+	http://e c.europ a.eu/en vironme nt/life/p rojects/i ndex.cf m?fusea ction=se arch.dsp Page&n proj_id =6098	tuuli. mylly maa@ ympari sto.fi	Tuuli Myllymaa

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		building and enhanced cooperation within the waste management sector. It will redesign municipal/industrial systems, prevent generation of waste, and encourage use of by-products and waste. The IP covers five regions in Finland: Satakunta, Southwest Finland, Central Finland, the North Karelia region and the South Karelia region. Finnish Environment centre is responsible for coordinating the whole and relatively broad LIFE CIRCWASTE, where LUKE is responsible for demonstrating circular economy in the food chain (including nutrient recovery and reuse) in Southwest Finland.				http://w ww.syke .fi/en- US/Rese arch D evelop ment/R esearch and d evelop ment p rojects/ Projects /CIRCW ASTE T owards Circular Econo my in F inland		person
Clamber	Biorefinery of organic waste	The project includes biorefinery of organic waste at demonstration scale. The objective is to be open to different research projects and contracts with different partners and institutions at EU level.	?	?	EU FEDER	http://ip ex.castill alamanc ha.es/p erfil/exp ortador es- inversor es/nota sdepren sa/porta l/clamb er- project? languag	jmgom ez@bp eninsu lar.co m, amorp @unil eon.es , info@ bioene rgiaydt .com, jgarcia @bpe	José María Gómez Palacios

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
						e=en	ninsul	регооп
							ar.com	
							,	
							bestra	
							da@b	
							penins	
							ular.co	
							m,	
							jpareja	
							@bpe	
							ninsul	
							ar.com	
							,	
							igonzal	
							ez@bp	
							eninsu	
							lar.co	
	_					1 11	m	
DECISIVE	Α	The DECISIVE project proposes to change the present	1-9-2016	31-8-2020	Horizon	http://c	mth@	Marianne
	DECentraliz	urban metabolism for organic matter (foods, plants, etc.),			2020,	<u>ordis.eu</u>	envs.a	Thomsen
	ed	energy and biowaste to a more circular economy and to			H2020-	ropa.eu	<u>u.dk</u>	
	manageme	assess the impacts of these changes on the whole waste			WASTE-	/project		
	nt Scheme for	management cycle. Thus, the challenge will be to shift			2015-	<u>/rcn/20</u> 3386_e		
	Innovative	from a urban "grey box", implying mainly goods importation and extra-urban waste management, to a			two-	n.html		
	Valorizatio	cooperative organization of intra- and peri-urban			stage, WASTE-	<u>11.11U1111</u>		
	n of urban	networks enabling circular local and decentralised			6a-2015	http://e		
	biowastE	valorization of biowaste, through energy and bioproducts			- Eco-	nvs.au.d		
	DiowastE	production. Such a new waste management paradigm is			innovati	k/aktuel		
		expected to increase the sustainability of urban			ve	t/nyhed		
		development by: (1) promoting citizens awareness about			solution	/artikel/		
		waste costs and values; (2) promoting renewable energy			S	desicive		
		production and use in the city; (3) developing an			=	-project-		
		industrial ecology approach that can promote the				granted-		
		integration between urban and peri-urban areas, by				by-		
		providing valuable agronomic by-products for urban				horizon-		

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		agriculture development and so improving the balance of organic products and waste in the city; (4) developing new business opportunities and jobs. In order to achieve these objectives, the project DECISIVE will develop and demonstrate eco-innovative solutions, addressed to waste operators and public services, consisting in: (1) a decision support tool to plan, design and assess efficient decentralised management networks for biowaste in urban areas; (2) eco-designed micro-scale anaerobic digestion and solid-state fermentation processes.				2020/		person
DOP	Demonstra tive model of circular economy process in a high quality dairy industry	The project includes integrated nutrient management from fodder production to manure treatment by anaerobic digestion using digestate as substitute of fertilisers reducing environmental impacts. The project will evaluate and demonstrate a new model, and apply it to the production of Grana Padano DOP (Denominazione di Origine Protetta/Protected Designation of Origin) and Parmigiano Reggiano DOP. The project will integrate all the phases along production chains (from livestock rearing to production), in order to re-use all of the waste products/materials generated. This not only promotes a circular economy and greater resource efficiency, but also reduces PM10, ammonia, NOx and CO2 emissions. In turn, the re-use of digestate as fertiliser will decrease ammonia emissions and increase soil organic content, thus contributing to the Soil Thematic Strategy.	1-9-2016	1-3-2021	LIFE+	http://w ww.lifed op.eu/e n	info@l ifedop. eu, stefan o.gari mberti @apa. mn.it, giulian a.dimp orzano @gmai l.com	Giuliana D'Imporzan o and Stefano Garimberti
DRAINUS E	Re- utilisation of drainage solution from soilless culture in protected agriculture. From open	The LIFE DRAINUSE project will design, construct and demonstrate a full re-circulation pilot system of drainage reuse that is easily adaptable to most agricultural scenarios in southern Europe. The pilot system will be tested in a 500 m2 greenhouse (0.05 ha) housing 952 tomato plants at the Experimental Greenhouse of CEBAS-CSIC, a governmental research facility in Murcia, southern Spain. The pilot system proposed here will be able to collect drainage stemming from the normal irrigation of the tomato plantation. It will then disinfect	1-9-2015	31-8-2018	LIFE+	http://w ww.drai nuse.eu	vicent e@ceb as.csic. es	Vicente Martínez

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
ECOGRA NULARW ATER	Demonstration project for groundwater treatment with an innovative system based in aerobic granular technology	the drainage water and adjust its nutrient concentration, pH and electrical conductivity with a view to making it reusable in a new irrigation cycle. The project will also propose a legal and regulatory framework for drainage recirculation to Mediterranean regulatory bodies in Europe.  The LIFE ECOGRANULARWATER project will develop and demonstrate a new biological treatment method to remove organic and inorganic nutrients, such as pesticides and nitrates from water. This low-cost and environmentally-friendly technology will ensure a supply of clean drinking water in small towns. The specific objectives of the project are to: (1) Demonstrate on a pilot scale the feasibility of a sustainable and inexpensive aerobic granular technology that is energy self-sufficient through use of photovoltaic panels (the process will remove organic and inorganic pollutants from groundwater bodies that supply small communities, ensuring the release of nitrogen as N2 and organic matter as carbon dioxide); (2) Implement biological technologies in groundwater treatment systems under strict biosafety controls; and (3) Develop a business plan to address the European market for purification systems, and establish commercial and industrial strategies for the proposed technology. This will guarantee the technology's transferability to other European regions, in particular	1-9-2017	31-10- 2020	LIFE	http://e c.europ a.eu/en vironme nt/life/p rojects/i ndex.cf m?fusea ction=se arch.dsp Page&n _proj_id =6276	igarcia @dipg ra.es	Francisco Javier García Martínez
		through agreements with local authorities and public managers.						
Electro- Sludge	Innovative Electro Dewatering system for the maximisati on of the urban	The main objective of the ELECTRO-SLUDGE project is to design, develop and demonstrate an innovative electro-osmotic dewatering system that is able to dewater urban sludge from wastewater treatment plants and thus obtain a dry solid content (DS) equal to, or greater than, 30%. The project will reduce both the volume and weight of urban sludge (drying process) and the concentration of some heavy metals in the dewatered sludge (osmotic	1-9-2015	31-12- 2018	LIFE+	http://w ww.elec trosludg e.eu	gianca rlo.ferr ari@as tauto matio n.it, aristid e.strad	Giancarlo Ferrari

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact
	sludge Dry	process), leading to an increase in the amount of sludge					i@asta	person
	Solid	that meets regulations for its safe use in agriculture.					utoma	
	content						tion.it,	
							robert	
							o.canzi	
							ani@p	
							olimi.it	
FAIRWAY	Farm	The objective of FAIRWAY is to review policy, governance	1-6-2017	31-5-2021	Horizon	https://	gerard	Gerard
	systems	and farm water management approaches to protect			2020,	www.fai	.veltho	Veldhof
	that	drinking water resources in the EU and to identify and			H2020-	rway-	<u>f@wur</u>	
	produce	further develop innovative measures and governance			RUR-	project.	<u>.nl,</u>	
	good	approaches which will simultaneously increase the			2016-2,	<u>eu</u>	p.schip	
	Water	sustainability of agriculture. The FAIRWAY partners form			RUR-04-		per@	
	quality for	a unique blend of researchers, farm advisers and			2016 -		wur.nl,	
	drinking	consultancies and is built on 13 case studies ('living labs')			Water		<u>mieke.</u>	
	water	in 11 different EU countries, which will form the core of a			farms –		tusvel	
	supplies	multi-actor platform, underpinning all FAIRWAY work			improvi		<u>d@wu</u>	
		packages. Equally important is the upscaling of successful			ng		<u>r.nl</u>	
		practices from case studies to the regional, national, and			farming			
		EU scales, emphasising the role of effective			and its			
		communication and extension tools developed in			impact			
		FAIRWAY. The outputs will provide a blueprint for multi-			on the			
		actor engagement across different scales, which will			supply			
		allow agriculture and water policies to be addressed in a			of			
		more integrated way. FAIRWAY will (1) increase the			drinking			
		scientific understanding of the relationship between			water			
		agriculture and drinking water protection, (2) increase						
		the understanding for the social, technical and economic						
		barriers to practical implementing of measures (3) deliver						
		innovative measures and tools to overcome these						
		barriers, (4) develop protocols and data-sets for						
		monitoring of farming practices and water quality, (5)						
		develop effective governance approaches for small to						
		large water supplies, and (6) increase awareness and						
		involvement of farmers and other citizens in the						
		monitoring and governance of water supplies.						

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
Feed-a- Gene	Adapting the feed, the animal and the feeding techniques to improve the efficiency and sustainabili ty of monogastri c livestock production systems	The Feed-a-Gene project aims to better adapt different components of monogastric livestock production systems (i.e. pigs, poultry and rabbits) to improve the overall efficiency and to reduce the environmental impact. This involves the development of new and alternative feed resources and feed technologies, the identification and selection of robust animals that are better adapted to fluctuating conditions, and the development of feeding techniques that allow optimizing the potential of the feed and the animal.	1-3-2015	29-2-2020	Horizon 2020, H2020- SFS- 2014-2, SFS-01a- 2014 - Genetic s and nutritio n and alternati ve feed sources for terrestri al livestoc k producti on	http://w ww.feed -a- gene.eu	jaap.v anmilg en@re nnes.i nra.fr	Jaap van Milgen
FERTINN OWA	Transfer of INNOvative techniques for sustainable WAter use in FERtigated crops	FERTINNOWA will build a knowledge exchange platform to evaluate existing and novel technologies for fertigated crops and ensure wide dissemination to all stakeholders involved of the most promising technologies and best practices. Fraunhofer IGB will showcase at pilot scale an innovative technology to recover phosphorus from fertigated crops wastewater using the chemical-free ePhos technology.	1-1-2016	31-12- 2018	Horizon 2020, H2020- WATER- 2015- one- stage, WATER- 4b-2015 - Water manage ment solution s for agricult	http://w ww.ferti nnowa.c om	jennife r.bilba o@igb .fraun hofer. de	Jennifer Bilbao

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact
GreenAgr i	Environme ntally- friendly Manageme nt of Organic Fertilizers in Agriculture	The project GreenAgri aims at reducing nutrient losses from agriculture in Baltic States by introducing and testing environmentally-friendly management of organic fertilizers. As agriculture is one of the sources of nutrients eventually entering from surface waters to Baltic Sea the project's idea is to amend the situation. The project is a joint effort of farmers from Estonia and Latvia contributing to the improvement of eutrophication status of the Baltic Sea. During the project period 20 farmers from Estonian and Latvian pilot areas implement innovative technologies and methods in real life using their own financial resources. Experts and researchers gather and analyse nutrient runoff data and provide the farmers with information about the efficiency of different solutions demonstrating real results in reducing nutrient losses from farms. It's the first time when testing of different technologies in manor management will be arranged in wider area using financial resources and intellectual capital of Estonian/Latvian farmers, farmers organizations and research institutions. Project main result is reduced nutrient inflows from 20 pilot farms from Estonia and Latvia to surface water entering the Baltic Sea.	1-9-2015	31-8-2019	INTERRE G and ERDF	http://d atabase. centralb altic.eu/ project/ 36	?	Person
iCirBus- 4Industri es	Innovative Circular Businesses on Energy, Water, fertiliser & Constructio n Industries towards a Greener Regional Economy	The LIFE iCirBus-4Industries project will demonstrate the use of fly ash from forest biomass power plants as an adsorbent agent for heavy metals and other organic materials in sewage sludge. This will make the sludge suitable for the production of low-impact fertiliser. In a second stage, the project will also demonstrate the viability of a further use in recyclable construction materials of the used biomass that contains heavy metals and organic pollutants from sewage sludge. The project will first characterise the sewage sludge and the forest biomass fly ash. Then, the two-phase sludge treatment to reduce the presence of heavy metals and other contaminants will be validated at laboratory scale. The	16-7-2015	16-12- 2020	LIFE+	http://w ww.icirb us.eu	mmart in@int romac. com, manue l.orteg a@aco rex.es	Manuel Martín Castizo and Manuel Ortega Molina

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		project will then scale up the process in a prototype sewage treatment plant with a capacity of 100 kg/hour of clean sludge.						person
INCOVER	Innovative Eco- Technologi es for Resource Recovery from Wastewate r	Taking into account the current global water scarcity and the expensive operation and maintenance cost of wastewater treatment, the INCOVER project concept has been designed to move wastewater treatment from being primarily a sanitation technology towards a bioproduct recovery industry and a recycled water supplier. INCOVER aim is to develop innovative and sustainable added-value technologies for a resource recovery-based treatment of wastewater, using smart operation monitoring and control methodologies. At demonstration scale, three added-value plants treating wastewater will be implemented and optimized to recover energy and added-value products including fertilisers.	1-6-2016	31-5-2019	Horizon 2020, H2020- WATER- 2015- two- stage, WATER- 1b-2015- Demons tration/ pilot activitie s	http://w ww.inco ver- project. eu	incove r- contac t@oie au.fr, babi.u ku@isl eutiliti es.co m, jaalvar ez@ai men.e s, serene .hanan ja@icl ei.org	Babi Uku, Juan Antonio Álvarez Rodríguez and Serene Hanania
INNOQU A	Innovative Ecological on-site Sanitation System for Water and Resource Savings	The INNOQUA project will accelerate the path to market of a modular set of innovative, patent protected, award winning and scalable fully ecological sanitation solutions that address wide market needs in rural communities, for agricultural industries, for sustainable home-builders or collective housing owners and for developing countries worldwide. The modular system is based on the purification capacity of biological organisms (worms, zooplankton and microorganism) and sorption materials bringing ecological, safe and affordable sanitation capacity. INNOQUA will perform demonstration scale deployment and resulting exploitation of the system to include commercial development, technology integration, eco-design, controlled environment pilots (Ireland and Spain), real use demo sites and market	1-6-2016	31-5-2020	Horizon 2020, H2020- WATER- 2015- two- stage, WATER- 1b-2015 - Demons tration/ pilot activitie s	http://c ordis.eu ropa.eu /project /rcn/20 3388 e n.html	glauco .donid a@r2 msolut ion.co m	?

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		uptake preparation in several EU and non-EU countries (France, Italy, Ireland, Romania, UK, Ecuador, Peru, India and Tanzania), and further preparation for post project uptake. This integrated but modular solution for the final reuse of wastewater is particularly attractive for small to medium remote water stressed European communities with high water demand for either agriculture and/or the conservation of natural freshwater ecosystems. The system is aimed at being a sustainable solution for 'zero' wastewater production with the complete reuse of						
InPhos	Sustainable Manageme nt of Phosphorus in Baltic countries	In the InPhos project, phosphorus (P) strategy for the Baltic region will be developed by a working group of experts from developed countries (Germany, Italy, Sweden, Finland, Poland) and the Baltic region (Latvia, Lithuania, Estonia), who will transfer of knowledge and design of solutions for the sustainable use of P. The proposed management model will focus on the technical, political, economic, environmental and social aspects of the phosphorus cycle. InPhos will also raise awareness and foster dialogue among policy makers, the industry, scientists, and the wider society on the implications of phosphorus scarcity in Europe and the prospective solutions that can be implemented in the Baltic region. As Europe has no significant P mines, it is highly dependent on the import of P ore. In last years, European countries have already taken actions in order to achieve P security on continent. In Switzerland and Germany, a regulatory framework relating to the recovery of phosphorus has been introduced. It can be expected that in other countries, such regulatory framework will be introduced in the near future. Due to fact that in Baltic supply chains, P current usage involves waste and losses at every stage of its lifecycle, one of the most interested area with has a significant problems associated with improper management of P is the Baltic region.	1-1-2018	31-12-2019	EIT Raw Material s funding	?	smol@ meeri. pl, tanja.s chaaf @outo tec.co m	Marzena Smol

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
INSPIRATI ON	Managing soil and groundwat er impacts from agriculture for sustainable intensification	As a Marie Curie Innovative Training Network, INSPIRATION will provide advanced training to early-stage researchers (ESRs) in scientific, technical, practical and management skills related to the research of sustainable intensification of agriculture ensuring food safety for population growth while minimising future impacts on soil and groundwater. One of the ESRs will focus on quantifying P-fluxes in groundwater using innovative techniques.	15-2-2017	14-2-2020	EU Marie Curie Training Network	http://w ww.insp irationit n.eu	ingebo rg.joris @vito. be, ilse.va nkeer @vito. be, priyan ka.nitd @gmai l.com	Ingeborg Joris and Ilse Van Keer
INTMET	Integrated innovative metallurgic al system to benefit efficiently polymetalli c, complex and low grade ores and concentrat es	The INTMET approach represents a unique technological breakthrough to overcome the limitations related to difficult low grade and complex ores to achieve high efficient recovery of valuable metals (Cu, Zn, Pb, Ag) and CRM (Co, In, Sb). Main objective of INTMET is applying on-site mine-to-metal hydroprocessing of the produced concentrates enhancing substantially raw materials efficiency thanks to increase Cu+Zn+Pb recovery over 60% vs. existing selective flotation. 3 innovative hydrometallurgical processes (atmospheric, pressure and bioleaching), and novel more effective metals extraction techniques (e.g. Cu/Zn-SX-EW, chloride media, MSA, etc) will be developed and tested at relevant environment aiming to maximise metal recovery yield and minimising energy consumption and environmental footprint. Additionally secondary materials like tailings and metallurgical wastes will be tested as well for metals recovery and sulphur valorisation. The technical, environmental and economic feasibility of the entire approaches will be evaluated to ensure a real business solution of the integrated INTMET process. INTMET will be economically viable thanks to diversification of products (Cu, Zn, Pb), high-profitable solution (producing commodities not concentrates), with lower operation	1-2-2016	31-1-2019	Horizon 2020, H2020- SC5- 2015- one- stage, SC5- 11e- 2015 - New metallur gical systems	http://w ww.int met.eu	office @intm et.eu	?

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
ITERAMS	Integrated	and environmental costs (on-site hydroprocessing will avoid transport to smelters) and allowing mine-life extension developing a new business-model concept based on high efficient recovery of complex ores that will ensure EU mining industry competitiveness and employment.  The aim of ITERAMS is to develop a proof of concept for	1-6-2017	31-5-2020	Horizon	http://w	paivi.ki	Päivi
TENANS	mineral technologie s for more sustainable raw material supply	more environmentally friendly and economic mine site operations, in Europe and globally. For that, the ITERAMS project focuses on the isolation of process waters completely from the adjacent water systems. This will require development of new methods for optimising and controlling water qualities at each process step. As a bonus, this will also facilitate the recovery of additional valuable constituents. The ITERAMS project will develop research and dimensioning protocols suitable for use at the mines processing different ores. In this context, validation of the concepts will have an essential role. In the planned project, it will be performed at selected mine sites processing sulphide ores, although the concepts will be generic and thus also suitable for other types of ores like gold, rare earth, and phosphate ores.	1-0-2017	31-3-2020	2020, H2020- SC5- 2016- OneStag eB, SC5- 13- 2016- 2017 - New solution s for sustaina ble producti on of raw material s	ww.iter ams.eu	nnune n@vtt. fi, kari.he iskane n@out otec.c om, milka.l ahnala mmi- vesival o@vtt. fi,	Kinnunen
LANDMARK	Land Manageme nt: Assessment , Research, Knowledge base	The LANDMARK project is a pan-European multi-actor consortium of leading academic and applied research institutes, chambers of agriculture and policy makers that will develop a coherent framework for soil management aimed at sustainable food production across Europe. The project builds on the concept that soils are a finite resource that provides a range of ecosystem services known as "soil functions". Functions relating to agriculture include: primary productivity, water regulation & purification, carbon-sequestration &	1-5-2015	31-10- 2019	Horizon 2020, H2020- SFS- 2014-2, SFS-04- 2014 - Soil quality and	http://w ww.land mark20 20.eu	info.la ndmar k@wu r.nl, jeroen .vanle euwen @wur. nl	Jeroen van Leeuwen

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		regulation, habitat for biodiversity and nutrient provision			function			
		& cycling. Trade-offs between these functions may occur:						
		for example, management aimed at maximising primary						
		production may inadvertently affect the 'water						
		purification' or 'habitat' functions. This has led to						
		conflicting management recommendations and policy						
		initiatives. There is now an urgent need to develop a						
		coherent scientific and practical framework for the						
		sustainable management of soils. LANDMARK will						
		uniquely respond to the breadth of this challenge by						
		delivering (through multi-actor development): (1) LOCAL						
		SCALE: A toolkit for farmers with cost-effective, practical						
		measures for sustainable (and context specific) soil						
		management, (2) REGIONAL SCALE - A blueprint for a soil						
		monitoring scheme, using harmonised indicators: this will						
		facilitate the assessment of soil functions for different						
		soil types and land-uses for all major EU climatic zones,						
		and (3) EU SCALE – An assessment of EU policy						
		instruments for incentivising sustainable land						
		management. There have been many individual research						
		initiatives that either address the management &						
		assessment of individual soil functions, or address						
		multiple soil functions, but only at local scales.						
		LANDMARK will build on these existing R&D initiatives:						
		the consortium partners bring together a wide range of						
		significant national and EU datasets, with the ambition of						
		developing an interdisciplinary scientific framework for						
		sustainable soil management.						
LEMNA	Duckweed	The main objective of the LIFE LEMNA project is to	1-10-2016	31-12-	LIFE+	http://e	info@	Andrés
	technology	demonstrate the feasibility of an innovative nitrogen and		2019		<u>c.europ</u>	<u>ainia.e</u>	Pascual
	for	phosphorous recovery technology, to improve nutrient				<u>a.eu/en</u>	<u>s</u>	
	improving	management and reduce the environmental impact of				<u>vironme</u>		
	nutrient	animal farming. This biological, energy-efficient system				nt/life/p		
	manageme	will involve the sustainable treatment of anaerobically				<u>roject/P</u>		
	nt and	digested manure through a duckweed (aquatic plant)				<u>rojects/i</u>		
	resource	production system. Duckweed biomass will be processed				<u>ndex.cf</u>		

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	efficiency in pig production systems	to obtain new bio-based products for local consumption, mainly bio-fertilisers and animal feed; and it will also feed an existing biogas plant in the same location, which will allow the system to run 100% on green energy. The new technology will be tested in a 250 m2 duckweed production prototype with a treatment capacity of 3 m3/day, which will be installed and operated over a period of 21 months on a pig farm in Castilla-La Mancha (Spain).				m?fusea ction=se arch.dsp Page&n proj id =5755\		
MANURE STANDAR DS	Advanced manure standards for sustainable nutrient manageme nt and reduced emissions	Enhanced manure management is one of the most important ways to reduce nutrient loading to the Baltic Sea. Farm-scale nutrient balance requires high-quality data on manure quantity and characteristics. The national manure data across the Baltic Sea countries is variable. To ensure a level playing field to all stakeholders dealing with manure management, joint guidelines for determining manure data should be developed. New, comparable manure data will be developed for use in planning, regulating, guiding and practical implementation of manure management in the Baltic Sea Region. Impact of their use will be assessed and implementation plans made.	1-10-2017	31-12- 2019	INTERRE G Baltic Sea Region Program me	http://p rojects.i nterreg- baltic.eu /project s/manur e- standar ds- 92.html	sari.lu ostarin en@lu ke.fi	Sari Luostarinen
Mest op Maat - Dünger nach Maß	?	?	?	?	Interreg VA	http://w ww.mes topmaat .eu	hermu s@3- n.info	Sascha Hermus
METGRO W PLUS	Metal Recovery from Low Grade Ores and Wastes Plus	METGROW+ will address and solve bottlenecks in the European raw materials supply by developing innovative metallurgical technologies for unlocking the use of potential domestic raw materials. The value chain and business models for metal recovery from low grade ores and wastes are carefully looked after. Within this project, both primary and secondary materials are studied as potential metal resources. Economically important nickel-cobalt deposits and low grade polymetallic wastes, iron	1-2-2016	31-1-2020	Horizon 2020, H2020- SC5- 2015- one- stage, SC5- 11e-	http://w ww.met growplu s.eu	contac t@met growpl us.eu	?

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact
MIN- GUIDE	Guidance for innovation friendly minerals policy in Europe	containing sludges (goethite, jarosite etc.) which are currently not yet being exploited due to technical bottlenecks, are in focus. Concurrently, METGROW+ targets innovative hydrometallurgical processes to extract important metals including Ni, Cu, Zn, Co, In, Ga, Ge from low grade ores in a cost-effective way. In addition a toolbox for metallurgical system is created in the project using new methods and combinations. The unused potential of metal containing fine grained industrial residues are evaluated, while hybrid and flexible hydrometallurgical processes and treatment methods of fines are developed for both materials. The knowledge of raw materials and sustainable technologies will attract new talents in the field who can flexibly change fields from treatment of secondary to primary resources, which also smoothens the economic ups and downs in the primary sector.  The MIN-GUIDE project addresses the need for a secure and sustainable supply of minerals in Europe by developing a 'Minerals Policy Guide'. The functioning of European economies and, consequently, the well-being of societies is highly dependent on the long-term supply of natural resources and raw materials for production and use. However, access to non-energy mineral raw materials that constitute the basis of industrial valuechains is not stable and secure. To secure minerals supply in Europe we would need a policy framework promoting innovative and sustainable approaches to tackles challenges in the mining value chain. The MIN-GUIDE project has been designed to comprehensively tackle these challenges. The project will link to the European	1-2-2016	31-1-2019	2015 - New metallur gical systems  Horizon 2020, H2020-SC5-2015-one-stage, SC5-13c-2015 - Innovati on friendly minerals	http://w ww.min = guide.eu	info@ min- guide. eu	Gerald Berger & Andreas Endl
		Innovation Partnership on Raw Materials (EIP) by feeding back its results into EU policy process, and supports outreach activities and community building.			policy framew ork			
NEWEST	New urban wastewater	The LIFE NEWEST project will demonstrate a cost effective new wastewater treatment technology at	1-9-2017	31-8-2021	LIFE	http://e c.europ	jfcabez a@ser	Jose Cabeza

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	treatment	industrial scale. Sludge from the process will be shown to				a.eu/en	vyeco.	person
	based on	be suitable for agricultural use. The project's specific				vironme	<u>com</u>	
	natural	objectives are (1) Replacement of inorganic coagulants				nt/life/p		
	coagulants	(which have corrosive and hazardous properties) in				roject/P		
	to avoid	wastewater treatment with new natural-based products				rojects/i		
	phosphorus	developed and manufactured by the project; (2) Design				ndex.cf		
	pollution	and construction of an industrial-scale production plant				m?fusea		
	allowing	which will be demonstrated at two urban and two				ction=se		
	mud's	industrial wastewater treatment plants in Spain,				arch.dsp		
	agrivaloriza	Germany and the Netherlands; (3) Development of a				Page&n		
	tion	business plan for market introduction of the new				_proj_id		
		coagulants; and (4) Evaluation of the use of the				<u>=6188</u>		
		generated sludge in biomethanation and agricultural						
		applications.						
Newfert	Nutrient	The NEWFERT (New Fertilisers) project is designed in	1-7-2015	31-12-	Horizon	http://w	<u>fabian.</u>	Fabian
	recovery	order to recover nitrogen, phosphorus and potassium		2018	2020,	<u>ww.new</u>	<u>kraus</u>	Kraus
	from	(NPK) nutrients from biobased waste for fertiliser			H2020-	fert.org	<u>@kom</u>	
	biobased	production, bringing together 6 partners from 4			BBI-PPP-		<u>petenz</u>	
	Waste for	European Union member countries (Spain, Germany,			2014-1,		_	
	fertiliser	France and Austria). Partners represent Member States			BBI.VC4.		wasser	
	production	throughout Europe, so that the project has a clear			R10 -		<u>.de,</u>	
		European dimension that will allow an easier pooling of			Nutrient		<u>CKabb</u>	
		competences and a wider and faster impact on the			recover		<u>e@p-</u>	
		industrial fertiliser production. Realising the biobased			y from		rex.eu,	
		economy potential in Europe, NEWFERT project involves			biobase		<u>ralf.he</u>	
		the design and development of different enabling			d waste		<u>rmann</u>	
		technologies to allow the re-use and valorisation from			streams		<u>@pro</u>	
		biowaste making them suitable as secondary raw			and		man.p	
		material in the fertiliser industry: a new brand of cost-			residues		ro,	
		effective, eco-friendly and healthy advanced fertilisers.			(Bio-		<u>jbl@fe</u>	
		Furthermore, NEWFERT targets highly plant available			based		<u>rtiberi</u>	
		combination of specific organic and mineral components			industri		<u>a.es,</u>	
		and sets up ranges of their concentration in NPK			es		<u>amorp</u>	
		fertilisers. Two main ways for nutrients recovery will be			Public-		<u>@unil</u>	
		developed within the project: (1) Design new process to			Private		eon.es	
		recover nutrients from solid biowaste modifying existing			Partners		L	

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		industrial processes, development of new chemical nutrients extraction technologies and scale-up of the integrated system. And (2) Involving different technologies of nutrients recovery from liquid biowaste: (a) chemical acidification, separation, struvite crystallisation, and (b) bioelectrochemical system.  NEWFERT aims to decrease raw material dependency, prevent resource depletion and reduce the environmental impact increasing significantly the fertiliser industry sustainability.			hips)		garrid o@dra gemat e.com, marie- line.da umer @irste a.fr	person
No_Wast	Manageme	The LIFE No_Waste project aims to evaluate,	1-1-2016	31-12-	LIFE+	http://w	smorai	Sónia
e e	nt of biomass ash and organic waste in the recovery of degraded soils: a pilot project set in Portugal	demonstrate and disseminate the sustainable use of ash (from forest biomass residues combustion) combined with organic waste materials (sludge from the pulp and paper industry or compost) to regenerate degraded soils from mining areas, in compliance with the EU 'Thematic Strategy for Soil Protection'. The project also aims to reduce the impact of wastes from the pulp and paper industry on the environment, while making better use of valuable resources according to the 'end-of-waste' criteria, while also contributing to the mitigation of greenhouse gas (GHG) emissions. A pilot-scale application of soil additives, produced by the mixture of ash with organic waste materials, will demonstrate soil recovery in three degraded mining areas (on a total of 12 test plots of 100 m2 each) located within the Iberian Pyrite Belt in Portugal. Expected results: Through the production, testing and application of soil additives, composed of ash from biomass combustion, paper mill sludge and/or organic compost, to regenerate degraded soils in mining areas in Portugal, among others the following specific results are expected: (1) The neutralisation of soil acidity (increased pH from 2.5-3.5 to 5.5-6.5), (2) A 300-400% increase in soil organic carbon stock, (3) A 100-300% increase in the available pool of plant nutrients (Ca, Ma, Na and K), (4) A 90-100% decrease in available pools of	1-1-2016	2019	LIFE+	ww.lifen owaste. pt	smoral s@ua. pt	Rodrigues

Acronym I	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		potentially toxic elements, (5) Up to 100% reduction of soil erosion rates, (6) Up to 100% reduction in the consumption of other expensive soil ameliorants (e.g. fertilisers, lime), (7) Supporting the circular economy and accomplishing 'end-of-waste' criteria for biomass ash, and (8)Contributing to the sustainability of important economic sectors in Portugal (i.e. pulp and paper industry, energy production, waste management and						person
1 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	No Agro- Waste - Innovative approaches to turn agricultural waste into ecological and economic assets	mining).  Driven by a "near zero-waste" society requirement, the goal of NoAW project is to generate innovative efficient approaches to convert growing agricultural waste issues into eco-efficient bio-based products opportunities with direct benefits for both environment, economy and EU consumer. To achieve this goal, the NoAW concept relies on developing holistic life cycle thinking able to support environmentally responsible R&D innovations on agrowaste conversion at different TRLs, in the light of regional and seasonal specificities, not forgetting risks emerging from circular management of agro-wastes (e.g. contaminants accumulation). By involving all agriculture chain stakeholders in a territorial perspective, the project will: (1) Develop innovative eco-design and hybrid assessment tools of circular agro-waste management strategies and address related gap of knowledge and data via extensive exchange through the Knowledge exchange Stakeholders Platform; (2) Develop breakthrough knowledge on agro-waste molecular complexity and heterogeneity in order to upgrade the most widespread mature conversion technology (anaerobic digestion) and to synergistically eco-design robust cascading processes to fully convert agro-waste into a set of high added value bio-energy, bio-fertilizers and bio-chemicals and building blocks, able to substitute a significant range of non-renewable equivalents, with favourable air, water and soil impacts; and (3) Get insights of the complexity of	1-10-2016	30-9-2020	Horizon 2020, H2020- WASTE- 2015- two- stage, WASTE- 7-2015 - Ensuring sustaina ble use of agricult ural waste, co- product s and by- product s	http://w ww.noa w2020.e u	f.faton e@sta ff.univ pm.it	Francesco Fatone

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		potentially new, cross-sectors, business clusters in order						person
		to fast track NoAW strategies toward the field and						
		develop new business concepts and stakeholders						
		platform for cross chain valorisation of agro-waste on a						
		territorial and seasonal basis.						
NUTRINF	Practical	The project NUTRINFLOW aims at reducing nutrient	1-9-2015	28-2-2019	INTERRE	http://w	<u>ari.kult</u>	Ari Kultanen
LOW	actions for	losses from agriculture to the immediate watershed and			G and	ww.nutr	<u>anen</u>	
	holistic	into the Baltic Sea. The idea is to take practical actions for			ERDF	inflow.e	@proa	
	drainage	holistic drainage management for reduced nutrient				<u>u</u>	gria.fi	
	manageme	inflow to the sea. This is done by implementing,						
	nt for	demonstrating and increasing the recognition of						
	reduced	innovative water management measures in agricultural						
	nutrient	areas. The project activities focus on pilot areas in						
	inflow to	Finland, Latvia and Sweden under pressure by agricultural						
	Baltic Sea	nutrient losses. The project implements targeted						
		demonstration investments to the fields and to drainage						
		network in cooperation with municipalities and farmers						
		as the main target groups. Through the investments, the						
		project expects to reduce nutrient losses from agriculture						
		in three priority regions.						
Pegasus	Phosphorus	PEGaSus is emphasising monogastric animals since pigs	1-9-2017	31-8-2020	Europea	http://li	<u>wimm</u>	Klaus
	efficiency	and poultry contribute to achieve global food security but			n	brary.w	ers@f	Wimmers
	in Gallus	are major phosphorus excretors and sources of P losses.			Researc	ur.nl/W	<u>bn-</u>	
	gallus and	Balancing the phosphorus cycle is crucial towards a P-			h Area	<u>ebQuery</u>	<u>dumm</u>	
	Sus scrofa:	resilient livestock production, comprising P-efficiency in			Network	/platfor	erstorf	
	bridging	animals and plants, P-storage in soils, P-utilisation of			on	m/publi	<u>.de,</u>	
	the gaps in	microorganisms, and their interactions. The strategic aim			Sustaina	<u>C-</u>	<u>arno.r</u>	
	the	of PEGaSus is to provide solutions to secure sufficient			ble	<u>research</u>	<u>osema</u>	
	phosphorus	supplies of high quality animal products from resource-			Animal	?partner	<u>rin@se</u>	
	value chain	efficient and economically competitive agro-systems that			Producti	ship/pla	<u>i-</u>	
		are valued by society and preserve soil and water			on ERA-	<u>tformcal</u>	<u>intern</u>	
		ecosystems. To reach this overall aim, five			NET	<u>I/resear</u>	<u>ational</u>	
		complementary partners from across Europe with			SusAn	ch/@isn	.org	
		expertise in animal biology, social ecology, policy and			program	<u>=1133</u>		
		economy collaborate in three work packages, aiming			me			
		attacking the fate of P in fodder, animals, microbiota,						

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		slurry, soil, and water. PEGaSus generates improved understanding of the biodiversity of monogastric P utilisation towards both an optimised P supply and highest standards of animal health and welfare in European livestock production. PEGaSus addresses the genotype-phenotypicvariation, feed and nutritional strategies and waste reuse strategies to reduce P losses which will simultaneously reduce greenhouse gas and nitrogen emissions. PEGaSus delivers cost-benefit estimations in various farm-, production-, process-, and ecosystems and novel approaches of P management to balance economic and environmental sustainability of the dense but uneven distributed European animal production. By integrating the results, PEGaSus provides knowledge products with far-reaching impact on research and policy communities within the EU.						
PFeWTR	Phosphorus capture, recycling and utilization for sustainable agriculture and a clean environme nt using iron desalinizati on residuals (Fe-WTR)	The PFeWTR project aims to recover phosphorus (P), from agro-waste streams into a fertilizer, using water treatment residuals (WTRs). This would address both future P scarcity and environmental threats. Major agricultural wastewaters and leachates from farms and confined animal feeding operations are highly enriched with P and should be targeted for their P mining potential. Thus, developing means to capture the lost P, and reutilizing it for sustainable agriculture, could be paramount in extending future P use in production agricultural settings in Europe and beyond. An excellent opportunity exists to provide means of recovery and reuse P, while minimizing environmental pollution by using iron-based water treatment residuals (Fe-WTR), a waste by-product of desalinization facilities. Using Fe-WTR may also provide crops with the crucial microelement Fe. Recent work in MIGAL's laboratory showed that Fe-WTR has a great potential to capture P from dairy wastewaters that contain several 10s mg L-1 P and further release it. Greenhouse experiments indicated the	1-1-2015	1-1-2019	Horizon 2020 and BARD	?	litaori @telh ai.ac.il, Irisz@ migal. org.il	Iggy M. Litaor

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact
PHOSave	Innovative solution for phosphate recovery from exhausted extinguishi ng powders	P-enriched Fe-WTR successfully supported plant growth (lettuce as test crop) as the commercialized granular and liquid P fertilizers. The project continually examines other test crops, different soil types and agro-technical working procedures, while lab work continues in elucidating the Fe-WTR capturing P pools and sorbing mechanisms, using state of the art means, to improve P recovery.  The aim of the PHOSave project is the recovery of phosphorus from exhausted extinguishing powder (polyvalent powder) via an eco-innovative, chemical/physical, solubilisation process. In particular, PHOSave aims at developing a system for the recovering of phosphate contained in exhausted extinguishing powder, in order to develop new products to use in fields such as the agriculture and wood sector. The PHOSave project will construct a pilot plant near Cromona, Lombardy, to recover and recycle phosphate from exhausted fire extinguishing powders. Over recent years, problematic chemicals in fire extinguishers have been largely replaced by phosphate based dry powders, considered as not posing environmental or health issues and effective in combating fire. Phosphates are also widely used as additives to water sprayed on forest and wildland fires, again because they are considered to have minimal health impacts and to generally not harm ecosystems. Prophos Chemicals is Italy's only producer of dry fire extinguisher chemicals of all classes. Fire extinguishers have to be periodically emptied, overhauled, refilled and re-pressurised, to guarantee reliable performance in case of fire. The recovered	1-7-2016	30-6-2018	Horizon 2020, H2020- SMEINS T-2- 2016- 2017, SMEInst -11- 2016- 2017 - Boostin g the potentia I of small business es in the areas of climate action, environ ment,	http://w ww.pho save.co m	m.mic helotti @phos ave.co m	M. Michelotti
		phosphate will be recycled into the chemical industry or as fertilisers.			resourc e efficienc y and raw material			

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
					S			person
Pilots4U	A network of bioeconom y open access pilot and multipurpo se demo facilities	Pilots4U is a European project funded by the Bio Based Industries Joint Undertaking under the European Union's Horizon 2020 research and innovation programme. The purposes of the project is to map open access pilot and demonstration infrastructures across Europe, to help companies and research institutions operating in the bioeconomy area to gain easier access to testing facilities to bring their ideas from development to market.	1-6-2017	31-5-2019	Horizon 2020, H2020- BBI-JTI- 2016, Bio- based Industri es	http://w ww.biop ilots4u.e u	info@ biopilo ts4u.e u	?
POWERS	Full scale	The project POWERSTEP aims at demonstrating energy	1-7-2015	30-6-2018	funding Horizon	http://w	christi	Christian
TEP	demonstrat ion of energy positive sewage treatment plant concepts towards market penetratio n	and resource producing wastewater treatment plants with innovative concepts in first full scale references for each essential process step in order to design energy and resource positive wastewater treatment plants with currently available technologies. The following processes will be demonstrated in 6 full-scale case studies located in 4 European countries: enhanced carbon extraction (pre-filtration), innovative nitrogen removal processes (advanced control, main-stream deammonification, duckweed reactor), power-to-gas (biogas upgrade) with smart grid approach, heat-to-power concepts (thermoelectric recovery in CHP unit, steam rankine cycle, heat storage concepts), and innovative process water treatment (nitritation, membrane ammonia stripping). These individual technology assessments will merge into integrative activities such as treatment scheme modelling and design, global energy and heat			2020, H2020- WATER- 2014- two- stage, WATER- 1a-2014- First applicati on and market replicati on	ww.pow erstep.e u	an.lod erer@ kompe tenz- wasser .de,	Loderer
		management, carbon footprinting, integrated design options, as well as extensive dissemination activities. POWERSTEP will demonstrate the novel concepts and design treatment schemes of wastewater treatment plants that will be net energy producers, paving the way towards large implementation of such approaches and quick market penetration and supporting the business						

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		plans of participating technology providers.						регзоп
RDI2CluB	Rural RDI	The goal of the project is to support smart, sustainable	1-10-2017	30-9-2020	INTERRE	http://w	aalto.a	Aalto Anna
	milieus in	and inclusive growth of the bioeconomy in rural areas of			G Baltic	ww.rdi2	nna@j	
	transition	the Baltic Sea region. RDI2CluB aims to help innovation			Sea	club.eu	amk.fi,	
	towards	actors apply EU smart specialisation approaches to their			Region		anna.a	
	smart	specific field and region. The transnational partnership					alto@j	
	Bioeconom	and network of the project plans to, for instance, support					amk.fi	
	y Clusters	new business development in rural areas and create bio-						
	and	business hubs to improve innovation management.						
	Innovation							
	Ecosystems							
REFRESH	Resource	The overall aim of the REFRESH project is to contribute	1-7-2015	30-6-2019	Horizon	http://e	info@	?
	Efficient	significantly towards the objective of reducing food waste			2020,	<u>u-</u>	eu-	
	Food and	across the EU by 30% by 2025 (which amounts to			H2020-	refresh.	refres	
	dRink for	between 25 to 40 million tonnes of food not being			WASTE-	org	h.org	
	the Entire	wasted in 2025[1], worth tens of billions of Euros a year)			2014-			
	Supply	and maximizing the value from unavoidable food waste			two-			
	cHain	and packaging materials. To achieve this ambitious goal,			stage,			
		we will adopt a systemic approach and use cutting edge			WASTE-			
		science to enable action by businesses, consumers and			2-2014 -			
		public authorities. A central ambition of the REFRESH			Α			
		project is to develop a 'Framework for Action' model that			systems			
		is based on strategic agreements across all stages of the			approac			
		supply chain (backed by Governments), delivered			h for the			
		through collaborative working and supported by			reductio			
		evidence-based tools to allow targeted, cost effective			n,			
		interventions. Success will support transformation			recyclin			
		towards a more sustainable and secure EU food system,			g and			
		benefitting Europe's economy, environment and society.			reuse of			
					food			
					waste			
ReNu2Far	Nutrient	The ReNu2Farm project aims at increasing recycling rates	1-9-2017	31-8-2020	INTERRE	http://w	wern	Achim
m	Recycling –	of the plant nutrients nitrogen (N), phosphorus (P) and			G	<u>ww.nwe</u>	@izes.	Schmalenbe
	from pilot	potassium (K). P and K are limited and finite resources,			North-	<u>urope.e</u>	de,	rger and
	production	and production of N fertilizers is energy intensive.			West	<u>u/projec</u>	achim.	Bernhard
	to farms	Despite recovery technologies having been developed,			Europe	ts/proje	schmal	Wern

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	and fields	the use of recycling-derived fertilizer products by farmers				ct-	enberg	person
		is limited until now. The barriers for the limited use will				search/r	er@ul.	
		be overcome. Selected countries are IE-UK, DE-NL and				enu2far	ie,	
		BE-FR. Within these countries, regions with nutrient				<u>m-</u>	tanja.s	
		shortage and surplus can be distinguished. Possibilities				nutrient	chaaf	
		for exchange of recycled nutrients between regions will				_	@outo	
		be explored and producer-consumer collaboration				recyclin	tec.co	
		developed. Upcycling nutrients in surplus regions to				g-from-	m	
		mineral fertilizer quality (according to farmers' needs)				pilot-		
		will create demand in nutrient-demand regions in North-				producti		
		West Europe (NWE). By developing transnational markets				on-to-		
		and by communicating policy advice, market barriers will				farms-		
		be reduced. This will result in replacing 5% of mineral				and-		
		fertilizer amounts with recycling-derived products by the				fields/		
		end of the project (=0.3Mt N, 0.02Mt P), 10% after 5						
		years and 30% after 10 years. In 3 regional pilots a						
		transnational trade chain of recycling-derived fertilizers						
		will be developed. This will consider the 3 largest waste						
		streams (sewage sludge, food waste and manure), the 3						
		most promising process technologies for each waste						
		stream and will deliver 6 new recycling-derived fertilizer						
		products. We will reach 350K farms in NWE, of which 35K						
		will apply the new recycling derived fertilizers. 90% of						
		relevant enterprises in the production of fertilizers will						
		pick up project results. 10% of them will modify the						
		properties of their products. Due to communication to						
		stakeholders (producers and farmers) (publications in						
		magazines/ internet; workshops) 10% of mineral fertilizer						
		amounts will be replaced with recycling-derived products						
		after 5 yrs and 30% after 10 yrs. Farmers' organizations						
		as associate partners ensure long term implementation.						
REPAIR	REsource	The project objective is to provide local and regional	1-9-2016	31-8-2020	Horizon	http://h	<u>A.Wan</u>	?
	Manageme	authorities with an innovative transdisciplinary open			2020,	<u>2020rep</u>	<u>dl@tu</u>	
	nt in Peri-	source geodesign decision support environment (GDSE)			H2020-	air.eu/r	<u>delft.n</u>	
	urban	developed and implemented in living labs in six			WASTE-	<u>epair</u>	<u>l,</u>	
	AReas:	metropolitan areas. The GDSE allows creating integrated,			2015-		repair-	

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	Going Beyond Urban Metabolis m	place-based eco-innovative spatial development strategies aiming at a quantitative reduction of waste flows in the strategic interface of peri-urban areas. These strategies will promote the use of waste as a resource, thus support the on-going initiatives of the EC towards establishing a strong circular economy. The identification of such eco-innovative strategies will be based on the integration of life cycle thinking and geodesign to operationalise urban metabolism. Our approach differs from previous UM as we introduce a reversed material flow accounting to collect data accurate and detailed enough for the design of a variety of solutions to place-based challenges. The developed impact and decision models allow quantification and validation of alternative solution paths and therefore promote sustainable urban development built on near-field synergies between the built and natural environments. This will be achieved by quantifying and tracking essential resource flows, mapping and quantification of negative and positive effects of present and future resource flows, and the determination of a set of indicators to inform decision makers concerning the optimization of (re-)use of			two- stage, WASTE- 6b-2015 - Eco- innovati ve strategi es		bk@tu delft.n l, H.T.Re moy@ tudelft .nl, L.Ame nta@t udelft. nl	person
SABANA	Sustainable Algae Biorefinery for Agriculture aNd Aquacultur e	resources.  The general objective of the SABANA project is to demonstrate the technical, environmental and social feasibility of producing valuable products for agriculture and aquaculture by using only marine water and wastewater as nutrients source. The key advantages of SABANA project are: the sustainability of the process, using marine water and recovering nutrients from wastewaters while minimizing the energy consumption, and the socioeconomic benefits, due to the relevance of the target bioproducts for two major pillars in food production as agriculture and aquaculture. Bioproducts capable of increasing the yield of crops and fish production are highly demanded, whereas recovery of	1-12-2016	30-11- 2020	Horizon 2020, H2020- BG- 2016-1, BG-01- 2016 - Large- scale algae biomass integrat ed	http://w ww.eu- sabana. eu	facien @ual.e S, giulian a.dimp orzano @uni mi.it, jvazqu ezp@f cc.es, zouha yr.arbi	Francisco Gabriel Acien Fernandez

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
SALTgae	Algae to	nutrients is a priority issue in the EU. Instead of considering wastewater as an inevitably useless and problematic residue of our society, SABANA acknowledges its potential as an opportunity for economically relevant sectors.  The aim of the SALTgea project is to implement and	1-6-2016	31-5-2019	biorefin eries Horizon	http://w	b@fcc. es, j.pozo @clev er- jc.com info@s	Miguel
SALIgae	Algae to treat saline wastewater	Ine aim of the SALIgea project is to implement and demonstrate at large scale the long-term technological and economic feasibility of an innovative, sustainable and efficient solution for the treatment of high salinity wastewater from the food and drink industry.  Conventional wastewater treatments have proven ineffective for this kind of wastewater, as the bacterial processes typically used for the elimination of organic matter and nutrients are inhibited under high salinity contents. Therefore, generally combinations of biological and physicochemical methods are used which greatly increase the costs of the treatment, making it unaffordable for SMEs, who voluntarily decide not to comply with EU directives and discharge without prior treatment, causing severe damage to the environment. The solution of SALTGAE to this issue consists in the implementation of innovative technologies for each step of the wastewater treatment that will promote energy and resource efficiency, and reduce costs. Amongst these, the use of halotolerant algae/bacteria consortiums in HRAPs for the elimination of organic matter and nutrients stands out for its high added value: not only will it provide an effective and ecological solution for wastewater treatment, but also it will represent an innovative way of producing algal biomass, that will subsequently be valorised into different by-products, reducing the economic and environmental impact of the treatment.	1-6-2016	31-5-2019	HORIZON 2020, H2020- WATER- 2015- two- stage, WATER- 1b-2015- Demons tration/ pilot activitie s	nttp://w ww.salt gae.eu	altgae. eu	Herrero
SCRREEN	Solutions for CRitical	SCRREEN aims at gathering European initiatives, associations, clusters, and projects working on CRMs into	1-11-2016	30-4-2019	Horizon 2020,	http://w ww.scrr	contac t@scrr	Stephane Bourg

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	Raw materials - a European Expert Network	along lasting Expert Network on Critical Raw Materials, including the stakeholders, public authorities and civil society representatives. SCRREEN will contribute to improve the CRM strategy in Europe by (i) mapping primary and secondary resources as well as substitutes of CRMs, (ii) estimating the expected demand of various CRMs in the future and identifying major trends, (iii) providing policy and technology recommendations for actions improving the production and the potential substitution of CRM, (iv) addressing specifically WEEE and other EOL products issues related to their mapping and treatment standardization and (vi) identifying the knowledge gained over the last years and easing the access to these data beyond the project. The project consortium also acknowledges the challenges posed by the disruptions required to devlop new CRM strategies, which is why stakeholder dialogue is at the core of SCRREEN: policy, society, R&D and industrial decisionmakers are involved to facilitate strategic knowledge-based decisions making to be carried out by these groups.			H2020- SC5- 2016- OneStag eB, SC5- 15- 2016- 2017 - Raw material s policy support actions	een.eu	een.eu	person
Sharebox	Secure sharing of informatio n about recyclable materials between companies	Resource efficiency offers a major economic opportunities for the European Process Industry, both in terms of cost savings as well as opportunities to offer greener products and services. Industrial Symbiosis (IS) is the use by one company or sector of by-products, including energy, water, logistics and materials, from another. The approach that underpins SHAREBOX centres on logical work flow that covers from the identification of new symbiotic synergies right through optimised connections among companies and organisations in established symbiotic relationships. SHAREBOX will provide plant operations and production managers with the robust and reliable information that they need in real-time in order to effectively and confidently share resources (plant, energy, water, residues and recycled	1-9-2015	31-8-2019	Horizon 2020, H2020- SPIRE- 2015, SPIRE- 06-2015 - Energy and resourc e manage ment systems for	http://w ww.shar ebox- project. eu	albert. torres @iris.c at	Mr. Albert Torres

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		materials) with other companies in an optimum symbiotic ecosystem.			improve d efficienc y in the process industri			person
SIM4NEX US	Sustainable Integrated Manageme nt FOR the NEXUS of water-land- food- energy- climate for a resource- efficient Europe	Land, food, energy, water and climate are interconnected, comprising a coherent system (the 'Nexus'), dominated by complexity and feedback. The integrated management of the Nexus is critical to secure the efficient and sustainable use of resources. Barriers to a resource efficient Europe are policy inconsistencies and incoherence, knowledge gaps, especially regarding integration methodologies and tools for the Nexus, and knowledge and technology lock-ins. SIM4NEXUS will develop innovative methodologies to address these barriers, by building on well-known and scientifically established existing "thematic" models, simulating different components/"themes" of the Nexus and by developing: (a) novel complexity science methodologies and approaches for integrating the outputs of the thematic models; (b) a Geoplatform for seamless integration of public domain data and metadata for decision and policy making; (c) a Knowledge Elicitation Engine for integrating strategies at different spatial and temporal scales with top down and bottom up learning process, discovering new and emergent knowledge, in the form of unknown relations between the Nexus components and policies/strategies; (d) a web-based Serious Game for multiple users, as an enhanced interactive visualisation tool, providing an immersive experience to decision- and policy-makers. The Serious Game will assist the users (as players) in better understanding and visualising policies at various geo-/spatial scales and from a holistic point of view, towards	1-6-2016	31-5-2020	es Horizon 2020, WATER- 2b-2015 - Integrat ed approac hes to food security, low- carbon energy, sustaina ble water manage ment and climate change mitigati on	https://www.sim4nexus.eu	SIM4N EXUS @wur. nl	· .

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		a better scientific understanding of the Nexus. The						person
		Serious Game will be validated (applied, tested, verified						
		and used) via ten Case Studies ranging from regional to						
		national level. Two further Strategic Serious Games at						
		European and Global levels will also be developed for						
		demonstration, education and further exploitation						
		purposes, accompanied by a robust business plan and IPR						
		framework, for taking advantage of the post-project						
		situation and business potential.						
Smart	Integrated	LIFE Smart Fertirrigation aims to demonstrate the	1-9-2015	31-12-	LIFE+	http://w	life@c	Andrés
Fertirriga	pig manure	environmental and economic feasibility of innovative pig		2018		ww.sma	opiso.c	Garcia
tion	digestate	manure digestate treatment at biogas plants in order to				rtfertirri	<u>om</u>	Martinez
	processing	produce liquid and solid biofertiliser. It proposes to				gation.e		
	for direct	optimise the treatment of both manure liquid and solid				<u>u/en</u>		
	injection of	fraction so that after internal recycling of nutrients, the						
	organic	liquid fraction can be directly injected into irrigation						
	liquid	systems as organic fertiliser. By replacing mineral						
	fertiliser	fertilisation in a cost-efficient way, opportunities for						
	into	biogas producers and farmers will be created. Reducing						
	irrigation	the use of mineral fertilisers will also cut greenhouse gas						
	systems	emission and prevent soil acidification and						
		eutrophication. The digestate treatment process is made						
		up of three main phases: (1) Mechanical separation of						
		the digestate's solid and liquid fractions, (2) Extra						
		filtration of liquid fraction to remove suspended solids						
		and prevent clogging, making it suitable for direct						
		injection into the irrigation system; and (3) Drying out of						
		the solid fraction with the excess heat from the biogas						
		production process and later ammonia treatment in an						
		innovative pilot biological treatment plant. In addition,						
		the project aims to reduce phosphorous levels in pig						
		manure at source by adding phytase enzymes to the pig						
		feed. Due to pigs' inability to digest phosphate present in						
		pig feed, about 90% of phosphorous content is released						
		in their manure. Innovative phytase enzymes can						
		significantly reduce excreted phosphate in manure thus						

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		preventing over enrichment.						person
SolACE	Solutions	SolACE's overarching goal is to help European agriculture	1-5-2017	30-4-2022	Horizon	http://c	philipp	Philippe
	for	facing the challenge to deal with more frequent			2020,	ordis.eu	<u>e.hinsi</u>	Hinsinger
	improving	combined limitations of water and nutrients in the			H2020-	ropa.eu	nger@	
	Agroecosys	coming decades, through the design of novel crop			SFS-	/project	supagr	
	tem and	genotypes and agroecosystem management innovations			2016-2,	/rcn/21	<u>o.inra.</u>	
	Crop	to improve water and nutrient (i.e. nitrogen and			SFS-01-	<u>0161_e</u>	<u>fr</u>	
	Efficiency	phosphorus) use efficiency. To achieve this goal, SolACE			2016 -	<u>n.html</u>		
	for water	will focus its activities on three major European crops -			Solution			
	and	potato, bread and durum wheat - and will identify the (i)			s to			
	nutrient	optimum combinations of above- and below-ground			multiple			
	use	traits for improving resource use efficiency, (ii) best-			and			
		performing genotypes under combined water and N or P			combine			
		stresses and (iii) novel practices that make better use of			d			
		plant-plant and plant-microbe interactions to access			stresses			
		water, N and P resources in conventional, organic and			in crop			
		conservation agriculture. SolACE will implement a double			producti			
		interactive innovation loop, based on agroecosystem			on			
		management and breeding strategies, and will imply the						
		engagement of diverse end-users, across the production						
		chain, from farmers and farm advisors to NGOs, SMEs						
		and larger industries in the agri-business sector, through						
		the SolACE consortium and a range of stakeholders'						
		events. The tested innovations will include crop genotype						
		mixtures, legume-based crop rotations and cover crops,						
		microbial inoculants, as well as improved decision						
		support systems and hybrids or products from genomic						
		selection and participatory evolutionary breeding						
		schemes. SolACE will implement complementary						
		approaches, from data mining, modelling, phenotyping in						
		high throughput platforms and field conditions, to						
		experiments in research stations and farmers' networks						
		in contrasted pedo-climatic zones. Through the co-design						
		and co-assessment with the end-users of the selected						
		novel breeding and management strategies to increase						
		the overall system resource use efficiency, the findings of						

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		SolACE will be deemed acceptable and readily available for dissemination to a broad spectrum of stakeholders, including policy-makers.						person
Sto3Re	Synergic TPAD and O3 process in WWTPs for Resource Efficient waste manageme nt	The LIFE STO3RE project is a demonstration project that aims to protect aquatic environment against pollution caused by nitrates diffusion and micropollutants by means of an energetically sustainable joint management of Waste Water Treatment Plants (WWTPs) sludge and manure to obtain a high environmental quality "biofertiliser". LIFE STO3RE will implement an innovative and cost effective technology (dual acid-gas temperature phased anaerobic digestion configuration coupled to ozone oxidation and hydrothermal cavitation, CavO3+DAG-TPAD) successfully developed in a R&D project (Sludge4Energy) carried out by FACSA and AINIA and co-funded by the Competitiveness and Economy Ministry of Spain. STO3RE Demonstrative Plant will centralize and treat secondary sludge from small WWTPs and cattle manure from surrounding farms within an extended area.	1-9-2015	1-12-2018	LIFE+	http://lif esto3re. com/cat egory/n ews/?la ng=en	igberla nga@g rupogi meno. com, spache co@ty psa.es	?
STRADE	Strategic Dialogue on Sustainable Raw Materials for Europe	The STRADE project addresses the long-term security and sustainability of the European raw material supply from European and non-European countries. It will develop dialogue-based, innovative policy recommendations for a European strategy on future raw-material supplies. Using a dialogue-based approach, the project brings together governments, industry and civil society to deliver policy recommendations for an innovative European strategy on future EU mineral raw-material supplies. The project holds environmental and social sustainability as its foundation in its approach to augmenting the security of the European Union mineral raw-material supply and enhancing competitiveness of the EU mining industry. The project brings together practical experience, legislation, best practice technologies and know-how by addressing: (1) Strengthening the European raw-	1-12-2015	30-11- 2018	Horizon 2020, H2020- SC5- 2015- one- stage, SC5-13f- 2015 - Strategi c internati onal dialogue s and coopera	http://w ww.stra deproje ct.eu	info@ STRAD Eproje ct.eu, info@ oeko.d e, STRAD Eproje ct@oe ko.de	Doris Schueler

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		materials sector, (2) A European cooperation strategy with resource-rich countries, and (3) Internationally sustainable raw-material production & supply			tion with raw material s produci ng countrie s and industry			person
SURE	Sediment Uptake and Remediatio n on Ecological basis	The LIFE SURE project will demonstrate a cost-effective and ecologically sustainable process for retrieving and recycling sediments in shallow eutrophic waters. Hazardous substances will be removed with a minimum of negative impact, turning such sediments into a resource instead of a waste problem. The project will demonstrate an innovative dredging concept that is mobile, cost-effective, environmentally friendly and easy to use. In particular, the new dredging system uses an unmanned, totally automated unit. It consists of a surface raft pulling the underwater unit, which has 18 specially-designed nozzles that pump sediments up from the seabed. The system moves slowly (1 cm/s) and therefore does not cause any re-suspension of sediments. The system can be continuously operated and supervised locally or remotely using built-in sensors. The system moreover has great potential for replication, given that it can be handled by non-professionals and used anywhere there is a need for taking up sediments. Once sediments have been dredged, they pass through a treatment and dewatering system, which removes water and pollutants via decantation and centrifugation. Sediments are separated into three fractions: water, organic sediments and mineral sediments. The project will recycle dredged materials for use in construction or agriculture. It will propose a solution for increasing the recycling rate of	1-8-2016	31-06- 2020	LIFE+	http://e c.europ a.eu/en vironme nt/life/p roject/P rojects/i ndex.cf m?fusea ction=se arch.dsp Page&n proj_id =5786	anna.c arneliu s@kal mar.se	Anna Carnelius

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact
SusCritM	Supporting European Education on Sustainable Critical Materials	dredged sediments in the EU, which stood at just 12% in 2012 (Eurostat), helping preserve the physical and chemical features of marine ecosystems. Such a move will contribute to the implementation of the Water Framework Directive and the Marine Strategy Framework Directive, which both aim to achieve a good status for all European coastal waters.  SusCritMat aims to educate people from Master's student level up, both in industry and academia about important aspects of Sustainable critical raw materials. In a novel concept, it introduces courses on these complex and interdisciplinary topics in a modula structure, adaptable to a variety of different formats and accessible to both students and managers in industry. These courses will develop new skills which will help participants to better understand the impact and role of critical raw materials in the whole value chain; enabling them to identify and mitigate risks. Understanding the bigger picture and the interconnected nature of global business and society is increasingly necessary to and valued by industry. SusCritMat is an EU-funded project that brings together the technical and pedagogical expertise of leading educational institutions and business partners. It uses and creates teaching materials which can be combined into different course formats. Multi-media	?	?	EIT Raw Material s funding	https:// www.su scritmat .eu	alessa ndra.h ool@e smfou ndatio n.org, D.P.Pe ck@tu delft.n !	Alessandra Hool
		education materials will be made available to participants of summer and winter schools so that they can work with state-of-the-art techniques and data.						
SUSFANS	Metrics, Models and Foresight for European SUStainabl e Food And	Strengthening food and nutrition security (FNS) in the EU requires a move towards a diet that supports sustainable food consumption and production. To gauge the policy reforms needed for this major societal challenge, the SUSFANS project will identify how food production and nutritional health in the EU can be aligned. The multidisciplinary research agenda of SUSFANS will build	1-4-2015	31-3-2019	Horizon 2020, H2020- SFS- 2014-2, SFS-19- 2014 -	http://w ww.susf ans.eu	hans.v anmeij I@wur .nl, thom. achter bosch	Hans van Meijl
	Nutrition	the conceptual framework, the evidence base and			Sustaina		@wur.	

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact
	Security	analytical tools for underpinning EU-wide food policies with respect to their impact on consumer diet and their implications for nutrition and public health, the environment, the competitiveness of the EU agri-food sectors, and global FNS. Based on a conceptual model of the food chain and its stakeholders, SUSFANS will develop suitable metrics and identify major drivers for sustainable FNS, integrate data and modelling, and develop foresight for European sustainable FNS. Central asset is a coherent toolbox which integrates two complementary strands of state-of-the-art quantitative analysis: (i) micro-level modelling of nutrient intakes, habitual dietary patterns and preferences of individual consumers, and (ii) macro-level modelling of food demand and supply in the context of economic, environmental and demographic changes on various time-scales and for multiple sub-regions. The tools will bridge the current gap between policy analysis on the EU agri-food sector and the nutrition-health sector. Case studies and scenarios based on stakeholder input from consumers, food industry, farmers/fishermen, government and the scientific community, are instrumental in achieving this goal. The project will provide a comprehensive set of tools for assessing sustainable FNS in Europe, centred around the implications of the current diet for the sustainability of production and consumption in the EU, and the options for the EU agri-food sector (including fisheries and aquaculture) to improve future diets in the near future (up to 5 years) and in the long run (one or more decades			ble food and nutritio n security through evidenc e based EU agro- food policy		nl	person
Teholant	Efficient	ahead).  The objective of this project is to increase efficiency in	2016	2018	Europea	https://	sari.lu	Sari
a	and	use of poultry manure and sustainability. The project	2010	2016	n	www.lu	ostarin	Luostarinen
	sustainable	examines the possibilities of energy use, more precise			Agricult	ke.fi/en	en@lu	
	use of poultry	use of nutrients, technologies and life cycle assessment.			ural Fund for	/produc ers-	<u>ke.fi</u>	

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	manure				Rural Develop ment (EAFRD) 2014- 2020	initiativ e-give- rise-to- the- teholant a- power- manure- project		person
TRANSris	Tranistion pathways and risk analysis for climate change policies	One of the aims of the TRANSrisk project is to assess low emission transition pathways in animal production that are technically and economically feasible and acceptable from a social and environmental viewpoint. The project brings together quantitative models and qualitative approaches, focusing on participatory consultations with stakeholders as a link between the approaches. TRANSrisk analyses possible transition pathways to reduce the environmental impacts of livestock production in the Netherlands: reduction of livestock numbers or integrated manure management (IMM). The project indicates that livestock production represents 3% of Netherlands GDP, so that reducing livestock numbers would have considerable economic impacts, but that significant action to reduce agricultural environmental impacts are recognised to be needed, including greenhouse emissions, ammonia emissions and phosphates. Mature management is expected to have cost impacts for farmers, to offer the benefit of increasing renewable energy production (anaerobic digestion of manure to produce biogas), and may have some negative side-effects (e.g. reduced animal grazing time, as farmers optimise in-stable manure production to input to biogas). Livestock reduction may not have anticipated positive results if production is simply transferred to other regions of the world. Farmers, manure managers, bioenergy actors and other	1-6-2017	31-5-2019	Horizon 2020, H2020- SC5- 2014- two- stage, SC5- 03a- 2014 - Economi c assessm ent of climate change	http://w ww.tran srisk- project. eu	eise@j in.ngo, wytze @jin.n go, J.Lieu @suss ex.ac.u k	Eise Spijker and Wytze van der Gaast

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		stakeholders are invited to contact the project to participate.						person
TURKISTE	Enhanced use of fur animal manure	The project aims at developing new whole-chain solutions for enhanced use of fur animal manure in cooperation with the fur producers. Special attention is paid to nutrient recycling. The project develops examplatory management chains for enhanced use of fur animal manure and assess their environmental and economical impacts.	2016	2019	Europea n Agricult ural Fund for Rural Develop ment (EAFRD) 2014- 2020	https:// www.lu ke.fi/en /project s/turkist eho	sari.lu ostarin en@lu ke.fi	Sari Luostarinen
URBIOFIN	Demonstra tion of an integrated innovative biorefinery for the transforma tion of Municipal Solid Waste (MSW) into new BioBased products	The aim of URBIOFIN project is to demonstrate the techno-economic and environmental feasibility of the conversion at semi-industrial scale (10 T/day) of the organic fraction of MSW into: Chemical building blocks (bioethanol, volatile fatty acids, biogas), biopolymers (polyhydroyalkanoate and biocomposites) or additives (bioethylene, microalgae hydrolisated for biofertilisers). By using the biorefinery concept applied to MSW, URBIOFIN will exploit the organic fractions of MSW as feedstock to produce different valuable marketable products for different markets like agriculture and cosmetics.	1-6-2017	31-5-2021	Horizon 2020, H2020- BBI-JTI- 2016, Bio- based Industri es funding	http://w ww.urbi ofin.eu	caterin a@im ecal.co m, imecal @imec al.com , jmgom ez@bp eninsu lar.co m	Caterina Coll and Jose Maria Gomez
VicInAqu a	Integrated aquacultur e based on sustainable water recirculatin g system for the	The VicInAqua project will follow an integrated approach in order to develop a sustainable combined sanitation and recirculating aquaculture system (RAS) for wastewater treatment and reuse in agriculture in the Victoria Lake Basin area. In this decentralized integrated treatment system wastewater from households and fish processing industry as well as RAS production water will radically reduce stress on the sensitive ecosystems of the	1-6-2016	31-5-2019	Horizon 2020, H2020- WATER- 2015- two- stage, WATER-	http://w ww.vici naqua.e u	info@ aquabt .com, Ephrai m.Guk elberg er@hs	Ephraim Gukelberger

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	Victoria	Lake Victoria and will contribute to food and health			5c-2015		karlsru	person
	Lake Basin	security. It will be operated fully autonomous powered			-		<u>he.de</u>	
		by renewable energies (PV, biogas). The RAS will			Develop			
		particularly produce high quality fingerlings of the local			ment of			
		fish species to supply the pond aquaculture of the area			water			
		with stocking material. The innovative core idea of the			supply			
		project is to develop and test new technologies which			and			
		enable the integration of sanitation with the aquaculture			sanitati			
		in a sustainable manner. The core of the project concept			on			
		is to develop and test a novel self-cleaning water filters			technol			
		which consist of a highly efficient particle filter as well as			ogy,			
		a membrane bioreactor (MBR) as principal treatment unit			systems			
		within a combined treatment system where the nutrient			and			
		rich effluent water will be used for agricultural irrigation.			tools,			
		the surplus sludge from both filter systems will be co-			and/or			
		digested with agricultural waste and local water hyacinth			method			
		to produce biogas. The overall concept will promote			ologies			
		sound approaches to water management for agriculture.						
Water2R	REcovery	The objective of the Water2REturn project is a full-scale	1-7-2017	31-12-	Horizon	http://c	<u>pzapat</u>	Ms. Pilar
Eturn	and	demonstration process for integrated nutrients recovery		2020	2020,	<u>ordis.eu</u>	<u>a@bio</u>	Zapata
	REcycling	(up to 90-95%) from wastewater from the			H2020-	ropa.eu	<u>azul.co</u>	Aranda
	of nutrients	slaughterhouse industry using biochemical and physical			CIRC-	/project	<u>m,</u>	
	TURNing	technologies and a positive balance in energy footprint.			2016Tw	<u>/rcn/21</u>	<u>aloren</u>	
	wasteWAT	The project will not only produce a nitrates and			oStage,	<u>0179</u> e	zo@bi	
	ER into	phosphate concentrate available for use as organic			CIRC-02-	<u>n.html</u>	<u>oazul.c</u>	
	added-	fertiliser in agriculture, but its novelty rests on the use of			2016-		<u>om</u>	
	value	an innovative fermentative process designed for sludge			2017 -	http://w		
	products	valorisation which results in a hydrolysed sludge (with a			Water	ww.bioa		
	for a	multiplied Biomethane Potential) and biostimultants			in the	<u>zul.com</u>		
	circular	products, with low development costs and high added			context	/en/por		
	economy in	value in plant nutrition and agriculture. This process is			of the	tfolio/w		
	agriculture	complemented by proven technologies such as biological			circular	ater2ret		
		aeration systems, membrane technologies, anaerobic			econom	<u>urn</u>		
		processes for bio-methane production and algal			У			
		technologies, all combined in a zero-waste-emission and						
		an integrated monitoring control tool that will improve						

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		the quality of data on nutrient flows. The project will						person
		close the loop by demonstrating the benefits associated						
		with nutrients recycling through the implementation of						
		different business models for each final product. This will						
		be done with a systemic and replicable approach that						
		considers economic, governance and social acceptance						
		aspects through the whole chain of water and targets						
		essentially two market demands: 1) Demand for more						
		efficient and sustainable production methods in the meat						
		industry; and 2) Demand for new recycled products as a						
		nutrient source for agriculture. The project represents a						
		first market application of a viable, cross-sectoral and						
		integrated solution for slaughterhouse wastewater						
		treatment (water savings: 20-40% in the meat industry)						
		with energy production (and low-energy demanding) and						
		recovery of nutrients with high market value (recovery						
		rates: 90-95%), resulting in 4 relevant outcomes,						
		including (1) production of 1 technological system (easy						
		to operate, versatile and compact) to treat wastewater $\rightarrow$						
		novel combination of technologies and processes in						
		cascade maximising the extraction of valuable products,						
		and (2) production of 3 agronomic products (APs) ready						
		to commercialise at EU and international level: one						
		fertiliser and two biostimulants.						
WATERP	Innovative	The overarching objective of WATERPROTECT is to	1-6-2017	31-5-2020	Horizon	http://w	piet.se	Piet
ROTECT	tools	contribute to effective uptake and realisation of			2020,	ater-	<u>untjen</u>	Seuntjens
	enabling	management practices and mitigation measures to			H2020-	protect.	<u>s@vito</u>	
	drinking	protect drinking water resources. Therefore			RUR-	<u>eu</u>	<u>.be</u>	
	WATER	WATERPROTECT will create an integrative multi-actor			2016-2,			
	PROTECTio	participatory framework including innovative instruments			RUR-04-			
	n in rural	that enable actors to monitor, to finance and to			2016 -			
	and urban	effectively implement management practices and			Water			
	environme	measures for the protection of water sources. We			farms –			
	nts	propose seven case studies involving multiple actors in			improvi			
		implementing good practices (land management,			ng			
		farming, product stewardship, point source pollution			farming			

prevention) to ensure safe drinking water supply. The seven case studies cover different pedo-climatic conditions, different types of farming systems, different legal frameworks, larger and smaller water collection areas across the EU. In close cooperation with actors in the field in the case studies (farmers associations, local			person
companies, consumer organisations) and other stakeholders (fertilizer and plant protection industry, environment agencies, nature conservation agencies, agricultural administrations) at local and EU level, WATERPROTECT will develop innovative water governance models investigating alternative pathways from focusing on the 'costs of water treatment' to 'rewarding water quality delivering farming systems'.  WaterSEE Social, The objective of the WaterSEED project is to provide a doctoral program to excellent early stage researchers (ESRs) that want to develop their skills and contribute to the development of breakthrough technologies for water recycling. Key elements in the program are the strong focus on interdisciplinary interaction, entrepreneurial skills and societal relevance. The project will use the existing Wetsus doctoral (PhD) program as a strong base and will enable this program to become even more    Companies, consumer organisations) and other stakeholders, environment agencies, agricultural plant protection industry, environment agencies, agricultural plant protection industry, environment agencies, agricultural plant protection industry, environment agencies, agricultural administrations) at local and EU level, WATERPROTECT will develop innovative water readency for water rewarding agricultural administrations, at local and EU level, Waterse end of the WaterSEE porpolect is to provide a doctoral program to excellent early stage researchers   1-2-2016   31-1-2021   Horizon   https:// phdposi wet   1-2-2016   Marie   1-2-2016   Marie	Entrepr urial an Excellin Doctors Water	impact on the supply of drinking water  1-2-2016 31-1-2021 Horizon 2020 phdposi tionswe ska-Curie funding funding  e e e e e e e e e e e e e e e e e e e	·

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		program has a strong regional and national funding base.						poison.
WETWIN E	Transnatio nal cooperatio n project for promoting the conversatio n and protection of the natural heritage in the wine sector in the South	The wine industry has notable environmental implications, mainly due to the consumption of water in the cleaning operations and the liquid spills that are generated during the winemaking stages. On the other hand, the cultivation of the vine requires the rational use of fertilizers, being key the adequate contribution of organic matter, nitrogen, phosphorus and other trace elements. The use of fertilizers of mineral origin supposes a high cost for the farmers, besides the environmental impact caused in the water and in the soil. The WETWINE project will provide solutions to the (waste)water treatment problems of the wine industry, based on the development of an innovative pilot system based on anaerobic digestion and water and sludge treatment wetland to promote the value and rational use of the resources of the territory (water and wine growing), and	1-7-2016	30-6-2019	Interreg -SUDOE	http://w ww.wet wine.eu	rpena @aim en.es, jaalvar ez@ai men.e s, alfons o.ribas .alvare z@xun ta.gal	Rocio Pena y Juan A Alvarez (AIMEN) and Alfonso Rivas (INGACAL)
	West of Europe	its recycling as fertilizer to limit the generation of waste and soil/water pollution, reducing by 90% the impact on natural heritage.						
YEAST	Recycling brewer's spent YEAST in innovative industrial application s	LIFE YEAST aims to develop a new methodology to process (hydrolise) BSY into valuable constituents that can be used as raw materials with high market value in a wide range of industrial applications. The constituent parts include customised yeast extract (CYE), yeast cell wall (YCW), partially autolysed yeast (PAY), and bioactive peptides. The project will test, optimise and scale-up the processing of BSY over the first 13 months of the project. After 21 months, it aims to have demonstrated the use of CYE and YCW in the brewing (AB InBev) and pharmaceuticals (VLPbio) industries to enhance the efficiency of the fermentation process and as a source of nitrogen. At the end of the project, a full engineering package will be developed to transfer the technology to AB InBev breweries.	1-7-2017	30-6-2019	LIFE	http://e c.europ a.eu/en vironme nt/life/p roject/P rojects/i ndex.cf m?fusea ction=se arch.dsp Page&n proj_id =6265	pgutie rrez@ bdibio tech.c om	Pablo Gutiérrez Gómez
ZERO	Re-	The ZERO BRINE project aims to facilitate the	1-6-2017	31-5-2021	Horizon	http://c	g.j.wit	Geert-Jan

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
BRINE	designing the value	implementation of the Circular Economy package and the SPIRE Roadmap in various process industries by			2020, H2020-	ordis.eu ropa.eu	<u>kamp</u> @tude	Witkamp
	and supply	developing the necessary concepts, technological			CIRC-	/project	lft.nl	
	chain of	solutions and business models to re-design the value and			2016Tw	/rcn/21	11 (.1111	
	water and	supply chains of minerals (including magnesium) and			oStage,	0177 e		
	minerals: a	water, while dealing with present organic compounds in			CIRC-01-	n.html		
	circular	a way that allows their subsequent recovery.			2016-	<u> </u>		
	economy	This is achieved by demonstrating new configurations to			2017 -	http://w		
	approach	recover these resources from saline impaired effluents			Systemi	ww.zero		
	for the	(brines) generated by process industry, while eliminating			c, eco-	brine.eu		
	recovery of	wastewater discharge and minimising environmental			innovati	(upcomi		
	resources	impact of industrial operations through brines (ZERO			ve	ng)		
	from saline	BRINE). The project will bring together and integrate			approac	<u> </u>		
	impaired	several existing and innovative technologies aiming to			hes for			
	effluent	recover end-products of high quality and sufficient purity			the			
	(brine)	with good market value. It will be carried out by large			circular			
	generated	Process Industries, SMEs with disruptive technologies and			econom			
	by process	a Brine Consortium of technology suppliers across EU,			y: large-			
	industries	while world-class research centres ensure strong			scale			
		scientific capacity and inter-disciplinary coordination to			demons			
		account for social, economic and environmental			tration			
		considerations, including LCA. A large scale			projects			
		demonstration will be developed in the Energy Port and			' '			
		Petrochemical cluster of Rotterdam Port, involving local						
		large industries. Two demo plants will be able to treat						
		part of the brine effluents generated by one process						
		industry (EVIDES), while the waste heat will be sourced						
		by neighbouring factories. The quality of the recovered						
		end-products will be aimed to meet local market						
		specifications. The involvement of representatives						
		covering the whole supply chain will provide an excellent						
		opportunity to showcase Circular Economy in Rotterdam						
		Port, at large scale. Finally, three large-scale pilot plants						
		will be developed in other process industries, providing						
		the potential for immediate replication and uptake of the						
		project results after its successful completion.						

## 4 Running non-EU funded research

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
Biochar- Soil-Plant Interface research	The Biochar- Soil-Plant Interface, probing the potential	This project aims to quantify the soil fertilising qualities and environmental safety of a novel composite biochar, whilst exploring the small-scale P release mechanisms at the biochar-soil-root interface, in order to best manipulate biochar application to soil. To address this aim, a predominantly lab based research plan has been	1-9-2016	31-8-2020	Natural Environ ment Researc h Council	?	S1651 564@g mail.c om	Steven Lewis
	for a sustainable phosphorus fertiliser.	devised to answer the following key questions: 1) Can plants grown in soils amended with a novel composite biochar produce similar crop quality and quantity as crops grown using conventional fertilisers, whilst not presenting an unacceptable risk to human health or the environment?; 2) To what extent does the increased microbial activity at the biochar-soil-root interface influence P mobility and thus plant P uptake? 3) Can targeted application of a novel composite biochar promote the same plant growth as traditional bulk soil mixing? This project comprises of 3 projects planned to take place across Steven Lewis's PhD (the first commencing 26/06/2017) in the School of GeoSciences / UK Biochar Research Centre at the University of Edinburgh and the James Hutton Institute.						
Biofuelcel IAPP	Agroindustrial wastewater purification and nutrients recovery. Towards Microbial electroche mical systems	Efforts in designing and scaling-up APPlicative bioelectrochemical systems, including (1) Nutrient recovery during agro-food wastewater treatment, (2) Environmental sensing, and (3) Electrofermentation reactors.	1-9-2015	1-9-2018	Project (RBSI14J KU3) financed by the SIR2014 Grant, Italian Ministry of Universi ty and	https:// www.re searchg ate.net/ project/ BioFuel CellAPP	andrea .schiev ano@ unimi.i t	Dr. Andrea Schievano

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact
	scaling-up and field				Researc h			person
	APPlication				(MIUR).			
CLOOP	S Closing the	Academia, business and political decision makers have	1-11-2017	31-10-	German	?	Tanja.s	Tanja Schaaf
CLOOI	Global	been pushing hard for recovering and recycling nutrients	1 11 2017	2020	BMBF	•	chaaf	Tanja senaar
	Nutrient	from waste. Numerous investments could stand for a		2020	DIVID!		@outo	
	Loop	true success story, if there was not one drop of					tec.co	
	1000	bitterness: no demand for recovered nutrients. The					m	
		Bioeconomy International project CLOOP aims for a						
		change – a growing market for recycled fertilizers due to						
		a different perception of fertilizer quality. The different						
		perception is best reflected by the "NextGen Fertiliser"						
		concept developed by the University of Queensland (UQ)						
		whereby NextGen Fertiliser will stand as a quality label						
		for highly efficient, synchronous and root activated						
		nutrient release fertilizing products. The objective of						
		CLOOP is to produce and sell recycled P, NP and PK						
		fertilizers in compliance with the "NextGen Fertiliser"						
		concept. The critical question to be answered by the						
		project consortium is: "To which extent and in which						
		climate-soil-crop systems do recycled calcined phosphate						
		and struvite products meet the requirements for a better						
		synchronization of fertilizer nutrient release and crop						
		nutrient uptake and – assuming positive results – how						
		can the concept and the corresponding products be used						
		to induce a new understanding of high quality						
		fertilizers?" For almost hundred years water solubility of						
		fertilizers was a synonym for high fertilizing efficiency						
		despite organic farming claiming the opposite and the						
		long tradition of using Thomas and Rhenania phosphates						
		that proved highly efficient without being water soluble.						
		However, Thomas and Rhenania phosphates disappeared						
		thirty years ago and organic farming is not considered a						
		solution for global food safety. Consequently, CLOOP will						
		demonstrate that a symbiosis between organic farming						

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		principles, protection of aquatic bodies and high crop yields is possible.						
Ecosec mobile struvite reactor  Ecosec mobile struvite reactor	? Ecosec mobile struvite reactor	The Ecosec project aims to bring eco sanitation to festivals by transforming urine in struvite in real time. Inside a small shipping container, the struvite reactor is connected to the public toilets. This set up is a tool for strong public awareness about nutrient cycles and phosporous is coming scarce. A small bag of struvite is	2015	? Ongoing	Compan y funding Compan y funding	http://w ww.ecos ec.fr https:// www.yo utube.c om/wat ch?v=ID YSFy6A8	b.clou et@ec osec.fr , q.legro s@eco sec.fr b.clou et@ec osec.fr	? Benjamin Clouet
		therefore distributed to toilets users with the mention "Uriboost, when your urine becomes fertilizer".				OW OW		
Ferti- Mine	From waste to fertilizer - phosphorus and carbon waste mining as nutrient recycling strategy for the future	FERTI-MINE aims to recover phosphorus from waste materials in order to reduce the depletion of global rock phosphate resources. By applying different thermochemical conversion techniques (pyrolysis, combustion, gasification, hydrothermal carbonization) for carbonization as well as recovery of ash components, fertilizer products rich in phosphorus and organic carbon will be developed and assessed for their viability, ecological and economic impacts. This innovative strategy will help to close nutrient cycles, protect the diminishing phosphate resources and improve the fertility of agricultural soils.	1-9-2014	31-8-2018	The Austrian Researc h Promoti on Agency (FFG)	https://f orschun g.boku.a c.at/fis/ suchen. projekt uebersic ht?sprac he_in=e n&ansic ht_in=& menue id_in=30 0&id_in =10302	walter. wenzel @bok u.ac.at christo ph.pfei fer@b oku.ac .at	Walter Wenzel & Prof. Dr. Christoph Pfeifer
Helsinki wastewat er nutrient	New innovative methods for nutrient	Helsinki Region Environmental Services Authority (HSY) is a municipal body, which produces waste management and water services, as well as providing information on the Helsinki Metropolitan Area and environment. HSY will	?	?	?	?	mari.h einone n@hsy .fi	Mari Heinonen

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
recovery	recovery and harvesting in wastewater treatment plants	develop an innovative waste water treatment process. In the process phosphorus is recovered during the waste water treatment instead of recovering it from the residue, as it is done in the competing processes. Successful development of the process would mean a way to produce organic fertilisers free from hazardous substances as a by-product of waste water treatment process.						
I-PHYC	Industrial Phycology	Industrial Phycology is an award-winning SME that offers sustainable water recycling and nutrient recovery solutions. Applying cutting-edge technology, the I-Phyc system uses microalgae at an industrial scale to treat wastewater from agricultural, industrial and municipal sources.	?	?	?	http://w ww.i- phyc.co m	info@i  phyc.c om, dan@i  phyc.c om, lucie@ i- phyc.c om	?
IWARRC	Internation al Water Association Resource Recovery Cluster	Best Practices on Resource Recovery from Water. IWA Resource Recovery Cluster aims to bring together R&D, water industry and materials users, and to promote economically and environmentally attractive approaches to resource recovery. Learning from Best Practices on Resource Recovery from Water.	2014	2018	Topcons ortia voor Kennis en Innovati e (TKI) public-private partners hip funding (Netherl ands) till end of 2015 &	https://i wa- connect. org/#/gr oup/res ource- recover y-from- water- cluster? view=pu blic http://w ww.best resourc	Kees.R oest@ kwrwa ter.nl, Hong.L i@iwa hq.org	Kees Roest

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
					Internat	<u>esfrom</u>		person
					ional	water.or		
					Water	g		
					Associat			
					ion till			
					2018			
MIND-P	Barriers	Previous research has shown that the phosphorus (P)	2017	2020	The	?	daniel.	Daniel
	and	resources in by-products from agriculture (dominated by			Norwegi		muelle	Müller
	opportuniti	manure) and aquaculture (dominated by fish sludge)			an		r@ntn	
	es for	generated in Norway are more than four times as large as			Researc		u.no,	
	transformi	the P demand for fertilization, and that this secondary			h		helen.	
	ng the	resource surplus may increase to a factor of 12 by 2050.			Council		a.hami	
	Norwegian	Nevertheless, Norway is currently still dependent on					lton@	
	bio-	large amounts of mineral P fertilizers produced from					ntnu.n	
	economy	phosphate rock imported mainly from Morocco, while					0	
	to reach	accumulating unused P resources in soils and aquatic						
	(direct)	systems. The MIND-P project analyses the barriers and						
	mineral	opportunities for transforming the Norwegian bio-						
	phosphorus	economy to reach (direct) mineral phosphorus						
	independe	independence by 2030, focusing on manure and fish						
	nce by	sludge. The barriers and opportunities to be investigated						
	2030	include (1) the spatial distribution of secondary P						
		generation and options to use them locally (e.g., IMTA) or						
		to collect and transport them to places where they are						
		needed (manure and fish sludge), (2) quality issues						
		related to plant availability, (3) quality issues related to						
		toxicity (e.g., sources of heavy metal concentration in fish						
		sludge), (4) economic barriers related to costs of						
		alternative systems and technologies, and (5) concerns of						
		producers and consumers related to the acceptance of						
		alternative systems and products. The bottom-up studies						
		on barriers and opportunities will inform the						
		development of scenarios for analyzing alternative						
		transformation pathways towards mineral P						
		independence and to identify potential tradeoffs and						
		business opportunities at a large scale. The project is						

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		conducted in close co-operation with key stakeholders from government, industry, and research, and supports the development of a P-platform in Norway. The findings will be synthesized into a proposal for a Phosphorus Roadmap in Norway.						person
Netherla nds Micronut rients from batteries	Micronutri ent recovery from recycled batteries	Brimstone will recover micronutrients Zinc and Manganese from recycled consumer batteries in the Netherlands. At this moment testing in lab is finished, the project tries to find funding for a pilot scale plant.	?	?	Brimsto ne own funding	http://b rimston efertiliz ers.com /?Brimst one Fer tilizers Winni ng van essenti %C3%A Ble nutr i%C3%A Bnten u it restst romen	ate@n  z xt.com  Ate@l ukro.n et, marcel .vancul embor g@zet adec.c om	Ate Ludwig & Marcel van Culemborg
Nurec4or g	Nutrient recyclates for organic farming	The Nurec4org project launched in 2017 will support the uptake of recycled nutrient products in organic farming in Germany. It is led by Kompetenzzentrum Wasser Berlin (KWB) and Bioland (Germany's biggest organic farmers' association) and funded by DBU, Germany's largest environmental foundation. Actions will include studying the market potential for recycled phosphorus products in organic farming and potential supply availability, looking at acceptance criteria for organic farmers and consumers, testing agronomic value and evaluation environment, health and life cycle factors. The objective is to provide both evidence and stakeholder consensus to support regulatory acceptance of recycled phosphates in organic agriculture. Partners: KWB, Bioland, IASP.	1-1-2017	31-12- 2018	DBU (Founda tion for Environ ment, German y).	http://b rimston efertiliz ers.com /?Brimst one_Fer tilizersWinni ng_van essenti %C3%A Ble_nutr i%C3%A Bnten_u it_restst	Fabian .Kraus @kom petenz - wasser .de, CKabb e@p- rex.eu	Fabian Kraus and Christian Kabbe

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
						romen		
Nutrient Cycling Ecosyste m	Symbiotic partnership network formed to coordinate companies related to nutrient recycling	The aim of the ECOSYSTEM project is to create new business opportunities and export potential for the participating companies and to increase the value of nutrient-related business. When nutrient cycling becomes profitable business, the leakage from the nutrient cycle will be minimized and emissions to the Baltic Sea and other water bodies will decrease. The ECOSYSTEM involves more than 70 actors (e.g. UPM-Kymmene, HSY Helsinki Region Environmental Services Authority, VTT Technical Research Centre of Finland, Valio, Tracegrow, Biocore City of Kalajoki) including companies, municipalities and research organisations. This gives the ecosystem diversity needed for creating innovations, new alliances and competitive concepts. The actors have produced about twenty projects aimed at creating new business or playing an important role with regard to nutrient recycling. The results of the ecosystem led by BSAG have been good. New innovations and products have been created out of the ecosystem for commercialising waste water purification, substrates and biochar and in the form of new local operating models, for example.	?	2018	TEKES, the Finnish Funding Agency for Innovati on	https:// www.bs ag.fi/en /action/ nutrient -cycling- business - ecosyste m/	riku.ve nhola @bsag .fi, nichol as.war di@bs ag.fi, mathia s.berg man@ bsag.fi	Riku Venhola
OFP	Our Phosphorus Future	The project aims to: (1) Bring together scientific evidence to support policy development; (2) Raise awareness of the priority issues, possible solutions and co-benefits of delivering global phosphorus sustainability; (3) Contribute to consensus development around the scientific base and the issues identified. The core project output will be a synthesis report which will be used to communicate the evidence on issues surrounding the flows and drivers of the global phosphorus cycle, and provide clear messages, including the capacity of changes in societal behaviour to improve sustainable phosphorus use.	1-2-2017	31-1-2019	UK Natural Environ ment Researc h Council	http://g tr.rcuk.a c.uk/pro jects?ref =NE%2F P00879 8%2F1	OPF@ceh.ac.uk,wilown@ceh.ac.uk	Will Brownlie
Pasrea	Compostin	In the Pasrea -project, we aimed to develop an integrated	?	?	?	http://w	<u>jaakko</u>	Makela

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact
	g system with heat and ammonia reclamatio n for animal shelters	composting solution, with under pressure aeration, that could be built into an animal shelter, and which allowed the reclaiming of heat and gaseous nitrogen releases from the composting manure in an economically viable way onsite. The concept was tested on multiple levels, with compost unit sizes ranging from small (<1 m3), to medium (8 m3, 120 m3) and eventually large scale (600 m3). Preliminary results show the concept of the system is sound, and that there is potential for both heat and nitrogen reclamation. The transport of manure to large scale processing plants for treatment is typically unfeasible or unrewarding for the farmer, and application to local fields is not always possible due to excess manure volumes or great distances. Simultaneously, with intensifying agricultural practices, the efficient reuse of manure is limited by its increasing volume, and its low potential for value. Composting lowers the mass of manure, makes its phosphorus more plant available, and allows its sale as compost, but a lot of its potential is lost as gaseous releases and heat. For an economically viable solution, a local treatment method capable of reclaiming				ww.pasr ea.bio	@pasr ea.fi, eemeli @pasr ea.fi	Jaakko and Piesala Eemeli
PFeWTR	Phosphorus capture, recycling and utilization for sustainable agriculture and a clean environme nt using iron desalinizati on	this lost potential is needed.  The PFeWTR project aims to recover phosphorus from agro-waste streams into a fertilizer using water treatment residuals (WTRs). Major agricultural wastewaters and leachates from farms and confined animal feeding operations are highly enriched with P and should be targeted for their P mining potential. Thus, developing means to capture the lost P, and reutilizing it for sustainable agriculture, could be paramount in extending future P use in production agricultural settings in Europe and beyond. An excellent opportunity exists to provide means of recovery and reuse P, while minimizing environmental pollution by using iron-based water treatment residuals (Fe-WTR), a waste by-product of desalinization facilities. Using Fe-WTR may also provide	?	?	?	?	litaori @telh ai.ac.il, Irisz@ migal. org.il	Iggy M. Litaor

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	residuals (Fe-WTR)	crops with the crucial micro-element Fe. Recent work in MIGAL's laboratory showed that Fe-WTR has a great potential to capture P from dairy wastewaters that contain several 10s mg L-1 P and further release it. Greenhouse experiments indicated the P-enriched Fe-WTR successfully supported plant growth (lettuce as test crop) as the commercialized granular and liquid P fertilizers. The project continually examines other test crops, different soil types and agro-technical working procedures, while lab work continues in elucidating the Fe-WTR capturing P pools and sorbing mechanisms, using state of the art means, to improve P recovery.						
Phos4Life	Process for phosphorus recovery process from sewage sludge incineratio n ash	Phos4life is the name now used for the process for phosphorus recovery process from sewage sludge incineration ash (SSIA), for which development is led by Zurich Kanton (AWEL) and ZAR (Zentrum für nachhaltige Abfall- und Ressourcennutzung). A 3.3 million Swiss Franc (CHF) industrial development and pilot program was announced in 2015 (see SCOPE Newsletter n° 119). The process developed together with Técnicas Reunidas and successfully tested under micro-pilot plant operation in Madrid uses sulphuric acid (at 96%) to solubilise phosphorus and other elements in the ash, then hydrochloric acid and solvent extraction to separate phosphorus acid from iron chloride solution and heavy metals. The full scale process is planned to treat 30 000 t/year of SSIA, to produce 11 000 t/year of 74% phosphoric acid (after concentration using steam), 34 000 t/y of 40% iron chloride solution for recycling as coagulant agent in waste water treatment plants and 42 000 t/y of heavy metal depleted mineral fraction which can be used by the cement industry. Heavy metal contaminants are nearly completely (>85%) transferred to a metal concentrate for metal recycling. The initial test results show the following recovering rates of the total potential in the SSIA: Phosphorus >95% (as phosphoric	?	?	Zurich Kanton funding	http://w ww.klae rschlam m.zh.ch	leo.mo rf@bd. zh.ch	Leo Morf

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		acid); iron: >90% (as iron-chloride solution). The total net						рсізоп
		cost for the thermal treatment of the digested and						
		dewatered sewage sludge (DDSS), at 30% dry matter,						
		including the Phos4life-process to recover the above						
		materials out of the SSIA is around 130 CHF/t DDSS after						
		deducting around 60 CHF (55 €) estimated revenues for						
		phosphoric acid and other products. This is 70 CHF/t						
		DDSS higher than the thermal treatment only of DDSS						
		today, but is lower than the treatment of DDSS before						
		the system change to a single centralized mono-						
		incineration plant for the entire Zurich Kanton.						
PyroPhos	Pyrolysis of	In the first phase of this research project, a process to	1-11-2014	31-12-	KTI	http://w	sarah.s	Sarah
	sewage	recycle phosphorus from sewage sludge is evaluated. The		2018	Commisi	ww.fibl.	<u>ymanc</u>	Symanczik
	sludge and	process consists of a pyrolysis at a medium temperature			on for	org/en/	zik@fi	
	heavy	in combination with a decoupled removal of heavy			technol	projectd	bl.org,	
	metal	metals, and is evaluated in terms of its economic			ogy and	<u>atabase</u>	else.b	
	elimination	efficiency. In an extensive study on plant availability, it is			innovati	/projecti	<u>uenem</u>	
	for	tested how effective the products are as fertilizers.			on	tem/pro	ann@f	
	phosphorus	Additionally, a strategy for an approval procedure				ject/119	ibl.org,	
	recycling	according to the fertiliser regulation is developed. In the				<u>5.html</u>	<u>martin</u>	
		second phase of the project, for an alkali pyrolysis, the					<u>.koller</u>	
		sewage sludge is pyrolysed after adding potassium. Thus,				http://w	@fibl.	
		heavy metals are removed in the vapour phase. This				ww.fibl.	org,	
		results in a P-K fertilizer that can be fully absorbed by				org/en/	anton.	
		plants and that has a market-grade nutrient content. In				projectd	<u>kuhn</u>	
		this project, the process will be optimised and piloted on				<u>atabase</u>	<u>@fibl.</u>	
		a larger scale. Further plans are the assessment of the				/projecti	org	
		agronomic efficiency, plant design, cost calculation and				tem/pro		
		the draft of a sales concept.				ject/125		
						3.html		
RAVINNE	Tool for	A new web-based tool for planning actions enhancing	2016	2018	Finnish	https://	<u>sari.lu</u>	Sari
LASKURI	planning	nutrient recycling on regional and national levels.			Ministry	<u>www.lu</u>	<u>ostarin</u>	Luostarinen
	regional	Calculates regional masses of nutrient-rich materials,			of	ke.fi/en	en@lu	
	nutrient	processing options and the end-use of products as			Agricult	<u>/project</u>	<u>ke.fi</u>	
	recycling	fertilisers considering regional crop production, field			ure and	s/ravinn		
		area, field soil status, nutrient losses etc. Allows for			Forestry	<u>elaskuri</u>		

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		comparison on current actions and future scenarios.						
RAVITA	RAVITA nutrient recovery – innovation for direct nutrient recovery from wastewater	RAVITA DEMO project contains the building project of the demonstration plant for phosphoric acid production. In the RAVITA process, phosphorus is not recovered from sludge streams but it is recovered in the very end of the wastewater treatment process by post precipitation. Because phosphorus is taken directly from the wastewater, it can be recovered in clearly larger quantities than using other methods. The amount of recovered phosphorus can also be regulated if necessary. The end product phosphoric acid contains very little organic impurities or heavy metals. The phosphorus recovery process can be combined with nitrogen recovery by using recycled phosphoric acid in stripping process. Thus the end product is ammonium phosphate. One of the most central advantages of the RAVITA method is that it can be applied to technically different kinds of treatment plants and treatment plants of different sizes.	2015	2019	Environ mental ministry of Finland (selecte d as Key project for the circular econom y in Finland) and Helsinki region environ mental services authorit y HSY	https:// www.hs y.fi/ravit a/fi/etu sivulle/S ivut/def ault.asp x	mari.h einone n@hsy .fi, laura.r ossi@ hsy.fi, tommi .fred@ hsy.fi	Mari Heinonen
Rec Alkaline	Alkaline battery micronutrie nt recycling	Rec Alkaline Ltd is developing a method for recycling alkaline batteries, which will raise the recovery rate above 80 percent. The method for chemical processing of alkaline batteries takes place at room temperature so it consumes a fraction of the energy required by the foundry method. Investment costs are also significantly lower than with smelter technology, which requires substantial initial spending. And the recovery rate is almost twice as good as smelters can offer. The company has studied and developed the process for many years. Financing from Tekes facilitated the initial research and helped to chart chemical models. The company has started building the technology in 2015. The factory will be completed during Q3/2017.	?	?	Compan y funding	http://w ww.reca lkaline.fi /en	tatu@ recalk aline.fi iarmo @recal kaline. fi	Jarmo Pudas

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
ReCoverP	Recovery of phosphorus from wastewater treatment systems	Increase the P recovery from wastewater and transform it into high quality P products that can be used in agriculture and industry. This will be achieved by optimization of the biological P removal in wastewater treatment plants without compromising the effluent quality, the release of P into bulk water in digesters, preconcentration and precipitation of P by novel membranes, ion exchange, and crystallization technologies.	2015	2019	Innovati on Fund Denmar k	http://w ww.en.b io.aau.d k/recov erp	phn@ bio.aa u.dk, mni@ bio.aa u.dk	Per Halkjær Nielsen and Marta Nierychlo
SAVE	Agricultural application of phosphogy psum	Gypsum, mainly consisting of calcium sulphate with some 0.2 % phosphorus is the byproduct of phosphoric acid production from phosphate rock. At Yara's Siilinjärvi plant, Finland, some 1.3 million tons of gypsum is produced yearly. Because of the quality of Finland's phosphate rock resources (igneous deposits) and the phosphoric acid production process operated by Yara, contaminant levels in the gypsum are low (conform to Finland fertiliser regulations and to the proposed EU Fertiliser Regulation values for soil improvers). Following initial trials 2008-2013, the SAVE project 2016-2018 is testing the impact of gypsum application on 1 550 hectares in South West Finland. Gypsum is applied 4 tonnes/ha once per five years. To date, the gypsum application shows a reduction in field losses to water of 30% soluble phosphorus, -60% particulate phosphorus and -50% dissolved organic carbon.	2016	2018	?	http://bl ogs.helsi nki.fi/sa ve- kipsihan ke	seija.lu omanp era@y ara.co m, Gauthi er.Boe ls@yar a.com, markk u.ollik ainen @helsi nki.fi	Seija Luomanperä
SOILFOO D	Bringing food and forestry industry side streams to the farmers	Soilfood refines side-streams from food and forest industry into affordable fertilizers and soil amendment products that can increase farm profitability and while recycling nutrients, sequestering carbon from the atmosphere and improving the quality of soil. Soilfood is working as a link between the farmer and the industry providing the logistics, stocking and spreading on the field. Soilfood products are compatible for conventional and for organic farming. Most important thing for a Soilfoods' client is to improve the quality of the soil by	?	?	?	http://w ww.soilf ood.fi	tiiti.ka mari@ soilfoo d.fi	Tiiti Kamari

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		adding organic matter into the field and thus improving						person
		the profitability of the farming. Soilfood is constantly						
		researching and developing the Soilfood portfolio. Resent						
		research show that Soilfoods' fertilizer can have even						
		better response in yield than mineral fertilizers.						
		Soilfoods' fibrous amendment show the potential in						
		improving the abstinence of the soil particles and						
		nutrients and thus the benefits can be seen as even						
		clearer runoff waters from the field. Soilfood is not just						
		about the business, it is also for the paradigm shift						
		towards regenerative circular economy and agriculture						
		which both sequestrates carbon and could reverse the						
		climate change. And we believe, if this is the ground for						
		the business, it cannot be unprofitable.						
Töölö Bay	New	At Töölö Bay, Helsinki, Finland, the Electrokinetic	2018?	?	Finnish	https://	<u>miiro.j</u>	Miiro
Sea	method of	oxidation technology of Eko Harden Technologies Oy is			Environ	ekogrid.	<u>aaskel</u>	Jääskeläinen
Bottom	sear	applied in a research project with Finnish Environment			ment	fi/case/s	<u>ainen</u>	
Remediat	bottom	Institute and the City of Helsinki to study its effects on			Institute	eabed-	@ekog	
ion	remediatio	the muddy sediment with high phosphorus (P) content			and the	<u>sedimen</u>	<u>rid.fi</u>	
	n tested in	and the water body suffering from eutrophication. The			City of	<u>ts-</u>		
	Töölö Bay	sediment also contains various footprints of former			Helsinki	<u>remedia</u>		
		industrial activities within its drainage basin resulting in				<u>tion</u>		
		aliphatic hydrocarbons and polycyclic aromatic						
		hydrocarbons (PAH) found widely and then also some						
		polychlorinated bifenyls (PCB). The electrokinetic						
		oxidation method consists of a smart power supply unit						
		connected to a grid of iron electrodes in the sediment						
		volume targeted. In this system energy is charged in by						
		separating the negative clay particles and their hydrated						
		surface cations artificially with a pulsing electric field and						
		the energy discharges as electrons currents from clay						
		particle surfaces to the migrated cations and hydroxyl						
		radicals(OH*) ja acidity(H+) is formed on the clay particle						
		surfaces. The eutrophication side of the research looks						
		for changes in the chemical and physical structure of the						
		sediment. Chemically is researched how the						

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		electrokinetic oxidation process affects phosphorus (P), nitrogen (N) and carbon © stocks and fractions in the sediments. Physically the mud is dewatered when hydrated cations are moved away from the loose mud structure and the clay particles are drained closer to each other and the acidity formed on the clay surfaces reacts with the weakly formed metal oxides releasing multivalent cations that bind the clay particles together irreversibly. On the nutrient chemistry side of research it is looked for whether the stocks or their availability can be diminished. The physical effect of mud compaction has the potential to diminish nutrient bioturbation by blocking it physically and to increase the water quality by increasing the amount of total water in the bay. The hydrocarbon degradation by increasing the amount of oxidative radicals and electron donors is in this project being applied to sediment instead of soil and groundwater where the electrokinetic oxidation has been tested more widely and applied commercially. It is expected that increasing the amount of strong electron acceptors, electron donors and the bioavailability increasing effects will hasten the hydrocarbon						
TransDia	Tachnalagi	degradation also in the sediment.	1 10 2015	20.0.2010	Co	http://w	info@	Cam Tassans
TransBio	Technologi cal transition of the Flemish biogas sector towards innovative business models with increased	Despite its high added value, anaerobic digestion as a base technology still has a high investment and operating cost. The technology is still strongly depending on financial support for renewable energy technologies. Clearly all parties involved, such as governments and energy partners, want to reduce the level of support to a minimum, while biogas producers themselves also strive for more independence, robust business models and decreased support dependence. TransBio aims to further optimize the baseline business model for anaerobic digestion plants by focusing on knowledge and innovation. Within the project four scenarios were identified which could induce a significant cost reduction	1-10-2015	30-9-2019	Co- funded by Flanders Innovati on & Entrepr eneursh ip (IWT- VIS)	http://w ww.biog as- e.be/tra nsbio	info@ biogas -e.be, sam.te ssens @biog as- e.be	Sam Tessens

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	profitability and reduced support dependenc e	or revenue increase. One scenario focusses on the recovery and reprocessing of mineral constituents to high quality mineral fertilizers (N/P/K) which can act as fossil based fertilizer substitutes, resulting in a closed nutrient cycle and a more valuable end-product. The TransBio project is led by Biogas-E, platform for anaerobic digestion in Flanders, in cooperation with the Ghent University (Belgium).						
UK CIP2	The Chemical Investigatio ns Programme Phase 2	Testing seven systems to achieve very low phosphorus discharge consents in operation in sewage works	2015	2020	UK Govern ment	https:// www.uk wir.org/ the- chemica ls- investig ation- program me	?	?
UK food system phosphor us project	The role of phosphorus in the resilience and sustainabili ty of the UK food system	Improved stewardship of phosphorus (P) is urgently needed both to increase the resilience of the UK food system to P shocks and enable the sustainable intensification of UK agriculture. A new interdisciplinary project funded under the UK Global Food Security Programme will develop adaptive strategies to enhance the resilience and sustainability of the UK food system. The 3-year project will develop methods to characterize the effects of biophysical, social and institutional heterogeneity in catchments on the response of different ES to P inputs and the vulnerability to P shocks. This will enable the identification of farm and catchment scale adaptation strategies for sustainable P management practices to overcome P vulnerability and enhance ES. The project will also deliver the first national P vulnerability assessment for the UK food system and identify priorities for a National Adaptation Strategy. A conceptual framework to integrate catchment	1-1-2018	31-12- 2020	UK Global Food Security program me led by BBSRC, ESRC, NERC and the Scottish govern ment	?	p.with ers@b angor. ac.uk	Paul Withers

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		biophysical and socio-economic variability into a suite of co-developed, context-specific, and implementable P measures based around the circular economy will be presented.						person
UNEP	Internation al Nitrogen Manageme nt System	Targeted Research for improving understanding of the Global Nitrogen Cycle towards the establishment of an International Nitrogen Management System (INMS)' is a project proposal to the Global Environment Facility (GEF) Trust Fund in coordination by United Nations Environmental programme (UNEP). INMS is a science-policy support process that brings together people, information, approaches, indicators, cost-benefit analysis, regional demonstration, as a basis to support governments and others through international nitrogen policy processes. The big message is to count the cobenefits of a joined-up nitrogen approach. By addressing better management across the nitrogen cycle, we can contribute to improving Economy-Wide Nitrogen Use Efficiency, while reducing surplus that would often be wasted as pollution.	3-1-2016	?	UNEP	http://w ww.inm s.intern ational	wilow n@ceh .ac.uk?	Will Brownlie?
UPM and Yara recycled fertilisers	UPM and Yara to co- develop recycled fertilisers	The efficiency of recycled fertilisers and the need for their supplementation by mineral fertilisers are studied in the field trials at Kotkaniemi Research Station. The joint project by UPM and Yara concentrates on the possibilities for the agricultural reuse of nutrients retrieved from the sludge originating from the pulp and paper mill's effluent treatment plants and the ash from the incineration process. Together with UPM's R&D team, we are developing a nutrient solution that contains the correct ratio of recycled and mineral nutrients. Recycled fertilisers do not automatically contain the correct amount of nutrients, so they need to be supplemented by mineral fertilisers that the plants can utilise without difficulties. This ensures that all nutrients move to the plants during the growing season and do not remain in the fields to then be washed up to waterways.	2017	2018	Raki2, a nutrient recyclin g program me from the Finnish Ministry of the Environ ment	http://w ww.up m.com/ About- us/New sroom/R eleases/ Pages/U PM-and- Yara-to- co- develop recycled fertiliser	koen.v an.kee r@yar a.com, Gauthi er.Boe Is@yar a.com	Koen Verkeer

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
Valurine	Value of urine as fertiliser	After a series of research conducted on urine fertilisation on boxes out of the ground, Ecosec will start soon a project of fert-irrigation with urine on wine fields near Montpellier (south of France). The goal is to analyse 5 parameters during one year: (1) Social acceptability, (2) Risks of Stalinization of the soil, (3) Risk of clogging of the drip irrigation emitters, and (4) Risks of transmission of micropollutant from urine to the fruits, and (5) Quality of the grapes produced, therefore the impact on the wine.	1-3-2018	1-3-2019	Compan y funding	s-001- Thu-10- Nov- 2016- 10- 03.aspx http://e cosec.fr /wp- content /upload s/2017/ 09/Proj et- Valurine flyer- 1.pdf	b.clou et@ec osec.fr	Benjamin Clouet

## Finished EU funded projects

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
ADD-ON	Α	Commercialization of nitrogen-control technology (micro-	1-3-2015	31-12-	Horizon	http://c	info@	?
	demonstrat	biological solution) that has the potential to remove over		2017	2020,	ordis.eu	<u>ductor</u>	
	ion plant of	60% of nitrogen from several organic waste materials			H2020-	ropa.eu	<u>.com</u>	
	enhanced				SMEINS	/project		
	biogas				T-2-	/rcn/19		
	production				2014,	<u>6657_e</u>		
	with Add-				SC5-20-	<u>n.html</u>		
	On				2014 -			
	technology				Boostin			
					g the			
					potentia			
					l of			
					small			
					business			
					es for			
					eco-			
					innovati			
					on and a			
					sustaina			
					ble			
					supply			
					of raw			
					material			
ALL-GAS	Industrial	This pusions will demonstrate on large scale the	1 5 2011	30-4-2016	s EU FP7	hattan / /	innava	?
ALL-GAS	scale	This project will demonstrate on large scale the sustainable production of bio-fuels based on low-cost	1-5-2011	30-4-2016	EU FP7	http://w ww.all-	innova cion@	· ·
	demonstrat	microalgae cultures. The full chain of processes from algal					aquali	
	ion of	ponds to biomass separation, processing for oil and other				gas.eu		
	sustainable	chemicals extraction, and downstream biofuel					<u>a.es</u>	
	algae	production, as well as the use in vehicles, will be						
	cultures for	implemented on a 10 ha site. Depending on the						
	biofuel	methodology chosen during the research phase of the						
		,						
	production	project, and the sustainability analysis, the most suitable						

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
ALL-GAS	Industrial	site for the objectives will be selected, among a number of selected locations in the South of Spain (Chiclana, Almeria, Sevilla, Arcos, Canary Islands) Wastewater influent and nutrients will be re-used to stimulate algae growth. The extracted oils will be processed at an existing biodiesel plant (capacity 6000 t/yr of used oils), designed by a consortium partner, which can be converted at reasonable cost.  This project will demonstrate on large scale the	1-5-2011	30-4-2016	EU FP7,	http://w	zouha	Zouhayr
ALL-GAS	scale demonstrat ion of sustainable algae cultures for biofuel production	sustainable production of bio-fuels based on low-cost microalgae cultures. The full chain of processes from algal ponds to biomass separation, processing for oil and other chemicals extraction, and downstream biofuel production, as well as the use in vehicles, will be implemented on a 10 ha site. Depending on the methodology chosen during the research phase of the project, and the sustainability analysis, the most suitable site for the objectives will be selected, among a number of selected locations in the South of Spain (Chiclana, Almeria, Sevilla, Arcos, Canary Islands) Wastewater influent and nutrients will be re-used to stimulate algae growth. The extracted oils will be processed at an existing biodiesel plant (capacity 6000 t/yr of used oils), designed by a consortium partner, which can be converted at reasonable cost.	1-5-2011	30-4-2016	EU FP7, FP7- ENERGY -2010-2, ENERGY .2010.3. 4-1 - Biofuels from algae	ww.all- gas.eu/e n	zouha yr.arbi b@fcc. es	Arbib
ANPHOS	Environme ntally friendly phosphorus removal in anaerobe effluent by means of the struvite process	The project aimed to apply the struvite process in anaerobic conditions to industrial effluents resulting from potato processing. The chemical composition of these industrial effluents is very different from those to which the technology was previously applied on a smaller scale. The struvite process will achieve the removal of both phosphorus and nitrogen (in NH4 form). By performing this demonstration project, LWM aimed to contribute to the development, the use and the spread of a new technology that would prevent phosphorus from polluting surface waters, and that would encourage the	1-12-2002	1-6-2005	LIFE+	http://e c.europ a.eu/en vironme nt/life/ project/ Projects /index.c fm?fuse action=s earch.ds	ceesva nrij@l ambw eston- nl.com	Cees van Rij

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		reuse of, and the recycling of phosphorus from, industrial waste waters. The objectives of the project were: 1.  Demonstration of the economic, social and environmental benefits of the struvite process in industrial wastewater treatment with the first trial at industrial scale of this de-phosphorisation process of anaerobic effluents. 2. Obtaining of reliable data (measurements) on the operating conditions. 3.  Informing the food industry and other relevant actors about the struvite process.				pPage& n_proj_i d=2335		person
AQUA	Achieving good water QUality status in intensive Animal production areas	The AQUA project's main objective was to help reduce water pollution from nutrients at the river basin level by optimising the use of nitrogen and phosphorus from livestock farms, thus reducing nutrients losses to water. This aim would be achieved by: (1) Reducing nitrogen in manure by lowering nitrogen inputs in feedstuffs (using feeding techniques based on low-protein diets); (2) Improving efficiency of fertilisation; (3) Maximising the efficiency of nutrient use (N and P); (4) Promoting manure application for crop rotations characterised by a long growing season and high uptakes; (5) Reducing nutrient losses caused by agriculture through agroenvironmental measures and practices; (6) Reducing pressures and impacts within intensive livestock agricultural catchments by separating the solid fraction from manure and transferring this fraction to areas characterised by low fertility or declining soil organic matter; and (7) Improving and simplifying monitoring and controls on farming practices by implementing tools for the traceability and certification of good practices in nutrient management at farm level.	1-10-2010	31-3-2014	LIFE+	http://e c.europ a.eu/en vironme nt/life/p rojects/i ndex.cf m?fusea ction=se arch.dsp Page&n proj_id =3645	m.liga bue@c rpa.it	Marco Ligabue
Aquavlan	Sustainable aquacultur e in region	The Aquavlan project focussed on economic, social and ecological aquaculture including closed loop system fish and sea food culture.	31-8-2009	30-8-2012	INTERRE G Flanders	http://w ww.aqu avlan.eu	wout.a bbink @wur.	Wout Abbink
	Flanders- Netherland				- Netherl		nl	

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	s				and			
ARBOR	Acceleratin g Renewable Energies through valorisation of Biogenic Organic Raw Material	The ARBOR project aims to accelerate the development and use of biomass in North-West Europe in order to facilitate the sustainable achievement of 2020 energy objectives and to make EU a world-class centre for biomass utilisation. The project will provide useful intelligence to address where transnational cooperation may help to address individual country supply and demand issues, while innovative pilot projects will inform implementation of biomass energy transformation solutions. ARBOR is delivered by an established cross sector partnership, with representatives from public authorities, private sector, research institutes and private sector intermediaries to ensure consideration of the whole biomass life cycle.	25-9-2009	31-3-2015	INTERRE G IVB NWE, Member ship network	http://4 b.nweur ope.eu/i ndex.ph p?act=p roject_d etail&id =5364	t.t.al- shem meri@ staffs. ac.uk	Prof T T Al Shemmeri
BALTIC	Baltic	The long-term strategic objective of the Baltic Manure	2011	2013	INTERRE	http://w	sari.lu	Sari
MANURE	Forum for Innovative Technologi es for Sustainable Manure Manageme nt	project is to change the general perception of manure from a waste product to a resource, while also identifying its inherent business opportunities with the right manure handling technologies and policy framework. To achieve this objective three interconnected manure forums will be established with the focus areas knowledge, policy, and business, where researchers, developers, administrators, and business people can come together to develop the many opportunities of manure as fertiliser and energy.			G Baltic Sea Region Program me	ww.balti cmanur e.eu	ostarin en@lu ke.fi	Luostarinen
BioEcoSi m	An innovative bio- economy solution to valorise livestock manure into a range of	In the BioEcoSIM project led by Fraunhofer IGB, 14 partners from research and industry developed a technology to convert livestock manure into organic soil improvers and mineral fertilisers. The overall process uses energy-efficient technologies and works on the principle of circular economy. The technology prototype is capable of processing 50 kg of raw manure per hour into fertilisers and organic soil improvers. The products obtained have excellent quality as fertilisers and can then be mixed to match the nutritional requirements of any	1-10-2012	31-12- 2016	EU FP7	http://w ww.bioe cosim.e u	jennife r.bilba o@igb .fraun hofer. de, ramon a.kuep fer@ig b.frau	Jennifer Bilbao

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	stabilised soil improving materials for environme ntal sustainabili ty and economic benefit for European agriculture	crop. BioEcoSim aimed to recover a stabilised organic soil amendment product (biochar) and nutrient fertiliser products (P and N salts) from manures. The process involves acidification (sulphuric acid), solid/liquid separation, struvite precipitation and ammonia recovery, supercritical steam drying and pyrolysis of the organic fraction. The project included construction and testing of a pilot plant and assessment, including analysis of regulatory aspects of recovered product marketing. This project targeted to produce sustainable soil improving products that can be easily handled, transported, and applied. BioEcoSIM valorises livestock manure as an important example of valuable bio-waste into 1) pathogenfree, P-rich organic soil amendment, 2) slow releasing mineral fertilisers and 3) reclaimed water. The project combined three innovative technologies 1) superheated steam drying 2) precipitation unit of struvite and calcium phosphate and 3) selective separation and recovery of NH3. Water reclaimed from manure will be utilised for livestock production and/or irrigation. The sustainability of this approach was validated against standards ISO14040 and ISO14044. Implementation of the R&D results will help fulfil the need for economically viable and environmentally benign practices in European agriculture to move towards a more resource-efficient					nhofer .de	PETSUIT
BIOFECT	The Use of Bio- Effectors for Crop Nutrition and enhancing nutrient use efficiency	and circular economy.  BIOFECTOR is an integrated project with the aim to reduce input of mineral fertilisers in European agriculture by development of specifically adapted bio-effectors (BEs) to improve the efficiency of alternative fertilisation strategies, such as organic and low-input farming, use of fertilisers based on waste recycling products and fertiliser placement technologies.	1-9-2012	31-8-2017	EU FP7	http://w ww.biof ector.inf o	guente r.neu mann @uni- hohen heim.d e, raupp @mad ora.eu	Prof. Dr. Günter Neumann

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
Biorefine	Recycling	The BIOREFINE project aims to provide innovative	1-5-2011	1-12-2015	INTERRE	http://w	info@	Erik Meers
project	inorganic	strategies for the recycling of inorganic chemicals from			G IVB	ww.bior	biorefi	& Eva
	chemicals	agro- and bio-industry waste streams. It wants to			NWE	efine.eu	ne.eu,	Clymans
	from agro-	maximally close nutrient cycles by minimizing residue				/biorefi	erik.m	
	and bio-	flows and economically valorising the minerals that can				ne	eers@	
	industrial	be recovered from these residue flows. In this way, the					ugent.	
	waste	BIOREFINE project targets to reduce environmental					Be,	
	streams	pollution and the wasting of finite resources and thus to					eva.cly	
		stimulate a sustainable and more bio-based economic					mans	
		growth. Eventually this should create a win-win situation					@uge	
		for both the environment and the economy in the NWE					nt.be	
		region. BioRefine puts a lot of emphasis on cross-sectoral						
		and international networking where the actions include						
		support for the establishment of regional nutrient						
		platforms and dialogue between the different networks.						
		The project also identifies nutrient recovery techniques						
		from different waste streams which would be most						
		suited for quantitative and qualitative nutrient						
		requirements of the market. Good practice techniques						
		are explored at pilot scale and in demonstrations. In this						
		respect, BioRefine is working with industrial operators						
		who are implementing struvite recovery from different						
		waste streams, for example Aquafin at municipal						
		wastewater treatment works in Leuven, Belgium. The						
		project's work should result in new strategies for cross-						
		sectoral resource recovery.						
BioSTEP	Promoting	BioSTEP aims at promoting participative governance of	1-3-2015	28-2-2018	Horizon	http://w	holger.	Holger
	Stakeholde	the European bioeconomy by engaging key stakeholders			2020,	ww.bio-	gerdes	Gerdes
	r	and the general public. The project follows a participatory			H2020-	step.eu	@ecol	
	Engagemen	approach, which aims at involving relevant actors and			ISIB-		ogic.e	
	t and Public	societal groups in a dialogue process on the future			2014-1,		u,	
	Awareness	development of the bioeconomy. Moreover, BioSTEP			ISIB-		I.griest	
	for a	fosters open and informed debates in order to increase			08a-		op@bi	
	Participativ	the understanding of bioeconomy among participants. As			2014 -		ocom.	
	е	there is no "one size fits all" approach for involving			Engagin		de,	
	Governanc	different stakeholder groups and the initiation of debates			g			

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	e of the European Bioeconom Y	is usually a complex process, BioSTEP applies a three-tier approach, which distinguishes among three different target groups: policy makers, the various stakeholders related to the bioeconomy (industry, academia, nongovernmental organisations, etc.), and citizens.			society, reaching end users and linking with policy makers for a particip ative governa nce of the bioecon			
Bioteam	Optimizing pathways and market systems for sustainable bio-energy	The aim of the BIOTEAM project is to help public and private stakeholders gain better insights on how the bioenergy market works and how private business decisions and EU and national policy instruments (e.g., NREAPs, fiscal instruments, feed-in schemes, landuse/forest management policies, etc.) affect bioenergy pathway competitiveness and sustainability (i.e. environmental, economic and social). The impact of BIOTEAM will be that public and private sector stakeholders in six EU countries (Finland, Germany, Italy, the Netherlands, Lithuania and Poland) revise or at least consider a revision of their decisions (e.g. bioenergy policy incentives, choice of biomass feedstock, investment size of bioenergy production plants) towards more sustainable pathways on the basis of the insights developed by the project. Capitalisation and transfer of tools and results to other EU countries is foreseen.	1-4-2013	1-3-2016	omy Co- funded by the Intellige nt Energy Europe Program me of the Europea n Union	http://w ww.sust ainable- biomass .eu	wytze @jin.n go, eise@j in.ngo, kriszti na@ji n.ngo, alice. monta lto@fo ndazio neamb iente.o rg, daniel e.russ olillo@ gmail.c	Eise Spijker & Krisztina Szendrei

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
							om	person
BONUS	Cost	MICROALGAE looked at microalgae cultivation as a route	1-2-2014	31-1-2017	BONUS	http://w	arvo.iit	Arvo Lital
MICROAL	efficient	for wastewater treatment and nutrient recovery. A two-			Innovati	ww.bon	al@ttu	
GAE	algal	phase system was developed, with first high-growth to			on	usportal	<u>.ee</u>	
	cultivation	optimise biomass production, then stress conditions to			funding	.org/mic		
	systems – A	increase added-value chemical or bioenergy products			2012	<u>roalgae</u>		
	source of	within the microalgae biomass and production of a bio-			(EU Blue			
	emission	fertiliser to recycle nutrients. The project offers cost			Growth			
	control and	efficient emission control and new policy guidelines by			Strategy			
	industrial	the industrialisation of microalgae cultivation systems			and EU			
	developme	taking into account the spatial distribution of nutrients			Strategy			
	nt	arising from intensive agricultural, industrial and			for the			
		municipal wastewaters improving water quality in			Baltic			
		aquatic ecosystems.			Region)			
BONUS	Optimisatio	Targeting smaller waste water treatment plants,	1-2-2014	31-1-2017	BONUS	http://w	<u>helene</u>	Helene
OPTITREA	n of small	OPTITREAT looked at removal of nitrogen and			Innovati	<u>ww.bon</u>	<u>.ejhed</u>	Ejhed
T	wastewater	phosphorus, pharmaceuticals and hormones			on	usportal	@ivl.s	
	treatment				funding	.org/opt	<u>e</u>	
	facilities				2012	<u>itreat</u>		
					(EU Blue			
					Growth			
					Strategy			
					and EU			
					Strategy			
					for the			
					Baltic			
5.5111.5				01.0.001=	Region)	1		., .
BONUS	Phosphorus	Phosphorus recycling from mixed agricultural and	1-4-2014	31-3-2017	BONUS	http://w	<u>kari.yli</u>	Kari
PROMISE	Recycling	municipal wastes to prevent Baltic Sea nutrient input and			Innovati	ww.bon	<u>vainio</u>	Ylivainio
	of Mixed	eutrophication, assessing possible impacts of			on funding	<u>usportal</u>	<u>@luke.</u>	
	Substances	contaminants (e.g. xenobiotics and pathogens in			funding	.org/pro	<u>fi</u>	
		manures). Agriculture is the largest contributor to the			2012 (ELL Plus	jects/in		
		non-point phosphorus load in the Baltic Sea region, and			(EU Blue	novatio		
		recycling of P from urban and agricultural organic wastes			Growth	n proje		
		is the only way to conserve the resource and to prevent			Strategy	cts/pro		
		eutrophication. To produce safe recycled fertilisers,			and EU	<u>mise</u>		

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		however, handling and treatment procedures need to be improved and implemented, since P-rich materials may contain significant amounts of organic contaminants, heavy metals and pathogens. Mono-incineration together with successive processing may be a way to ensure a full recovery of P in a safe fertiliser product. A shining example of cutting-edge solutions to protect water bodies could be demonstrated in the Baltic Sea region through efficient handling and treatment procedures combined with environmentally sound agricultural practices. BONUS PROMISE will convey backbone data on potentially hazardous contaminants in organic and recycled phosphorus fertilisers, assess strategies for P fertilisation that fully acknowledge food safety and food security, establish agro-technological transfer regions and thus pave the way for a fundamental adoption of advanced fertiliser practices in the Baltic Sea region.			Strategy for the Baltic Region)			
CANTOG ETHER	Crops and ANimals TOGETHER	Agricultural production faces numerous challenges regarding competitiveness, conserving natural and non-renewable resources and ecosystem services. Society also expects from agriculture to be more environment-friendly in several issues such as climatic change, declining biodiversity, fossil energy depletion, and water shortage. To overcome these limitations, the CANTOGETHER project will design innovative sustainable mixed farming systems (MFS). A design-assessment-adjustment iterative cycle will be adopted to ensure continuous validation and improvement of the innovative investigated MFS through a participative approach involving stakeholders and researchers across Europe.	1-1-2012	31-12- 2015	EU FP7	http://c ordis.eu ropa.eu /project /rcn/10 1746_e n.html	philipp e.leter me@a groca mpus- ouest.f r, hein.k orevaa r@wur .nl	Philippe Leterme
CLONIC	Closing the nitrogen cycle from urban landfill	The objective of the CLONIC project was to demonstrate the effectiveness and environmental benefits of an innovative process (PANI/SBR/ANOMMOX and thermal dry) for the treatment of leachate. Treatments based on a partial biological autotrophic oxidation of ammonium	1-9-2003	31-5-2007	LIFE+	http://e c.europ a.eu/en vironme nt/life/	e.jime nez@c espa.e s	Elena JIMÉNEZ COLOMA

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	leachate by biological nitrogen removal over nitrite and thermal treatment	to nitrite (PANI-SBR process), followed by an autotrophic anaerobic ammonium oxidation via nitrite (Anammox process), were to be studied as a more sustainable and cheaper alternative for the nitrogen removal from urban landfill leachates. Following this, thermal drying treatment using biogas as an energy source was to be carried out in order to retain the salt in the dry powder produced.				project/ Projects /index.c fm?fuse action=s earch.ds pPage& n proj i d=2356		
Combine	Converting Organic Matters from European urban and natural areas into storable bio-Energy	The COMBINE project aims at opening up of abandoned urban, natural and agricultural areas for the energy production. The utilisation and development of environmentally friendly technologies are key factors for the achievement of the ambitious aims of EU to increase the share of renewable energies. The energetic utilisation of biomass has an important role, as in contrast to other renewables (wind/PV), biomass is storable and it is possible to produce storable bio-fuels. However, at present the energy production from biomass is often economically inefficient, e.g. through an insufficient utilization of waste heat in conventional biogas plants. The conventional production of biomass for biogas plants is often eco-inefficient, e.g. due to the dominance of maize and the increased risk of soil erosion and nutrient losses. The competition with food production on fertile land and the resulting increase of prices for land and agricultural products causes ethical and socio-economic problems.	2013	2015	INTERRE G IVB NWE	http://w ww.com bine- nwe.eu	mwac h@uni - kassel. de	Prof. Dr. Wachendorf
DeBugger	Demonstra tion of efficient Biomass Use for Generation of Green Energy and	Generation of Green Energy and Recovery of Nutrients. Using farmyard manure and human waste as an energy source for fuel or as a supplement to wind and solar energy and at the same time as a fertiliser in agriculture. Efficient and safe exploitation of excrements is hampered by: a) high water content and b) pathogens and organic pollutants. Incineration or gasification destroy pathogens and concentrate nutrients in the residues. The project	1-1-2013	31-12- 2015	EIT KIC InnoEne rgy & LIFE+	http://w ww.inno energy.c om/case : study/d ebugger	Ludwig .herm ann@ outote c.com	Ludwig Hermann

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact
DemEAU med	Recovery of Nutrients  Closing the water cycle in Mediterran ean tourist facilities	demonstrates technologies to yield energy and renewable fertilisers from waste flows that may have a combined technical energy potential of 3.5 million TJ and a phosphate recovery potential of 6 million tons (as P2O5) in Europe. The challenges are to close and manage the nutrient flows and to exploit the total energy potential of wet biomass waste.  The aim of demEAUmed project was the involvement of industry representatives, stakeholders, policy-makers and diverse technical and scientific experts in demonstrating and promoting innovative technologies, for an optimal and safe closed water cycle in the Euro-Mediterranean tourist facilities, leading to their eventual market uptake. As well as, the reduction of fresh water consumption in hotel installations, green and recreational areas, etc. This was achieved by using alternative water sources, such as treated groundwater, treated rainwater or the reuse of treated grey waters and/or wastewaters within the resort. The project contributed a constructed wetland build vertically in stages, called a vertical ecosystem, suitable to treat greywater and which can be installed on walls indoors and outdoors. The pollutants in the greywater are actually nutrients for the microorganisms in the root zone and the plants. The greywater at the Hotel in Spain evidenced only low quantities of phosphorus and very moderate amounts of nitrogen. About 60% of P was removed and stored in plant biomass	1-2-2014	30-6-2017	EU FP7	http://w ww.dem eaumed .eu	gbutti glieri @icra. cat, e.mino @semi de.org, office @alch emia- nova.n et; th@alc hemia- nova.n et	Gianluigi Buttiglieri, Eric Mino, Heinz Gattringer
		suitable for composting, while 75% of N could be removed from the water.						
DEPURGA N	Swine-farm revolution	The DEPURGAN project aims to bring to the market an efficient pig manure treatment process, with an initial investment 4 times lower compared to other solutions and operation costs being also very competitive. It base its innovative character in the use of an optimized electrocoagulation reactor, that allows nitrogen abatement, while producing as residues a solid fraction	1-9-2015	31-7-2017	Horizon 2020, H2020- SMEINS T-2- 2014, SC5-20-	http://w ww.dep urgan.c om	medio ambie nte@e urogan .com	Juan Pablo Cruz

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		that poses great calorific potential as biomass, and a NPK liquid effluent ready to be used as fertiliser. The specific objectives are: (1) minimizing the concentration of contaminants in the manure (nitrogen, phosphorous, metals, bacteria, virus), (2) treating the pig slurry at its origin, (3) being independent from national subsidies, Its technical and economic viable for the farmer and (4) valorizing the manure (energy recovery and fertiliser).			2014 - Boostin g the potentia l of small business es for eco- innovati on and a sustaina ble supply of raw material s			
DIGESMA	Digestate from Manure Recycling Technologi es	This project brings together all stakeholders for the installation of a new process to minimize spreading digestate flows and to economically valorise the minerals (nitrogen, phosphorus and potassium, among others). By using digestate instead of synthetic fertilisers, it is possible to save energy, limit consumption of fossil fuels and reduce our carbon footprint.	1-9-2013	31-8-2016	Co- funded by the EU Eco- innovati on initiativ e	http://w ww.dige smart.e u	info@biogas -e.be, jonath an.de. mey@biogas -e.be, denis @detri con.eu  pgome z@aini a.es, remigi o.berr uto@u nito.it,	Jonathan De Mey

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
							p.rend ina@s atasrl.i	
DYNAMIX	DYNAmic policy MIXes for absolute decoupling of environme ntal impact of EU resource use from economic growth	The DYNAMIX project will propose dynamic and robust policy mixes to shift the EU onto a pathway to absolute decoupling of long-term economic growth from resource use and environmental impacts. DYNAMIX assumes that the tremendous task of reaching absolute decoupling will require paradigm shifts in the way production and consumption is organised and regulated. It will therefore assess how existing and emerging paradigms affecting absolute decoupling can inform concrete policy-making. Combined with an ex-post analysis of existing inefficiencies in resource use and inadequacy of current resource policies, this will allow identifying promising policy mixes for progressing towards decoupling. These policy mixes will then be tested in qualitative and quantitative ex-ante assessments for effectiveness (benchmarked against absolute resource and impact decoupling), efficiency, sustainability and contribution to eco-innovation, using innovative environmental and economic modelling.	1-9-2012	31-3-2016	EU FP7	http://d ynamix- project. eu	martin .hirsch nitz- garber s@eco logic.e u, kathari na.um pfenba ch@ec ologic. eu, andrea .bigan o@fee m.it, andrea .bigan o@cm cc.it	Dr. Martin Hirschnitz- Garbers
ECOPHOS	Waste utilisation in phosphoric acid industry through the developme nt of ecologically	The ECOPHOS project involves the development of a new research and innovation strategy for the waste minimisation and utilisation in the phosphoric acid industry. The main aim is the development of ecologically sustainable, environmentally friendly, resource and energy saving industrial process technology for the production of a wide-class of phosphorus-containing substances. The project focuses on new technologies for (a) the production of useful phosphorous salts (fodder, food and pharmaceutical phosphates), phosphorus acid and phosphates in a cost efficient and ecologically	1-12-2005	30-11- 2008	EU FP7	http://c ordis.eu ropa.eu /project /rcn/74 809_en. html http://c ordis.eu ropa.eu	RBC2c onsult ancy@ gmail. com	Rob de Ruijter

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	sustainable and environme ntally friendly processes for a wide class of phosphorus -containing products	sustainable way, (b) the improvement of existing methods in the phosphoric acid production for the drastic minimisation of waste, (c) the utilisation and processing of industrial solid waste from the production of phosphoric acid and (d) the production of a new generation of phosphoric fertilisers. Mathematical models and computer-aided process engineering tools guarantee the efficient and sustainable operation of the production systems with key objectives the reduction of cost, waste and energy. The new technological advancements will be accommodated in an information system for easy access and utilisation. The newly developed production systems will be classified with respect to both the waste properties and the environmental and sustainability potentials. An expert system will assist the user to select the appropriate production scheme according to the needs and particular specifications. The new methodology will by validated and in future exploited by two major industrial end users one from the EU and one from the NIS.				/result/r cn/4683 5_en.ht ml		
End-o- Sludge	Marketable sludge derivatives from sustainable processing of wastewater in a highly integrated treatment plant	This project researches, develops and demonstrates a toolkit of novel processes together with market development for advanced sludge-based products and integration methodologies that can be applied to a range of wastewater treatment plants based on a typical municipal scenario. The project took an overall approach to improving municipal sewage sludge management, looking at sludge reduction, solid-liquid separation by air flotation, recovery of biopolymers (BioPOL) and recycling of nutrients (phosphorus, nitrogen and carbon) by production of an organo-mineral fertiliser. BioPOL is produced by milling the sewage sludge to break down cell structures and release biopolymers, then treated with alkali salt (NaOH). BioPOL was tested as a flocculant, and showed potential for replacing petro-chemical polymers in sludge treatment. This would enable use of a	01- 012011	1-12-2013	EU FP7	http://c ordis.eu ropa.eu /result/r cn/1721 07 en.h tml	r.sakra bani@ cranfie ld.ac.u k	Ruben Sakrabani

ES- Environme The WAMAR ntally- manageme nt of swine of pwaste farm	enewable product derived from the sewage itself for this rocess, and would avoid spreading of the petronemical polymer flocculants. The organo-mineral ertiliser produced from treated sewage sludge showed good agricultural performance, with nutrient plant vailability contributing to crop growth, as well as creasing soil carbon (positive for nutrient plant use, rater retention and so drought resistance, and for soil						person
innovative thro technology: a nor demonstrat max ion project the set in also Aragón the (Spain) pro sus: mo Mai	cructure thus reducing soil loss and erosion). Contaminant levels measured were considered not croblematic. However, difficulties were encountered in coducing pellets of the organo- mineral product with difficient density and physical resistance for use with difficient density and project aimed to improve the difficulties are specially and enable difficulties are specially interested difficulties. The processing and distribution of pig slurry. It sought to match the needs of arable difficulties with the need of pig farmers to dispose of their slurry appropriately and economically difficulties are not air contamination - especially nitrates from con-point sources — in areas around pig farms; and difficulties are nutrient recycling through the valorisation of the pig slurry on arable land. The management model are energy requirements of the waste management. The roject planned to demonstrate the feasibility and distainability of the correct integrated management model of swine waste at three sites in Aragón: Tauste, diaestrazgo and Peñarroya. It thus showed that the same model adapted to local circumstances could respond effectively to different locations.	1-10-2006	31-3-2011	LIFE+	http://w ww.life- eswama r.eu	adaud en@ci ta- aragon .es, adaud en@so demas a.com	Arturo Dauden Ibanez
EUROLEG Enhancing Lon UME of legumes of L		1-1-2014	31-12-	EU FP7	http://w	citab@	?

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	growing in Europe through sustainable cropping for protein supply for food and feed	ensure European citizens with balanced and safe food, ensuring the high quality protein sources in their daily diet by increasing competitiveness and cultivation of legumes for food and feed. Short-term S&T objectives: 1. Evaluation of pea, faba bean and cowpea/black-eye-bean local genetic resources for the development of new varieties for food and feed and further use in breeding; 2. Development of new food and feed products from available European varieties of pea, faba bean and cowpea; 3. Selection of appropriate rhizobium strains and arbuscular mycorrhizae fungi to support nitrogen fixation and development of new, commercial inoculants; 4. Evaluation of influence of leguminous plants on the soil properties in sustainable, regionally specific cropping systems. Activities: WP1 Management and coordination; WP2 Broadening of genetic diversity in breeding trough evaluation of local genetic resources; WP3 Selection of appropriate rhizobium strains to support nitrogen fixation and development of inoculants; WP4 Nutritional value and innovative food and feed; WP5 Legume supported cropping system in sustainable agriculture; WP6 Management and valorization of the residual biomass; WP7 Publicity and dissemination. 19 partners from 10 EU Member States.				olegum e.eu	<u>t</u>	person
EURoot	Enhancing Resource Uptake from Roots Under Stress in Cereal Crops	The overall goal of the EURoot project is to help farmers to face both climate change, which is expected to result in increasingly uneven rainfall, and meet the societal demand for sustainable agriculture with reduced use of water and fertilisers. EURoot objective is to enhance the cereal plant capability to acquire water and nutrients through their roots and maintain growth and performance under stress conditions. Making use of joint phenotyping and modelling platforms, EURoot will conduct a suite of experiments designed to better understand and model: (1) The genetic and functional bases of root traits involved in soil exploration and	1-1-2012	31-12- 2015	EU FP7	http://w ww.eur oot.eu	emma nuel.g uiderd oni@ci rad.fr, anne- marie. schelst raete @cira d.fr, a.price	Emmanuel Guiderdoni

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
FATIMA	FArming	resource uptake, (2) The bio-geochemical properties of the soil, including beneficial association with mycorhizal fungi, influencing extraction of nutrient and water by the root system and (3) The plant signalling processes involved in soil environment sensing and responsible for adaptive root system response enhancing soil exploration and resource acquisition.  FATIMA addresses effective and efficient monitoring and	1-3-2015	28-2-2018	Horizon	http://w	@abd n.ac.u k info@f	Anna Osann
	Tools for external nutrient Inputs and water Manageme nt	management of agricultural resources to achieve optimum crop yield and quality in a sustainable environment. It covers both ends of the scale relevant for food production, viz., precision farming and the perspective of a sustainable agriculture in the context of integrated agri-environment management. It aims at developing innovative and new farm capacities that help the intensive farm sector optimize their external input (nutrients, water) management and use, with the vision of bridging sustainable crop production with fair economic competitiveness.  Our comprehensive strategy covers five interconnected levels: a modular technology package (based on the integration of Earth observation and wireless sensor networks into a webGIS), a field work package (exploring options of improving soil and input management), a toolset for multi-actor participatory processes, an integrated multi-scale economic analysis framework, and an umbrella policy analysis set based on indicator-, accounting- and footprint approach. FATIMA will be implemented and demonstrated in 8 pilot areas representative of key European intensive crop production systems in Spain, Italy, Greece, Netherlands, Czech Republic, Austria, France, Turkey.			2020, H2020- SFS- 2014-2, SFS-02a- 2014 - External nutrient inputs	ww.fati ma- h2020.e u	atima- h2020. eu, anna.o sann@ gmail.c om, Alfons o.Caler a@ucl m.es	
Fertiplus	Reducing mineral fertilisers and agro-	The FERTIPLUS project will take up the challenge to identify innovative processing technologies and strategies to convert urban and farm organic waste to valuable and safe products for agriculture and allow industries to	1-12-2011	1-11-2015	EU FP7	http://w ww.ferti plus.eu	peter. kuikm an@w ur.nl,	Peter Kuikman

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	chemicals	develop projects and provide adequate information on					fertipl	person
	by recycling	use and quality of the products. The focus in FERTIPLUS is					us@id	
	treated	in understanding why a given processing of a selection of					consor	
	organic	combination of feedstocks will make a good product and					tium.e	
	waste as	to provide a tool for SME's to determine the best strategy					<u>s</u>	
	compost	(what feedstock and what processing conditions will						
	and bio-	produce product with fertiliser value – what to put on the						
	char	bag of the product?). The focus for feedstocks in						
	products	FERTIPLUS is on urban and agricultural waste including						
		garden and park waste, municipal household waste,						
		residues from anaerobic digestors for nitrogen and						
		phosphorus recuperation. FERTIPLUS will assess the						
		available organic waste and estimate how much N and P						
		could be made available if returned to agriculture and						
		whether this could be realised according to regulatory						
		safety standards currently under development. The						
		general objective of FERTIPLUS is therefore to identify						
		and develop innovative strategies and technologies to:						
		(1) Reduce and replace the application of mineral						
		fertilisers and agrochemicals and; (2) Stimulate industry						
		to implement necessary and cost-effective organic waste						
		treatment and recycling processes to produce safe						
		compost and biochar that allow agriculture to improve						
		the efficient utilization of nutrients.						
FUSIONS	Food Use	The FUSIONS project will contribute to achieving a	1-8-2012	31-7-2016	EU FP7	http://w	eu-	Toine
	for Social	Resource Efficient Europe by significantly reducing food				ww.eu-	fusion	Timmerman
	Innovation	waste. It will achieve this through a comprehensive and				fusions.	s@live	S
	by	experienced European partnership covering all key actors				org	.com,	
	Optimising	across the food supply chain, including regulatory,					toine.t	
	waste	business, NGOs and knowledge institutes, all with strong					immer	
	prevention	links to consumer organisations. FUSIONS will establish a					mans	
	Strategies	tiered European multi-stakeholder Platform to generate a					@wur.	
		shared vision and strategy to prevent food loss and					nl,	
		reduce food waste across the supply chain through social					hilke.b	
		innovation: new ideas (products, services and models)					os-	
		that simultaneously meet social needs (more effectively					brouw	

Acronym Ful	ıll name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		than alternatives) and create new social relationships or collaborations. The overall aim of the project is to contribute significantly to the harmonisation of food waste monitoring, feasibility of social innovative measures for optimised food use in the food chain and the development of a Common Food Waste Policy for EU27. Utilising the policy and behavioural change recommendations from the delivery of the key objectives, the FUSIONS European multi-stakeholder platform will enable, encourage, engage and support key actors across Europe in delivering a 50% reduction in food waste and a 20% reduction in the food chains resource inputs by 2020.					ers@w ur.nl, mgheo Idus@ deloitt e.fr	
OOTS g re arc e fe imp	proved	Rooting depth impacts the efficient acquisition of soil nitrogen (and water) since nitrate leaches deep into the soil. Phosphate use efficiency could be significantly improved without increasing root depth by manipulating the angle of root growth to explore the top soil where this macronutrient accumulates. The genes that regulate root traits such as angle, depth and density in crops remain to be identified. A key impediment to genetic analysis of root architecture in crops grown in soil has been the ability to image live roots non-invasively. Recent advances in microscale X-ray Computed Tomography (mCT) now permit root phenotyping. Major technical and scientific challenges remain before mCT can become a high throughput phenotyping approach. This ambitious multidisciplinary research programme will be achieved through six integrated work packages. The first 3 work packages will create high-throughput mCT (WP1) and image analysis (WP2) tools that will be used to probe variation in root systems architecture within wheat germplasm collections (WP3). Work packages 4-6 will identify root architectures that improve water (WP4) and nitrate uptake efficiencies (WP5) and pinpoint the genes that regulate these traits. In parallel, innovative	1-8-2012	31-7-2017	ERC grant	http://c ordis.eu ropa.eu /project /rcn/10 3475_e n.html	malcol m.ben nett@ nottin gham. ac.uk	Malcolm Bennett

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		mathematical models simulating the impact of root						Polocii
		architecture and soil properties will be developed as tools						
		to assess the impact of architectural changes on uptake						
		of other nutrients in order to optimise crop performance						
		(WP6).					_	_
GISWAST	AHP 	The GISWASTE Life project offers a MCDA tool which	15-7-2013	30-6-2017	LIFE+	http://w	dsanm	David San
E	method	assists decision-makers (private or public waste				ww.lifeg	artin@	Martín Errea
	combined	management bodies and companies) in choosing the				<u>iswaste.</u>	<u>azti.es</u>	
	with GIS for	option which makes best use of agri-food by-products,				<u>eu/en</u>		
	organic	rather than treating them as waste products. This tool						
	waste	implements AHP method and GIS to evaluate the main						
	valorisation	parameters involved in the by-products valorisation						
		process. GISWASTE tool decreases considerably the time						
		required to evaluate the different scenarios for each						
		study case, as well as facilitating a sensitivity study when						
		geographic, technical, economic and environmental						
		criteria values are modified. Hence, as well as reducing						
		the risk associated with the implementation of food						
		waste valorisation strategies, it also helps to public waste						
		management authorities or private organisms to define						
		bio-economy based waste valorisation strategies.						
GR3	GRass as a	The GR3 project promotes the use of grass and other	1-1-2013	1-12-2016	Co-	http://w	<u>lies.ba</u>	Lies Bamelis
	GReen Gas	herbaceous residues from landscape management as a			funding	<u>ww.gras</u>	<u>melis</u>	
	Resource:	sustainable feedstock in biogas plants in the partner			EU	<u>sgreenr</u>	@dlv.b	
	Energy	countries Belgium, Italy, Germany, Denmark and			Intellige	esource.	<u>e</u>	
	from	Portugal. The energy potential of these residues remains			nt	<u>eu</u>		
	landscapes	underutilized across Europe. Barriers are insufficient			Energy			
	by	awareness and acceptance of suitable technologies for			Europe			
	promoting	the mowing, storage and anaerobic digestion of grass			Program			
	the use of	residues, absence or lack of cooperation between			me			
	grass	stakeholders along the value chain, as well as legal						
	residues as	barriers. The project aimed for an increase of the						
	а	renewable energy production without competing with						
	renewable	food production, increasing the ecological landscape						
	energy	management as well as protect permanent grasslands						
	resource	from land use changes. Therefore value chains for grass						

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		residues were analysed and evaluated to increase their market uptake as biogas feedstock. The project encouraged the knowledge transfer between different actors along the potential value chains on a regional nd national level. Furthermore grass producers as municipalities, road authorities, conservancies were brought together with biogas producer. Tools and technical, economic as well as legal advice were delivered in order to trigger investments in the establishment of supply chains.						person
HotPaNT	Hot-spots of Phosphorus and Nitrogen delivery in Time and Space in agricultural catchments	Growing food demand exacerbates negative impacts of agriculture on the environment including diffuse nutrient losses from agricultural land to surface and groundwaters causing their eutrophication. The project will evaluate a robust monitoring method of detecting diffuse pollution in space and time in agricultural catchments based on in situ fluorescence sensors. Tangible advantages of the fluorescence sensors: in situ deployment, low cost, realtime measurements, mobility within the catchment, sensitivity and reliability, will be evaluated against potential limitations from quenching effects. This comprehensive evaluation is possible thanks to the host's unique expertise and role as a coordinator of the Swedish monitoring programme with access to the monitoring catchments, covering a range of agronomic and environmental conditions. Once tested over hot-spots and hot-moments of nutrient delivery, the method could offer an alternative and/or complementary monitoring approach to the existing methodologies of low-frequency and fixed-location nutrient sampling. The tool will improve targeting nutrient sources and mitigation measures to the locations in which they will bring the largest economical, societal and environmental benefits and in turn will help to achieve the aims of the EU Water Framework Directive.	1-1-2016	31-12-2017	Marie Skłodow ska- Curie Individu al Fellows hips	http://c ordis.eu ropa.eu /project /rcn/19 5405_e n.html	magda lena.bi eroza @slu.s e	Magdalena Bieroza
HTC4WA	Up-scaling,	The objective of HTC4WASTE is to demonstrate – at full	1-11-2015	31-10-	Horizon	http://c	?	?

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact
STE	demonstration and first market application of Loritus' patented hydrother mal carbonisation as an ecoefficient and costeffective organic waste processing technology	scale and in a real market application – the technical and commercial excellence of Loritus' unique, patented Hydrothermal Carbonisation (HTC) technology as a flexible organic waste recovery technology, suitable for converting organic waste streams into carbon neutral biocoal, carbon sequestering biochar, fertility products, water, and local thermal energy. During the project, Loritus will build a full-scale HTC installation to demonstrate its economic and technological performance across a range of commonly occurring waste streams sharing characteristics that make them costly to treat with established technologies. The demonstration will target at least three market applications (sewage sludge, food waste and animal byproducts, and spent mushroom compost) on a commercial scale (10.000 tonnes/year). Loritus will then operate the full-scale HTC system on a specific organic waste stream, spent mushroom compost, at a mushroom farm in Ireland to finalise the business case for HTC in a real life, industrial scale application. Such a success will induce a multiplication effect across the associated multinational farming cooperative, and provide evidence that clients in other market segments can gain the same HTC cost and environmental advantages. Loritus will prioritise		2017	2020, H2020- SMEINS T-2- 2015, SC5-20- 2015 - Boostin g the potentia l of small business es for eco- innovati on and a sustaina ble supply of raw material s	ordis.eu ropa.eu /project /rcn/20 1671 e n.html		person
HTCycle	Sewage sludge reuse Phosphate recovery with an innovative HTC technology (HTCycle)	and pursue these segments aggressively.  The objective of the HTCCycle project is to demonstrate and commercialize the technology for hydrothermal carbonization (HTC) to the conditions of sewage sludge, showing clearly technical and economic advantages against the current sludge incineration method. HTCCycle aims to increase the amount of sludge converted into high value products such as fuel, activated carbons for water treatment, recovered phosphorus, soil remediation material, carbon sequestration schemes and other applications. The HTCycle process turns the present sewage sludge disposal (incineration) from a costly	1-7-2015	31-12- 2015	Horizon 2020, H2020- SMEINS T-1- 2015, SC5-20- 2015-1 - Boostin g the potentia	http://c ordis.eu ropa.eu /project /rcn/19 7563 e n.html	tk@av a- co2.co m, k.ger mund @rcuc .de	Thomas M. Kläusli

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		process into an income-generating activity.			I of small business es for eco-innovati on and a sustaina ble supply of raw material s			person
In-BRIEF	Integrated business model for turning Biowaste and sewage sludge into renewable energy and agri-urban fertilisers	The LIFE In-BRIEF project aims to develop and implement a new business model for the resource-efficient management of certain biodegradable waste, increasing its use for bioenergy and in bioproducts. This will be done through an integrated management model for processing different biowaste generated by agri-food enterprises, and sewage sludge from urban waste water treatment, transforming it into renewable energy and high quality fertilisers.	1-9-2015	31-3-2018	LIFE+	http://w ww.lifei nbrief.e u/?lang =en	msanc hez@a imme. es	Manuel Sanchez
INEMAD- GR3	Improved Nutrient and Energy Manageme nt through Anaerobic Digestion	The INEMAD project will concentrate on innovative strategies to reconnect livestock and crop production farming systems. New flows of energy and materials within the agricultural sector (or linked to the agricultural sector) will be analysed and will create opportunities for re-thinking the relation between crop and livestock production. New nutrient and energy flows are re-thought to generate growth opportunity for the agricultural and industrial sectors. Nutrient recycling can be done by biogas production and the use of digestate as fertiliser. The idea for INEMAD arose from the paradoxical situation where in certain European areas on	1-4-2012	31-3-2016	EU FP7	http://w ww.ine mad.eu	info@i nemad .eu, J.buyss e@uge nt.be	Jeroen Buysse

Acronym F	ull name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		the one hand livestock farming has an excess of nutrients and faces problems with manure disposal, while crop farming imports more and more nutrients through chemical fertilisers. The INEMAD project hopes to bring in some strategies and policy recommendations in that way that nutrient and energy flows between crop and livestock production become more in balance. INEMAD has a distinct focus on techniques and strategies for optimized nutrient recovery, with additional attention for opportunities for renewable energy production and						person
t si b sl p p sy si m	self- supporting siofuel sludge sellet stroducing ystem for mall and medium sized sewage slants	carbon sequestration.  There is a huge number of small and medium sized sewage plants in and out of the European Union that cannot pass over urban sewage sludge for agricultural use in sufficient proportion (less than 50% in the EU), therefore the management of these sewage plants usually ask and receive permissions from environmental authorities for disposing the communal sludge in disused mines or dumps. Instead of disposal/landfilling – that regularly causes pollution of natural water resources – it would be more beneficial to produce sludge pellets. Such experiences drove to create the InnoPellet technology, a self-supporting biofuel pellet producing system for treating communal sewage sludge that is economical in case of small scale production too. Five years of research and development led to the successful completion of a prototype machine that received regulatory approval and third-party testing/validation. The InnoPellet system offers an economical solution of sewage sludge treatment for wastewater companies. The technology is a self-supporting machinery for drying and pelleting sewage sludge without external need of fossil fuel or any other additional material. The technology will enable wastewater plants to meet the strict EU environmental regulations and at the same time, reduce their sewage sludge treatment costs with 50-75%.	1-3-2016	28-2-2018	Horizon 2020, H2020- SMEINS T-2- 2015, SC5-20- 2015 - Boostin g the potentia l of small business es for eco- innovati on and a sustaina ble supply of raw material s	http://c ordis.eu ropa.eu /project /rcn/20 1671_e n.html http://w ww.inno = waste.c om/inno pellet/in dex.htm ]	info@i nnowa ste.eu	?

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
IPHYC- H2020	EU market research for an innovative algae based tertiary wastewater treatment system	The Industrial Phycology (I-PHYC) project has developed a wastewater treatment (WWT) process that can meet increasingly stricter discharge consents for the concentration of nitrogen (N) and phosphorus (P) in wastewater (WW) effluents. Elevated levels of N & P are linked to detrimental environmental events e.g. eutrophication. WWT operators require a treatment process that is able to remove nutrients in an energy efficient manner which current technology cannot meet. I-PHYC's novel patented treatment process uses microalgae (MA) to remove nutrients from WW effluents. MA reproduce rapidly when sufficient nutrients, light and CO2 are supplied. The MA consume the nutrients of the WW until exhausted producing a clean effluent that meets new EU consents and allows the operator to meet its statutory commitments while avoiding financial penalties. The biomass is retained for reactor seeding or harvested for valorisation e.g. anaerobic digestion of biomass to produce electricity. The process has been validated by I-PHYC in a recent field trial (late 2013) at Avonmouth WWT, UK. The field trial was based on a 1 m3 system which replicated all the functions of a commercial scale system. Results from the trial demonstrated a reduction in the tertiary treatment effluent concentration of P and ammonia by >70% and COD by>30%. Currently, I-PHYC is trialling a 20 m3 system onsite at a municipal WWT works with our strategic partner 'Wessex Water'.	1-5-2015	31-10- 2015	Horizon 2020, H2020- SMEINS T-1- 2014, BIOTEC- 5a- 2014-1 - SME boostin g biotech nology- based industri al process es driving competi tiveness and sustaina bility	http://c ordis.eu ropa.eu /project /rcn/19 6663 e n.html	?	?
Lo2x	Supercritic al water co- oxidation (SCWcO) of urban sewage sludge and wastes	The Lo2x project aims to demonstrate the environmental and socio-economic benefits of a synergic co-treatment of sewage sludge and wastes (raw or digested manure, high load food processing wastes, pesticides, leachates and others) with energy and phosphorus recovery through supercritical water co-oxidation (SCWcO).	1-10-2013	30-6-2017	LIFE+	http://w ww.lo2x .com/en g/	apascu al@ain ia.es	Andrés Pascual

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
Manev	Evaluation	The Manev project aims were to: (1) Demonstrate that	1-1-2011	31-12-	LIFE+	http://w	lifema	Marta
	of manure	both the use of treatment technology and an adequate		2015		ww.life	nev@s	Teresa
	manageme	management scheme of pig manure can contribute to a				manev.e	arga.e	
	nt systems	reduction of GHG emissions, while at the same time				<u>u</u>	<u>s,</u>	
	in Europe	improving the situation of farmers; (2) Improve					mteres	
		environmental protection and the sustainability of pig					a@sar	
		farming by increasing the use of manure treatment					ga.es	
		technology in various livestock-dominated areas of						
		Europe; (3) Unify criteria for the evaluation of different						
		manure treatment technology; (4) Unify criteria for the						
		evaluation of different manure treatment technology						
		systems and management schemes; (5) Develop a						
		common protocol among European regions for the						
		evaluation of manure treatment technology and						
		management schemes that take into account						
		environmental, technological, energy, economic, legal						
		and health factors; (6) Develop and test a decision						
		supporting and planning tool to evaluate different						
		manure treatment and management strategies in various						
		European countries: Italy, Denmark, Poland, and various						
		sites in Spain; (7) Define the fertilising properties of						
		directly applied manure and of treated waste in order to						
		provide a real value in the market; (8) Evaluate the know-						
		how related to the treatment technologies and						
		management methods, its strengths and weaknesses,						
		within the different countries and areas in Europe. The						
		following treatment systems were assessed: acidification,						
		solid-liquid separation, anaerobic digestion, aerobic						
		biological treatment, composting, evaporation, thermal						
		drying, ammonia stripping and recovery, filtration /						
		osmosis, phytoepuration and land spreading.						
ManureE	Green	Intensive agriculture is heavily dependent on the input of	1-11-2013	31-10-	EU FP7	http://w	<u>siegfri</u>	Siegfried
coMine	fertiliser	synthetic fertilisers to sustain food and feed production.		2016		<u>ww.man</u>	<u>ed.vla</u>	Vlaeminck
	upcycling	Manure represents an unexploited resource of organic				<u>ureeco</u>	<u>eminc</u>	
	from	carbon and nutrients, and therefore an exquisite 'mining'				mine.ug	k@uge	
	manure:	opportunity. ManureEcoMine proposes an integrated				<u>ent.be</u>	<u>nt.be,</u>	

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	Technologi cal, economic and environme ntal sustainabili ty demonstrat ion	approach to the treatment and reuse of manure in nitrate vulnerable and sensitive areas and beyond, by applying the eco-innovative principles of sustainability, resource recovery and energy efficiency. The project is testing technologies at pilot scale to recover nutrients and energy from manures: pig manure (Netherlands) and cattle manure (Spain). It is using a combination of biological nutrient removal, anaerobic digestion, ammonia stripping and H2SO4 absorption, precipitation of struvite or potassium struvite (4 litres/hour lab scale reactor), production of an organic fertiliser product from manure solids and use of treated water for irrigation. Moreover, the effects of the fertilizing properties and trace contaminants of recovered nutrients on plant growth and soil health will be established. Life cycle analyses will determine the concept sustainability, and identify the most environmentally friendly and effective reuse strategy, together with the boundaries of economic viability.					cristin a.pintu cci@u gent.b e, nico.b oon@ ugent. be, info@ biogas -e.be, oliver. gruner t@gre enyard hortic ulture. com	
MicroFer t	Novel Release-on- demand micronutrie nt fertilisers for crops	The overall objective of the project is to evaluate the potential of Layered Double Hydroxides (LDHs) as release-on-demand micronutrient fertilisers, mainly focusing on Zn, Mn and Cu, and their interactions with N, P or K under a range of soil conditions and growing conditions. Experiments will cover both improving commonly used techniques and novel methods and designs leading to the formulation of patents, the development of novel fertilisers and crop production of increased yield and quality. Recently novel concepts for designing fertilisers have been adopted which try to extend their time of availability in the soil in different ways. This proposal, introduces the release-on-demand concept in which the plants themselves trigger the release of nutrients from nanoparticles at the time in their growth cycle that they need them. LDHs are currently being developed in the host institution and are	1-8-2015	31-7-2017	Marie Skłodow ska- Curie Individu al Fellows hips	http://c ordis.eu ropa.eu /project /rcn/19 5870_e n.html	?	?

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		interesting candidates for the controlled release of micronutrients. LDHs consist of alternating layers of positively charged metal hydroxides and interlayers of anions so they can include both di and trivalent metal cations and different interlayer anions. The nutrient release is expected to be dependent on rhizosphere acidification via root excretion of protons, low molecular organic acids and CO2.						
MIX- FERTILIZE R	Valorisatio n of the digestate from pig manure as new fertilizers with an organic / mineral base and gradual release	The objective of the MIX_FERTILIZER project is to demonstrate an innovative system for the agronomic valorisation of waste from the anaerobic digestion (decomposition without oxygen consumption) of pig manure (digestate) and to improve the associated environmental impacts. As a result of the project actions, a new type of fertiliser will be obtained with a mixed organic/mineral base and with gradual release by the addition of the nitrification inhibitor 3-4 dimethylpyrazole phosphate (DPPP). An aqueous effluent will also be obtained and employed in fertigation.	1-9-2013	31-8-2016	LIFE+	https:// www.lif emixfert ilizer.eu /en	lifemix fertiliz er@ca rtif.es, extern al@car tif.es	Raquel López
Mubic	Mushroom and biogas production in a circular economy	Growing certain biological foods requires a substrate such as straw, wood, chicken litter, horse manure and poultry litter for organisms to grow. Producing substrate today has low energy efficiency, has as a consequence that nutrients are lost, and is labour intensive. The innovation in the Mubic project, a new production method for substrate, enables resources for biogas production and mushroom production to be used in a circular system that recovers energy and nutrients in an ecological and economically sustainable way. By creating a value circle between biogas production, mushroom production and energy and nutrient recovery it is possible to: (1) Generate high value growth media that is the basis for high value food production; (2) Increase the feasibility of mushroom production by using a cheaper	1-4-2015	30-9-2015	Horizon 2020, H2020- SMEINS T-1- 2014, SC5-20- 2014-1 - Boostin g the potentia l of small business es for	http://c ordis.eu ropa.eu /project /rcn/19 6175_e n.html	?	?

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		and transportable advanced substrate; (3) Increase the feasibility of biogas production by re-entering the spent mushroom substrate back into biogas production; (4) Increase energy efficiency from existing 50-55% to 80-85% of biomass in biogas production; (5) Recover nutrients from biogas production			eco- innovati on and a sustaina ble supply of raw material s			
NECOVER Y	Nutrient and Energy Recovery in Wastewate r Treatment Plants by Up- concentrati on and Adsorption processes	Rethinking the waste water treatment plant flow sheet of tomorrow to optimise energy (biogas) and nutrients recovery (phosphorus recovery as struvite and nitrogen adsorption onto natural zeolites). WWTP of the future: Nutrients and energy recovery from wastewater. The LIFE NECOVERY project aims to demonstrate an efficient process for recovering energy and nutrients from the wastewater treatment process. Specifically, it aims to demonstrate, by means of a prototype, an innovative WWTP flowchart based on a cradle-to-cradle approach. The new system will be based on an innovative upconcentration – biosorption - step at the inlet of the WWTP. This will produce an upper effluent with very little solids and a bottom effluent with a high quantity of solids. The downstream process focuses on handling the two streams from the up-concentration step to produce maximum energy and nutrient recovery. The anaerobic digestion of the up-concentrated sludge in a continuous stirred-tank reactor (CSTR) will produce biogas more efficiently than conventional anaerobic digestion.	1-7-2013	1-12-2016	LIFE+	http://w ww.life- necover y.eu	slopez p@cet aqua.c om	Silvia Lopez Palau
NEWAPP	New technologic al application s for wet biomass waste	The NEWAPP project focuses on hydrothermal carbonization (HTC) of wet biomass residues. By means of HTC, wet biomass is converted into carbonaceous solids at relatively high yields in water, with pressure and temperatures at the lower region of liquefaction process. The lack of need for energy-intensive drying before the process opens up new possibilities for waste streams like	1-11-2013	30-4-2016	EU FP7	http://w ww.new app- project. eu	info@ newap p- projec t.eu	Andrea Salimbeni

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	stream products	manures, sewage sludge, municipal solid waste or agricultural waste. These organic waste streams can be used as feedstock for HTC technology, producing hydrochar and carbonaceous liquids, high value products that can be used as fuel, activated carbons for water treatment, soil remediation, carbon sequestration schemes and other applications. In the year 2011, the EU-27 imported carbon products for a value of 22.666.570.073 €1. At the same time, EU generates yearly 80.000.000 tons of wet biowaste2 that can be effectively recycled to carbon materials by means of HTC. NEWAPP project paves the way to provide economically attractive and environmentally friendly alternatives for the utilization of wet biomass, while strengthening Europe's competitiveness and reducing resource						
NOSHAN	Sustainable Production of Functional and Safe Feed from Food Waste	The NOSHAN project has created a broad portfolio of relevant food wastes/by-products in Europe for feed production according to multiple criteria. From this portfolio several wastes were selected and characterized down to a molecular level. This data base is public in order to be used for the scientific community for further studies and projects. The cascade approach strategy allowed the identification of several waste streams with high potentiality to be exploited. But only part of them have been scaled up and validated. In this way NOSHAN project identified interesting candidates for future research. This full characterization allowed the identification of the most interesting food waste streams to be processed and the best valorisation path per each stream for bulk feed ingredients or additives. A variety of high-advanced technologies for conditioning, stabilising by physico-chemical and biological strategies, extracting biofunctional feed additives with high-added value and suitable raw materials for bulk feed were evaluated. A range of compounds and feed production were	1-8-2012	31-1-2016	EU FP7	http://w ww.nos han.eu/i ndex.ph p/en	mjorb a@leit at.org, rdesou sa@lei tat.org	Montse Jorba

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		successfully developed, tested and integrated to produce safe and functional feed. Additionally, relevant technologies have been developed during the project demonstrating the application of these innovative technologies for the production of feed ingredients by the use of by-products.						person
N-SINK	Reduction of waste water nitrogen load: demonstrat ions and modelling	The N-SINK project aims to demonstrate cost efficient wastewater treatment processes for nitrogen removal in order to reduce eutrophication of the Baltic Sea. In particular, it will demonstrate an innovative sediment filtration process for reducing the nitrogen load when wastewater nitrogen is released as nitrate. This will use the natural ecosystem service provided by the sediment. The basis for this innovation is that micro-organisms living in the sediment have an enormous capacity to reduce nitrate to nitrogen gas through denitrification. In this demonstration, wastewater released from sewage plants as a point source will be directed to a wider area near the sediment where denitrification takes place. With this new sediment filtering system the nitrogen load can be reduced in an economically and environmentally sustainable way. Outcomes expect to highlight how the efficiency of nitrogen removal could be increased, especially in small-medium sized WWTPs.	1-8-2013	31-7-2017	LIFE+	http://w ww.hels inki.fi/la mmi/NS INK	jussi.h uotari @helsi nki.fi, lauri.a rvola @helsi nki.fi	Jussi Huotari
NUTREC	Green nutrients recovery systems	NUTREC project focuses in the recovery of ammonia and phosphorus from wastewater, in particular rejected water from biogas production (rich in these nutrients) and leachates (rich in nitrogen) from landfills. It is intended to improve and optimise a recently developed, innovative technological process for recovering ammonia, as well as extending such process for the recovery o phosphorus from diverse wastewater, and transforming the nutrient-rich by-streams into useful fertilisers.	1-11-2013	28-2-2017	EU FP7	http://w ww.igb.f raunhof er.de/e n/resear ch/com petence s/physic al- process- technol ogy/nut	jennife r.bilba o@igb .fraun hofer. de	Jennifer Bilbao and Christoph Schulte

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
Omzet Amersfoo rt	Energy and resources from wastewater factory	The main objective of the OMZET project is to develop a new approach to wastewater treatment that will demonstrate net energy production, optimal recovery of phosphates and economic viability. Its main innovation will be to implement an extra de-nitrification process for the reject water coming from sludge dewatering. The beneficiary will seek to demonstrate its innovative water treatment approach - called "OMZET" - in a municipal wastewater treatment facility. It specifically aims to increase the energy self-sufficiency of the process and recover phosphate, whilst maintaining the high effluent quality. The hydrolysis of biomass will also lead to a significant reduction in sludge production and the associated costs of transporting and incinerating sludge. The combination of energy savings, phosphorus recovery and the reduction of sludge requiring additional treatment offer significant overall economic advantages. The project aims to demonstrate the cost effectiveness and economic viability of the OMZET process by reducing the operational costs for wastewater treatment by 15%. The project expects to demonstrate the high replication possibilities for OMZET in both new and existing wastewater treatment plants across Europe.	1-9-2011	31-3-2018	LIFE+ and STOWA (Netherl ands)	rient- manage ment/pr ojects/n utrec.ht ml https:// www.o mzetpu ntamers foort.nl/ english	hvanv eldhui zen@v allei- veluw e.nl, tbrand @valle i- veluw e.nl, info@ vallei- veluw e.nl	Henry van Veldhuizen
OPEN: EU	One Planet Economy Network Europe	The goal of the One Planet Economy Network Europe project (OPEN: EU) is to help transform the EU economy to a One Planet Economy by 2050. As the world's largest economy, Europe must embark upon an immediate and major transformation to avert dangerous climate change and prevent ecosystem collapse. Currently, the impact of the European economy is nearly three times larger than	1-9-2009	30-11- 2011	EU FP7, ENV.200 8.4.2.2. 1 Engagin g civil society	http://w ww.one planetec onomyn etwork. org	info@ onepla neteco nomyn etwork .org, alessa	Wendy Hardy and Alessandro Galli

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		what is required for a sustainable world. A shift to a more sustainable future for Europe must be achieved by building an economy that respects all environmental limits and is socially and financially sustainable. CSOs are well placed to help catalyse this transformation through bringing insights, concerns and issues into the public debate and making them communicable, relevant and timely. The achievement of a One Planet Economy will require a range of actors to come together to deliver this transformation. In this context the 'convening power' of major CSOs is a significant asset. Through a project consortium of CSOs and RTD performers, OPEN: EU will:  1. Build the evidence base and enhance sustainable development indicators by developing an academically robust and policy relevant "footprint family" (Ecological, Carbon and Water footprints); 2. Build the application by developing a new scenario modelling tool for evidence-based policy, increasing the policy relevance of sustainable development indicators and helping CSOs to illustrate the links between economic growth and environmental degradation to policy makers and the public; 3. Build capacity through a new One Planet Economy Network — an online network of decision-makers, CSOs and businesses leaders.			in research on Sustaina ble Develop ment indicato rs		ndro.g alli@f ootpri ntnet work.o rg	
PHARMA FILTER	Innovative waste and waste water manageme nt concept for hospitals	The PHARMAFILTER project aims to demonstrate a new concept for the specific treatment of wastewater and organic waste from hospitals that is cost-effective, easy-to-operate and leads to reduced risk of human contagion and contamination of surface water.	1-1-2009	30-6-2012	LIFE+	http://e c.europ a.eu/en vironme nt/life/ project/ Projects /index.c fm?fuse action=s earch.ds pPage&	velling a@rdg g.nl	Steve Vellinga

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
						n_proj_i d=3298		person
PharmDe grade	Degradation of pharmaceuticals in wastewaters from nursing homes and hospitals	The PharmDegrade project general objective is to introduce an efficient and financially viable technology for the removal of pharmaceuticals (PH) from the effluent of wastewater treatment plants. The technology is based on the advanced oxidation processes (AOP) associated with electrochemical degradation of PH, using different electrodes (graphite electrodes, mixed metal oxide electrodes and boron-doped diamond electrodes). AOP processes are based on generation of hydroxyl radicals (OH); OH radicals are powerful oxidisers capable of oxidative decomposition of practically all known organic pollutants and microbes; they are appropriate for the removal of heavily degradable pollutants from waters. Unlike noxious fluoride radicals the OH radicals have a short viability period and are, therefore, safe to use. The project will demonstrate technology on a sufficiently large scale to fully evaluate its effectiveness and economic viability. The aim is to demonstrate a solution that it is applicable to all wastewater containing PH and other persistent substances, which also include wastewater from old people's homes and hospitals in the EU. At the same time it is a flexible technology, suitable for different applications, with low maintenance costs	1-9-2014	30-11- 2016	LIFE+	http://lif epharm degrade .arhel.si	info@ arhel.s i, marko. gerl@ arhel.s i	Marko Gerl
PhoReSE	Phosphorus Recovery from Secondary Effluents of municipal wastewater plants	and high efficiency.  The objective of the PhoReSE project is the examination of phosphorous removal from a secondary effluent of a municipal WWTP aiming to its recovery as a precipitant that can be utilized as a fertiliser. The expected benefits from the project include the reduction of environmental impact from WWTPs and the confrontation to guidelines defining a low phosphorous content for the discharge of effluents to environmentally sensitive water bodies (1 mg/L); the development of a low cost process for P recovery that can be implemented in existing units at the	12-5-2014	31-6-2015	Europea n Regional Develop ment Fund of the Europea n Union and	http://w ww.pho rese.gr	kpalas antza @akto r.gr, zoubo uli@ch em.au th.gr, manas is@en	Dr. Panagiota- Aikaterini Palasantza

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		'end-of-pipe'; the utilization of phosphorous that is otherwise wasted, contributing to the conservation of mineral phosphorous that is currently exploited from limited reserves.			National Implem enting Entity		g.auth. gr, info@ phores e.gr	
PhorWat	Integral Manageme nt Model for Phosphorus recovery and reuse from Urban Wastewate r	The main objective of PHORWater is to increase awareness of the environmental problem of phosphorus and to give an innovative solution for the recovery of phosphorus at the WWTP facilities that decreases its environmental problem, so the project is focused on the development of a good practice manual to maximize phosphorus recovery at the WWTPs as well as on showing the advantages of its recovery as struvite. This demonstration project pursues an integrated nutrient management model and phosphorus recovery as struvite at a pre-industrial scale (4.4 m3, 3m height), implemented at the El Cidacos municipal wastewater treatment works, Calahorra, Spain (23 000 m3/day, biological nutrient removal). Around 20-30% of the P entering the sludge line could be recovered by this technology. At present, some 70% of inflow phosphorus precipitates in the anaerobic sludge digesters. The project involves modelling (using DESASS®) and rethinking of the treatment plant configuration, sludge / liquor management lines and recirculation paths in order to optimise phosphorus removal performance and phosphorus recovery for recycling. The project final conference in Madrid, 14th July 2016, presented DAM (Depuración de Aguas del Mediterráneo) success operating a 20 m3/day struvite recovery stirred reactor, designed by LAGEP Lyon, at Calahorra, Rioja, sewage treatment works. The project showed that struvite recovery and nuisance deposit avoidance can be optimised by mixing different sludge/digestate flows, which can also reduce chemical consumption by changing the reactor inflow pH. Field tests of the recovered	1-9-2013	1-9-2016	LIFE+	http://p horwate r.eu/en	laura.p astor @dam - aguas. es, albert o.bouz as@uv .es, denis. mangi n@uni v- lyon1.f r	Pastor

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		phosphate are underway on potatoes and wheat in Spain.						person
PhosFar	Process for	The PhosFarm project addresses the needs of an	1-9-2013	1-9-2015	EU FP7	http://w	<u>jennife</u>	Jennifer
m	sustainable	increasing market for economically and environmentally				ww.pho	r.bilba	Bilbao
	phosphorus	sustainable phosphorus (P) recovery from agricultural				sfarm.e	o@igb	
	recovery	residues to meet the growing demand for food, bio-fuels				<u>u</u>	<u>.fraun</u>	
	from	and bio-materials. Although new technologies have					hofer.	
	agricultural	already been developed for the recovery of inorganic					<u>de</u>	
	residues by	phosphate salts from liquid waste streams, P is also						
	enzymatic	present as organic compounds, which cannot be						
	process to	recovered as P salts by current technologies. PhosFarm is						
	enable a	a partnership of European SMEs that recognized the						
	service	business opportunity of recovering P from agricultural						
	business	residues by a novel process that recovers both organic						
	for the	and inorganic P. They have identified scientific						
	benefit of	information about the feasibility to convert organic P to						
	European	phosphate by an enzymatic mineralization method and						
	farm	aspire to come up with an industrial process. The key						
	community	innovation will be the advanced P recovery through a						
		controlled enzymatic mineralisation of more than 90% of						
		the organic P. This will result in an increased phosphate						
		concentration in the liquid fraction of the residues, which						
		is available for phosphorus-salt precipitation. The solid						
		fraction will be dried and compounded with the						
		precipitated salts on customer's demand, achieving an						
		optimal nutrient ratio (N:P:K) for the specific crop needs.						
		The result of the project will be a semi-mobile on-site or						
		a mobile trailer-mounted unit that can be operated						
		stand-alone or easily integrated into already existing						
		manure facilities or anaerobic digesters.						
POLFREE	Policy	The POLFREE project will construct a theoretical	1-10-2012	31-3-2016	EU FP7	http://w	<u>p.ekins</u>	Paul Ekins
	Options for	framework for the analysis of resource efficiency, with				ww.polf	<u>@ucl.a</u>	
	a Resource	detailed comparison of the trends and policies at EU and				ree.seri.	<u>c.uk</u>	
	Efficient	Member State (MS) level, cross-country econometric				<u>at</u>		
	Economy	analysis to derive resource-reduction cost curves, and an						
		analysis of business barriers to resource efficiency;						

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		thereby developing an enhanced understanding of the drivers of inefficient resource use. This will lead to an exploration of new concepts and paradigms that can bring about a radical increase in resource efficiency, and a vision for a resource-efficient economy in the EU, with suggestions also for new more resource-efficient business models for firms, and ideas for a global governance regime that can promote resource-efficient economies among the EU's trading partners and more widely will be explored. From its new vision for a resource-efficient Europe, the project will propose new policy mixes, business models and mechanisms of global governance through which resource-efficient economies may be promoted. This will lead in turn to intensive work on creating, modelling and visualising scenarios for the emergence of resource-efficient economies, through linking quantitative economic and ecological models, and simulating the policies and policy mixes derived in the earlier work, supplemented with appropriate LCA analysis for selected products and sectors, to ensure that the policies and business models in the scenarios lead to adequate absolute decoupling of economic activity from resource use and environmental degradation. The scenarios and associated policy analysis will be given an integrated interpretation across economic, ecological and						
P-REX	Phosphorus recovery from wastewater by ash, sludge and biosolids valorization	social dimensions.  Strategies and recommendations for an efficient and wide-spread wastewater phosphorus recovery in the EU. For the implementation to market, new technologies need to be proven capable and feasible. Within P-REX, novel and available technical solutions for phosphorus recovery and recycling will be demonstrated in full-scale. Based on real operational data their performance and feasibility will be systematically assessed and validated, as well as the quality of obtained recycling products. Together with the analysis of the market barriers and the	1-9-2012	31-9-2015	EU FP7	http://w ww.p- rex.eu	CKabb e@p- rex.eu	Christian Kabbe

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		market potential for novel recycling technologies and their products, strategies and recommendations will be developed for efficient and wide-spread phosphorus recovery and market penetration with regards to specific regional conditions, aiming to substantially increase the European phosphorus recycling rate from municipal wastewater.						
PROTEIN SECT	Enabling the exploitatio n of Insects as a Sustainable Source of Protein for Animal Feed and Human Nutrition	The overarching goal of the PROteINSECT project was to evaluate the potential use of insects as a novel source of protein for inclusion in animal feed. Focus on organic manures as rearing substrates for fly larvae enabled us to evaluate the possibility of deriving safe, high quality and sustainable feed protein whilst at the same time reducing volumes of low value wastes.  New rearing systems have been established in Ghana, China and the UK and improvements have been made to those already established in Mali and China. Systems ranged from semi-commercial scale production to those designed for use by small-scale livestock farmers. Whilst overall emphasis was placed on the rearing of houseflies (Musca domestica), production systems were also developed for black soldier fly (Hermetia illuscens) and blowfly (Chrysomya megacephala). Considerable improvements to the efficiency and productivity of the rearing systems were made through, for example, the development of separation and drying techniques. Data was used as the basis for economic, social and environmental impact assessments allowing recommendations for the future development of insect rearing stations at different geographical locations to be defined.	1-2-2013	30-4-2016	EU FP7	http://w ww.prot einsect. eu	info@ protei nsect. eu	?
PYROCHA R	PYROlysis based process to convert small	The PYROCHAR project brings together five SMEs and three research institutions to address the increasingly pressing issue of sewage sludge disposal in Europe.  PYROCHAR will provide small municipalities and their waste water treatment plants (WWTPs) with an	1-11-2013	31-10- 2015	EU FP7	http://w ww.pyr ochar.e u	olivier. lepez @etia. fr	Olivier Lepez

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	WWTP sewage sludge into useful bioCHAR	economically and environmentally sound solution for the treatment and disposal of their sewage sludge. The PYROCHAR technology will thermochemically treat sewage sludge, converting it to biochar (biomass-derived charcoal) and synthesis gas (syngas) in a system with low operation and maintenance costs and compliant with EU regulations. The PYROCHAR technology's re-use of energy and resources will offer the perfect solution for small municipalities in the €2 billion European marketplace of sewage sludge management. he useful nutrients such as nitrate, phosphorus or potassium, will not be lost during the process but trapped in stable byproducts, the biochar, with high economic value for the						
R3Water	Demonstra tion of innovative solutions for Reuse of water, Recovery of valuable Substances and Resource efficiency in urban wastewater treatment	The R3Water project focuses on the demonstration of innovative waste water treatment technologies for resource efficiency, reuse and recovery, including hydrothermal carbonisation.  The main objective of the project is to demonstrate solutions that support the transition from a treatment plant for urban wastewater to a production unit of different valuables.  The project aims to: (1) Demonstrate new technologies and solutions for increased resource efficiency in existing UWWTP performance thanks to innovative monitoring, advanced control strategies and management measures, (2) Demonstrate innovative wastewater technologies that enable reuse of water, recovery of valuables such as nutrients, (3) Facilitate market uptake for the demonstrated solutions for the European and global market by demonstrating solutions in different geographical context and reaching relevant stakeholders. Within the field of these topics, new and innovative technologies will be tested and demonstrated. For demonstration, 3 sites are involved in Belgium, Spain, and Sweden.	2014	2017	EU FP7	http://w ww.r3w ater.eu	uwe.fo rtkam p@ivl. se, klara. westli ng@ivl .se	Uwe Fortkamp & Klara Westling

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
R4R	Chemical Regions for Resource Efficiency	Chemical Regions for Resource Efficiency (R4R) is the project that will overcome the European fragmentation of ambitious and innovative regions. Through its methodology, R4R could lead the path to promising and positive impacts on resource efficiency. R4R will achieve a major step improvement in regional and transnational cooperation among the participating regions and R4R will develop practices, tools and examples which shall be easily disseminated to and adopted by multiple European regions to improve regional and cross-regional collaboration in general, and on resource efficiency in the process industry in particular. Last but not least, R4R will create the platform for international collaboration on resource efficiency with clusters in third countries to improve and accelerate innovation and promote	1-1-2007	31-12- 2008	EU FP7	http://w ww.regi ons4res ource.e u	anna.s ager@ sp.se	Anna Sager
RecoPhos (thermal)	Recovery of Phosphorus from Sewage Sludge and Sewage Sludge Ashes with the thermo- reductive RecoPhos- Process	RecoPhos is a thermo-chemical process involving the fractioned extraction of phosphate and heavy metals from sewage sludge ash at high temperatures under reducing conditions. The chemical principle of the core reaction is modelled on the "Wöhler process", in which phosphates react with carbon and silicon dioxide in a furnace and is reduced to phosphorus. The RecoPhos process follows a novel approach by using the innovative InduCarb retort, where a coke bed is heated inductively, and the reduction of the phosphorus contained in the sewage sludge ash takes place in a thin melt film on the surface of the coke particles. The reduced phosphorus can evaporate from the film without significantly reacting with other elements and can subsequently be retrieved either as white phosphorus or oxidised into phosphoric acid. A special advantage of the RecoPhos process is that it not only transforms a problematic waste with high heavy metal content into valuable phosphorus but also produces several streams of secondary raw materials that can be used in other industrial applications. Such	1-3-2012	28-2-2015	EU FP7	http://w ww.reco phos.or g	harald. raupe nstrau ch@u nileob en.ac. at, karin.r ehatsc hek@ unileo ben.ac .at	Prof. Dr. Harald Raupenstra uch and Karin Rehatschek

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		materials include an iron alloy, a silicate slag for use as a						person
		binder in cement industry and a high calorific syngas for						
		thermal energy generation. The process will enable						
		optional use of waste materials as heat sources, reducing						
		agents or additives, including dried sewage sludge,						
		foundry ash, waste salts or meat-and-bone meal.						
		Concepts to recover a maximum of the heat of the high-						
		temperature process will be developed, turning						
		RecoPhos into a near-zero waste process.						
RE-	Regional	RE-DIRECT is a holistic approach to promote the efficient	2016	2019	INTERRE	http://w	<u>mwac</u>	?
DIRECT	Developme	use of natural resources and materials by converting			G NWE	<u>ww.nwe</u>	h@uni	
	nt and	residual biomass into carbon products and activated				urope.e	<u>-</u>	
	Integration	carbon at smart regional decentralised units. The project				u/projec	kassel.	
	of unused	involves 11 partners from BE, DE, FR, IR and the UK who				ts/proje	<u>de</u>	
	biomass	will implement the approach in 5 urban, semi-urban and				ct-		
	wastes as	rural NWE regions. Each year at least 34 million tonnes of				search/r		
	Resources	residual biomass from the management of rural				egional-		
	for Circular	landscapes and urban greens in NWE are wasted. On the				develop		
	products	other hand, there is a growing market for sustainable and				ment-		
	and	decentralised products such as active coal, used in				and-		
	economic	sewage water technologies to clean water polluted with				<u>integrati</u>		
	Transforma	complex chemical substances or antibiotics. RE-DIRECT				on-of-		
	tion	will make use of the proven technology for Integrated				unused-		
		Generation of Solid Fuel and Biogas from Biomass (IFBB)				<u>biomass</u>		
		to convert 20 000 t of unused biomass in a circular				-wastes-		
		economy approach into region specific carbon products,				as-		
		among them activated carbon. This will be achieved in				resourc		
		the project lifetime by regional and interregional				es-for-		
		stakeholder communities (biomass waste producers,				circular-		
		industries, SMEs, NGOs, researchers and regional interest				<u>product</u>		
		groups) who explore, develop and manage region-specific				<u>s-and-</u>		
		product portfolios and create economic value chains in				<u>econom</u>		
		the framework of transferrable "integrated biomass				<u>ic-</u>		
		concepts". The project will develop one large scale				<u>transfor</u>		
		investment for a biochar and activated carbon production				mation-		
		at a urban biomass conversion centre in DE and one small				re-direct		

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		conversion plant on farm scale in Wales.						<b>J</b> 5.155.1.
REFERTIL	Reducing	The REFERTIL project is combining applied science and	1-10-2011	30-9-2015	EU FP7	http://w	<u>biocha</u>	Edward
	mineral	advanced industrial engineering for market competitive				ww.refe	<u>r@3ra</u>	Someus
	fertilisers &	compost and zero emission biochar technology and				<u>rtil.info</u>	grocar	
	chemicals	product developments. Added value, safe and economic					bon.co	
	use in	"ABC" Animal Bone bioChar Phosphorus fertiliser nutrient					<u>m,</u>	
	agriculture	is recovered with 30% high P2O5 concentration for					<u>edwar</u>	
	by recycling	horticultural/adsorbent applications. A 10 000 tonnes					<u>d.som</u>	
	treated	output product/year industrial pilot plant is being					eus@g	
	organic	finalised. The project has also developed a draft EU safety					<u>mail.c</u>	
	waste as	standards protocol for biochar. The objective of the					<u>om</u>	
	compost	REFERTIL project is to improve the currently used						
	and bio-	compost and biochar treatment systems, towards						
	char	advanced, efficient and comprehensive bio-waste						
	products	treatment and nutrient recovery process with zero						
		emission performance. The improved output products						
		are safe, economical, ecological and standardized						
		compost and bio-char combined natural fertilisers and						
		soil amendment agricultural products used by farmers.						
		The added value and energy efficient transformation of						
		urban organic waste, farm organic residues and food						
		industrial by-product streams made by improved						
		carbonization, biotechnological formulation and						
		upgraded composting technologies, with particular						
		attention to the recovery of nutrients, such as						
		phosphorous and nitrogen. The targeted high quality						
		output products aiming to reduce mineral fertilisers and						
		intensive chemicals use in agriculture; enhancing the						
		environmental, ecological and economical sustainability						
		of food crop production; reducing the negative footprint						
		of the cities and overall contributing to climate change						
		mitigation. In this context the improved bio-waste						
		treatment process opens new technical, economical,						
		environmental and social improvement opportunities,						
		while improving the use, effectiveness and safety of the						
		resulting compost and bio-char products in agriculture.						

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		The output products developed in a standardized way to meet all industrial, agricultural and environmental norms and stands in European dimension.						person
REMPHO S	Implement ation of a new phosphate removal tertiary treatment in WWTP	The REMPHOS project has as main aim to improve water quality reducing pollutants concentration and improving environment protection according to "Water European Directive". Main scientific goals of the Project are: development of a more efficient and economic technology for phosphates removal of waste water, viability demonstration of technology use in WWTP and phosphate removal efficiency demonstration. Furthermore, the project will work valorisation of a byproduct to be used as chemical agent for phosphates removal.	1-9-2013	28-2-2017	LIFE+	http://w ww.rem phos- life.es/e n	lurede rra@lu rederr a.es, claudi o.fern andez @lure derra. es	Claudio Fernandez
reNEW	Valuable product recovery from sewage sludge	The treatment of sewage sludge represents one of the biggest problems for small and medium sized wastewater treatment plants. In the reNEW project a process is developed to transform sewage sludge biologically into volatile fatty acids (VFA) and valuable nutrients (NPK), which are recovered. These products represent important market value: VFA as raw material for eco labelled cleaning agents, and NPK as fertiliser. The project aim to develop a detailed commercialization and business plan for the products as well as to prepare a design for upscaling application. The final aim is to roll-out the technology and widely implement it all over Europe.	1-7-2016	31-12- 2016	Horizon 2020, H2020- SMEINS T-1- 2016- 2017, SMEInst -11- 2016- 2017 - Boostin g the potentia I of small business es in the areas of climate action, environ	http://c ordis.eu ropa.eu /project /rcn/20 4296_e n.html	?	?

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact
REPHATE	Electroche mical water treatment pilot plant in the dairy industry with phosphate recovery	The aim of REPHATER project is the development of a water treatment pilot plant based on the sequential combination of two innovative electrochemical technologies: Electrocoagulation and Electrooxidation. The plant also includes a recovery/recycling phosphate unit from residual electrochemical waste in an innovative eco-innovative integrated approach. The project implements the pilot plant in a Spanish SME belonging to the food and drink sector, -i.e. a dairy industry-, which will further act as a show case facility. The food and drink sector is the largest industrial sector in Europe in turnover terms, and has been identified as one of those that may find beneficial the application of REPHATER solution. The novel prototypes developed by the consortium members may improve existing electrochemical solutions and will allow the take-up of such eco-effective techniques through the market, which are not currently used enough in most industrial sectors. The integration of a phosphate recovery unit will increase its environmental credentials allowing the recycling of valuable phosphate for different agricultural and	1-6-2009	30-11- 2011	ment, resourc e efficienc y and raw material s CIP-EIP- Ecoinno vation 2008	https:// ec.euro pa.eu/e nvironm ent/eco- innovati on/proj ects/en/ projects /rephat er	jgarcia @leita t.org	Julia García- Montaño
ReuseWa	Nutrient	industrial applications.  The ReUseWaste project provides a unique opportunity	1-1-2012	31-12-	EU	http://w	reuse	prof. Lars
ste	recovery	for young researchers to obtain the knowledge and skills		2015	Marie	ww.reus	<u>waste</u>	Stoumann
	from	needed to develop and utilise new technologies for a			Curie	ewaste.	<u>@life.k</u>	Jensen
	manure	socially and environmentally responsible management of			Training	<u>eu</u>	<u>u.dk,</u>	
		animal wastes. The ReUseWaste network brings together			Network		lsj@pl	
		major EU research groups from leading universities and					<u>en.ku.</u>	

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		research institutes, key agri-environmental technology companies and public authorities, from the countries and regions of most intensive livestock production in Europe. The ReUseWaste network will: (1) provide new ideas and systems that lead to a major rethink in the current, established animal waste management systems; (2) train thirteen researchers in developing new technologies for improved and sustainable utilisation of valuable organic matter and plant nutrient resources in animal waste; and (3) provide companies with improved and new technologies to produce both bioenergy and green biofertilisers, leading to improved soil, water and air quality.					dk, oene.o enema @wur. nl	person
Revawast e	Recovery and valorization of waste	The general aim of the REVAWASTE project is the sustainable management of a broad spectrum of wastes (non-recyclable fraction proceeding from waste treatment plants and industrial, together with biomass, livestock and agro-food wastes) in an integrated plant. This objective will be reached by means of the technological development and practical application of the "mixed plant" concept. This development will support a new waste management strategy, based on the separation, pre-treatment, recycling and valorisation steps.	30-10- 2013	30-9-2016	LIFE+	http://w ww.reva waste.e u	revaw aste@ cartif.e s	Dr. M. Dolores Hidalgo Barrio
RichWate r	First application and market introductio n of combined wastewater treatment and reuse technology for agricultural purposes	RichWater is a Fast Track to Innovation project whose main result is to develop a commercial system thoroughly demonstrated and tested in its operational environment. RichWater system is composed of a low-cost and energy-efficient MBR (to produce pathogen-free and nutrient rich irrigation water), a mixing module (for tailor-made mixing with freshwater and additional fertilizers), the fertigation unit and a monitoring / control module including soil sensors to guarantee demand-driven and case sensitive fertigation. By combining these developed modules a complete and turn-key system for safe wastewater reuse in agriculture is available. The technology is intended to reuse local community	1-2-2016	31-1-2018	Horizon 2020, H2020- FTIPilot- 2015-1, FTIPilot- 1-2015 - Fast Track to Innovati on Pilot	http://w ww.rich water.e u	rcasiell es@bi oazul.c om, aloren zo@bi oazul.c om	Rafael Casielles, Antonia Lorenzo

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
Routes	Novel	wastewater for irrigation purposes. The aim is to create a win-win situation between two sectors (the wastewater treatment and the agricultural sector) by turning public wastewater into a valuable end-product. A detailed life cycle assessment and business plan will help to precisely assess the ecologic, technological and economic benefits enabling an effective market strategy.  The Routes project aimed to set up new technical	1-5-2011	30-4-2014	EU FP7	http://c	mininn	Mininni
notes	processing routes for effective sewage sludge manageme nt	solutions for solving typical problems of wastewater treatment plants of different capacities. Ten reference-scenarios (2 for small, 4 for medium and 4 for large plants) were compared with parallel new scenarios including new techniques and strategies under study. This comparison was carried out both from technical and environmental point of view. Quality of the sludge deriving from the investigated enhanced stabilization processes was assessed including heavy metals and organic micropollutant concentration, phytotoxicity and ecotoxicity. Specific attention was paid to the performance of the different enhanced stabilization processes on hygienization, including the possible regrowth of pathogens during sludge storage. Organic contaminants were studied in sewage sludges under different treatments (ultrasound, thermal at 135°C, anaerobic digestion) and in agricultural spreading. Organohalogens (EOX), detergent surfactants, polyaromatic hydrocarbons (PAH), PCBs and phthalates were analysed, as well as four pathogen families. The treatments considered reduced levels of these contaminants by 2 – 5 times. Sewage sludge has been used in agriculture over decades without any negative impacts. ROUTES project proved that usual sludge application rates to soil assure negligible ecological or toxicity risks.	1 3 2011	30 7 2017		ordis.eu ropa.eu /project /rcn/98 727 en. html	i@irsa. cnr.it, bragug lia@irs a.cnr.it gianico @irsa. cnr.it	Giuseppe
SATURN	Solar-	The possibilities of full nutrient recovery (N, P and K)	1-8-2013	1-1-2018	Flanders	http://f	<u>sebasti</u>	Sebastiaan
	Assisted	from urine are explored using an innovative process			Institute	bwsrv02	<u>aan.de</u>	Derese

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	Treatment of Urine with Recovery of Nutrients	based on simple physicochemical technology, tentatively named SATURN. The goal is to achieve a maximum recovery of nutrients with a minimal input of energy, chemicals and effort.			for Innovati on and Technol ogy; Flanders Agency for Innovati on and Entrepr eneursh ip	.ugent.b e/fbwos /node/2 25	rese@ ugent. be	
SIPs	European Network on Smart Inorganic Polymers	This Action on Smart Inorganic Polymers (SIPs) will synergise the European activities in relevant areas in order to establish widely applicable rules for the rational design of smart inorganic polymers. The combination of leading scientists with common motivation but diverse expertise (main group/transition metal chemistry, polymer synthesis, characterisation, processing, applications, and theory) in concert with industrial partners will act as a nucleus for translational efforts towards the design and application of novel inorganic polymers (e.g. polyphosphazenes, polyamino- or phosphinoboranes, polysilanes, metallopolymers, nanoparticle-based hybrids). The network will coordinate and concentrate scattered existing national programmes and informal collaborations, which will be kick-started by including new complementary skills. SIPs will intensify the European exchange of knowledge and technologies and provide a forum for recent developments and innovative aspects. By implementing a sorely missed annual European conference on inorganic polymers, SIPs will increase its visibility in related communities. This will allow the systematic expansion of SIPs by inclusion of additional interested parties with desirable expertise and	24-10-2013	23-10-2017	EU COST Action	http://w ww.cost .eu/COS T_Actio ns/cmst /CM130 2	hey@ uni- leipzig. de, muriel. hissler @univ - rennes 1.fr, sips@ uni- leipzig. de, pietsc hnig@ uni- kassel. de, Lucia.F orzi@c ost.eu	Evamarie Hey Hawkins

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		resources to boost the developments in this area.						person
Sludge2E nergy	Waste prevention through sewage sludge reuse for efficient energy generation at waste water treatment sites	The aim of the Sludge2Energy project was to demonstrate the decentralised reuse of sewage sludge in an efficient small-scale heat and power generation plant on the premises of the wastewater treatment plant (WWTP). The innovative sludge processing technique was intended for market introduction. The energy self-sufficient plant would reduce the amount of sewage sludge for disposal to 1/8 of the dewatered sludge. Amounts of sludge are increasing and disposal routes are limited, but this technique offers an environmentally sound alternative for sludge management. The residues of the process are an ideal resource for phosphorous recycling.	1-10-2006	30-9-2011	LIFE+	http://w ww.slud ge2ener gy.de  http://e c.europ a.eu/en vironme nt/life/p rojects/i ndex.cf m?fusea ction=se arch.dsp Page&n proj_id	sonja. wiesgi ckl@sl udge2 energy .de, info@s ludge2 energy .de	Sonja Wiesgickl
SMART Fertigatio n	Subarea specific irrigation system for pivot- and linear fertigation techniques (SMART Fertigation)	Irrigation practices put more and more pressure on scarce freshwater resources and mineral fertilisers are often overused leading to environmental problems and heavy impacts on the production costs of producers. Increasing resource efficiency, productivity and competitiveness of agricultural practitioners are crucial for addressing the aforementioned societal challenges. Fertigation, a novel concept merging irrigation and fertilisation to one process, poses an innovative alternative to conventional cultivation practices. The SMART Fertigation project developed and integrated the concept of fertigation with pivot- and linear irrigation systems. Using GPS & GIS data in conjunction with sensor based soil and crop property parameters the SMART Fertigation system enables sub area specific farmland management and fertigation. Optimised resource	1-3-2016	31-8-2016	Horizon 2020, H2020- SMEINS T-1- 2015, SC5-20- 2015-1 - Boostin g the potentia l of small business es for eco-	=3079 http://c ordis.eu ropa.eu /project /rcn/20 0342_e n.html	?	?

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		application leads to an immense savings potential in production costs (water & fertiliser by 20%) besides increasing crop yield from growth phase adjusted water and nutrient supply. This 'saving & gaining' makes.			innovati on and a sustaina ble supply of raw material s			parson
SMARTS OIL	Sustainable farm Manageme nt Aimed at Reducing Threats to SOILs under climate change	The SmartSOIL project will identify and develop options to increase carbon (C) stocks and optimise C use (flows) whilst maintaining sustainable SOC stocks. The flow and stocks concept will delineate short- versus long-term management effects on vital soil functions through meta-analyses of data from European long-term experiments (LTEs), as well as new measurements within LTEs. The new understanding will be used to improve existing soil and crop simulation models and test the models against independent LTE data. The models will then be used to derive a simplified model to estimate the short- and long-term effects of management on crop productivity and SOC storage. Scenarios of future management systems in Europe for improved productivity and enhanced SOC sequestration will be evaluated under current and future climate. The cost-effectiveness of alternative policy measures and options for managing SOC flows and stocks for improved productivity and SOC storage will be assessed based on the simplified model. SmartSOIL will develop a decision support tool (DST) to enable farmers, advisors and policy makers to discuss and select the most appropriate and cost-effective practices for particular farming systems, soils and climates. SmartSOIL will engage key stakeholders in case study regions and the wider EU in the development of the DST, guidelines and policy recommendations, and will inform the scientific and user community on progress and results.	1-11-2011	31-10-2015	EU FP7	http://w ww.sma rtsoil.eu	jorgen e.oles en@ag rsci.dk, peter. kuikm an@w ur.nl	Jørgen E. Olesen
Stop	Innovative	The objective of the Stop CyanoBloom project is to	1-7-2013	31-12-	LIFE+	http://lif	marko.	Marko Gerl

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
CyanoBlo	technology for cyanobacte rial bloom control	demonstrate a new system for triggering lysis (break down) of cyanobacteria, decreasing its concentration and preventing mass blooming. This new technology, which will be implemented through a pilot device on two selected water bodies, will not destroy the entire population of the bacteria. It will simply prevent its mass occurrence. The project will also test new online sensors that determine concentrations and detect certain physical and chemical parameters of cyanobacteria in water bodies. This system simultaneously transfers the measured data via a GSM network. Programmes for interpreting measured data will also be designed. Data will be available on the project website. The device will also collect and store samples for laboratory analysis. Using the new technology will improve the ecological		2016		estopcy anobloo m.arhel. si	gerl@ arhel.s i, info@ arhel.s i	
SusPhos	European Training Network for sustainable industrial phosphorus chemistry	The SusPhos project represents the first systematic investigation of the eco-friendly production, smart use, recycling and commercial exploitation of phosphorus-based processes and materials that use the precious element phosphorus in a sustainable manner. This approach will lead to fundamental insights into sustainable technologies and create an ideal platform for the training of young, ambitious researchers in a superb collaborative European setting. Currently, SusPhos educates 14 broadly-oriented researchers (12 PhD students and 2 post-docs) at the interface of synthetic chemistry, catalysis, materials science, process chemistry, industrial phosphorus chemistry, and technology transfer. SusPhos combines the complementary strengths of nine academic and three industrial (Arkema, DSM & Magpie Polymers) teams to promote intersectoral mobility of top-class multi skilled researchers to enforce cross-fertilisation of enhanced research synergies between the market and the academic world. The training programme uses highly innovative and timely	1-2-2013	1-2-2017	EU Marie Curie Training Network	http://w ww.susp hos.eu	mariss a.de.b oer@v u.nl, J.C.Slo otweg @uva. nl	Marissa de Boer & Chris Slootweg

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
SuWaNu	Sustainable	methodologies to provide comprehensive multidisciplinary training of a new generation of young researchers capable of understanding and applying green chemistry to the conservation of phosphorus by environmentally benign conversions. The three industrial teams, as well as associate partner Willem Schipper Consulting, will ensure a rapid and effective technology transfer. As such, the network will facilitate Europe's continued global leadership on the sustainable use of phosphorus in an increasingly fierce competition for resources.  SuWaNu is a network identifying and promoting	1-7-2013	31-12-	EU FP7	http://w	aloren	Antonia
	Water Treatment and Nutrient Reuse Options	technologies for wastewater treatment and agriculture resource recycling, with an emphasis on ensuring contaminant-safe routes for reuse of nutrient rich waste waters. The main goal of SuWaNu is to develop technologies offering a transnational cooperation service within "research-driven clusters", involving universities, regional authorities, research centers, technology developers, enterprises, farmers, and farmer's associations related to wastewater treatment and to agriculture from five different countries: Germany, Spain, Greece, Malta and Bulgaria. Such service will provide and facilitate exchange of know-how on alternatives for water and nutrient resources for all project members, create business opportunities in the area of focus and further expand support to stakeholders from countries outside the consortium, concurrently providing solutions to the aforementioned problems Europe is faced with.		2015		ww.suw anu.eu	zo@bi oazul.c om, rcasiell es@bi oazul.c om	Lorenzo
TL- BIOFER	Nutrients and regenerate d water recycling in WWTPs through	The LIFE+ TL-BIOFER project aims to address the environmental problem of wastewater produced by small- and medium-size urban agglomerations. To meet this aim, the project plans to implement two actions. First, it will develop and demonstrate a wastewater treatment plant using a Twin-Layer (TL) system: an advanced nutrient removal technology based on	1-7-2014	30-6-2017	LIFE+	http://w ww.life- tlbiofer. eu	igonzal ez@bp eninsu lar.co m, mdios @agua	Inmaculada González

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	twin-layer microalgae culture for biofertiliser s production	immobilised cultivation of microalgae. In this technology, microalgae are immobilised by self-adhesion on a wet, microporous ultrathin substrate (the substrate layer). A second layer, which consists of a macroporous fibrous structure (the source layer), will provide and distribute the growth medium. Secondly, the project also plans to address the shortage of phosphorus by developing produced and testing biofertilisers derived from the remaining microalgae. The fertiliser will meet high agronomical standards of sustainable farming as well as the requirements of current and future EU regulations. The trials will be conducted in microplots for two different crops in northern Italy and four different crops in Spain.					sdecor doba.e s, jmgom ez@bp eninsu lar.co m	
TREAT&U SE	Safe and efficient treatment and reuse of wastewater in agricultural production schemes	TREAT&USE project has brought together 6 European SMEs and one RTDs to prove and disseminate the technical and economic viability of a method for safe and economic wastewater treatment that allows a direct reuse of the water and nutrients in agricultural production with minimal operational and maintenance costs. TREAT&USE is based on the outcomes of two successful finished EU research projects: PURATREAT and WACOSYS on wastewater treatment, reuse technologies and fertigation systems. The produced technical and scientific results of both projects were excellent and very promising in terms of energy and cost efficiency. The most promising MBR system developed in PURATREAT run successfully with reduced energy consumption ( 90 % less than RO). The tested MBR lab-prototypes generated an effluent not suitable for drinking water but an excellent source for irrigation and fertilization purposes (rich on nutrients such as N and P and free of pathogens). In WACOSYS, the application of wastewater in agricultural production schemes has been successfully applied and monitored. Based on these valuable outcomes, within TREA&USE it was constructed a pre-	1-6-2012	30-11- 2014	EU FP7	http://w ww.trea tanduse .eu	rcasiell es@bi oazul.c om, aloren zo@bi oazul.c om	Rafael Casielles

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact
VALPORC	Valorizatio n of pig carcasses through their transforma tion into biofuels and organic fertilizers	commercial prototype unit which combined the treatment of substantial amounts of communal wastewater in an up scaled MBR system and the safe application of the effluent as irrigation and fertilization water in agricultural production schemes. The tailor-made MBR effluent was applied directly for irrigating and fertilizing fruit trees and vegetables in commercial agricultural production site in Southern Spain. To measure the performance and the reliability of the approach, the pre-commercial prototype included a feedback and control unit based on soil sensors.  The LIFE+ VALPORC project aims to demonstrate a process for the sustainable management of animal byproducts from the pork industry, especially pig carcasses and manure. It seeks to exploit these waste products by transforming them into biofuels - biogas and biodiesel - and organic fertilisers, with resultant environmental and socio-economic benefits. The project will develop a prototype treatment process for pig carcasses to obtain high-quality meal and fat for subsequent use. The process will allow flexible operating conditions to optimise energy efficiency. It will meet all the health and safety requirements of current legislation for this type of waste. The meat and bone meal (category 2) and glycerine obtained will be used as new substrates in biogas production in a co-digestion process with pig manure. To improve the efficiency of the anaerobic digestion and optimise the biogas production, the project will implement a new pre-treatment system of the animal byproduct inputs, based on ultrasonic technology. Finally, the project will produce an organic fertiliser from the digestate and acidic waste from the biodiesel production process. It will then demonstrate the agronomic potential	1-9-2014	31-8-2017	LIFE+	http://w ww.lifev alporc.e u	proyec to@lif evalpo rc.eu, info@l ifevalp orc.eu, lifeval porc@ gmail.c om, adaud eni@g mail.c om	Arturo Dauden
ValueFro	Demonstra	of this fertiliser.  The ValueFromUrine project will develop, demonstrate	1-9-2012	31-8-2016	EU FP7	http://w	<u>Martij</u>	Dr. ir.
mUrine	tion of a	and evaluate an energy-efficient system for the recovery	1 3 2012	51 5 2510	20117	ww.valu	n.Bijm	Martijn

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	bio- electroche mical system for recovery of nutrients from urine	of nutrients from urine. This technology is based on research on Bio-electrochemical systems conducted in the Wetsus Resource recovery Theme and an urine treatment concept developed in the Separation at source Theme. ValuefromUrine is a collaborative research project of Wetsus, centre of excellence for sustainable water technology (NL), Centre de Rescherche Public Henri Tudor (LU), Universidade do Minho (PT), Magneto special anodes (NL), DeSaH (NL), MAST Carbon International (UK) and Abengoa Water (ES).				efromur ine.eu	ans@ wetsus .nl, valuefr omuri ne@w etsus. nl, Philipp .kuntk e@we	Bijmans
MBR	Demonstra tion of Anaerobic Membrane Bioreactor technology for valorization of agro- food industry wastewater	The LIFE+ WOGAnMBR project focus on the problem of industrial water with high concentrations of complex organic matter, often generated by food and beverages industries, which are currently treated by conventional processes that generate a large amount of sludge and have a high energy consumption. The main aim of the project is to further develop anaerobic membrane bioreactors (AnMBR), an emerging technology for the sustainable wastewater treatment of the agro-food sector. To achieve this aim, the project will construct an innovative and viable AnMBR wastewater treatment pilot plant that is specially adapted to the agro-food industry sector – i.e. it will offer an improved performance in treating wastewater with a high fat and oil content. This new technology also avoids problems linked to the treatment of wastewater with a high amount of organic matter, such as flotation of suspended biomass and the recollection of the biogas produced in digestion. The project team expects that this technology will be transferrable to scenarios where conventional anaerobic bioreactors are an inefficient means of treating wastewater. These include cases of excess salinity, large fluctuations in the concentration and composition of wastewater, and wastewater with abnormally high	1-7-2014	30-6-2017	LIFE+	http://w ww.life- woganm br.eu	rgallo @ubu. es	Rubén Ballo

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		concentrations of nitrogen, among others.						
WW4ENV IRONME NT	Integrated approach to energy and climate changes: changing the paradigm of waste water treatment manageme nt	The WW4ENVIRONMENT project aimed to implement a tool to optimize the management of wastewater treatment plant following the objectives set by the EU in terms of energy efficiency and environmental impact. The project developed a methodology to investigate the ecotoxicity of WWTP, and developed a procedure to assess the carbon footprint of the WWTP in order to reduce the environmental costs of the wastewater treatment process.	1-1-2010	1-12-2012	LIFE+	http://w w4envir onment. eu	andrei a.amar al@ist. utl.pt	Andreia Amaral
WW-SIP	From Urban Wastewate r Treatment Plant to Self Sustainable Integrated Platform for Wastewate r Refinement	The aim of the WW-SIP project is to redefine the urban wastewater treatment plant (UWWTP) by transforming it into an integrated platform for sustainable and profitable sewage refinement. The project will create an economically, socially and environmentally sustainable wastewater refinement platform (WW-SIP) by integrating innovative technologies into the infrastructures and processes of a typical UWWTP.	1-1-2012	31-12- 2016	LIFE+	http://e c.europ a.eu/en vironme nt/life/ project/ Projects /index.c fm?fuse action=s earch.ds pPage& n proj i d=3949	f.santo ri@life wwsip. it, A.Mal ucelli @umb raacqu e.com	Francesca Santori and Andrea Malucelli
ZIPRU	Zinc Interaction with Phosphorus in Root Uptake	The overall goal of the ZIPRU project is to understand phosphorus (P) and zinc (Zn) interactions in the mineral nutrition of Brassica oleracea, a species that has been bred into a wide range of crops such as broccoli, cabbage, kale and cauliflower. To achieve this, we will develop a comprehensive understanding of key mechanisms and coordination of P-Zn cross-talk that allows high P-use-efficiency (PUE) plus high Zn accumulation and thereby	1-5-2015	30-4-2017	EU FP7	http://c ordis.eu ropa.eu /project /rcn/18 9891 e n.html	ellis.h offlan d@wu r.nl	Ellis Hoffland

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		provide the basis for breeding programmes combining						
		improved PUE and increased shoot Zn concentrations.						
		Selected B. oleracea genotypes with extreme PUE and						
		shoot Zn concentrations identified recently by the host						
		lab and collaborators will be studied stepwise using a						
		multidisciplinary approach including state of the art						
		methods. Firstly, the genotypes will be characterised						
		phenotypically, specifically for yield, root architecture						
		traits and bulk mineral element concentrations. Secondly,						
		root exudates will be characterised biochemically initially						
		using Fourier Transformation Infrared for general						
		overview followed by Liquid Chromatography-Mass						
		Spectrometer for detailed analysis. Thirdly, tissue-specific						
		localization of mineral elements, specifically P and Zn, will						
		be determined using multielemental and quantitative						
		imaging technique micro-Proton-Induced X-Ray Emission.						
		Fourthly, gene expression profiles will be studied using						
		the Brassica Exon Array. The anticipated results will be						
		used to promote sustainable agriculture, through a						
		reduction in fertiliser inputs and to improve dietary						
		mineral intakes by increasing the mineral content of						
		edible crops. Breeding varieties with greater PUE,						
		without having a significant negative impact on shoot Zn						
		content, is one strategy to simultaneously reduce the use						
		of P fertilisers and combat dietary Zn deficiencies.						

## 6 Finished non-EU funded research

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
Agri4Valu	?	?	Ş	?	?	?	hermu	Sascha
е							s@3-	Hermus
							<u>n.info</u>	
AquaEnvi	Novel	Developing novel soil conditioners and plant fertilisers	?	?	NERC	http://w	paulla	Paul
ro UK	fertilisers	from waste streams derived from anaerobic digestion			funding	ww.nerc	<u>vender</u>	Lavender
	from	and thermal conversion technologies.			(United	.ac.uk/r	<u>@aqu</u>	
	anaerobic				Kingdo	<u>esearch</u>	<u>aenvir</u>	
	digestion				m)	<u>/funded</u>	<u>o.co.u</u>	
	and					/progra	<u>k</u>	
	thermal					mmes/		
	conversion					waste/2		
	technologie					<u>014-</u>		
	S					<u>semple</u>		
ASHES	Recycling	The project ASHES is a German-Brazilian collaborative	1-4-2015	31-3-2018	German	https://	<u>martin</u>	Martin
	of nutrients	research project and is focused on the recycling of			Federal	www.u	<u>.meille</u>	Meiller
	from	nutrients from residues of thermo-chemical processing of			Ministry	msicht-	<u>r@um</u>	
	residues of	by-products of sugar cane industry (bagasse/straw) in			of	suro.fra	sicht.fr	
	thermo-	Brazil. The challenge of the project is to increase the			Educati	<u>unhofer.</u>	<u>aunho</u>	
	chemical	energy efficiency of thermal conversion			on and	de/de/p	<u>fer.de</u>	
	processing	(combustion/gasification) and to enable the recycling of			Researc	resse-		
	of	process ashes to close material cycles by gaining			h	medien/		
	bagasse/su	adequate and competitive fertilizers as well as			(BMBF)	pressem		
	gar cane	(functional) fillers in (bio-)polymer compounds. For this			German	itteilung		
	straw	purpose, phosphorus salts are recovered from bagasse,			У	<u>en/2015</u>		
		straw, filtercake and vinasse with leaching and				/brazil_		
		precipitation. The AshDec process was used to increase				ashes.ht		
		the availability of phosphorus for plant uptake in the				<u>ml</u>		
		ashes. Additives like sewage sludge and chicken manure						
		were also tested. Different fertilizer formulations are						
		granulated/pelletized and tested regarding their						
		storage/handling characteristics. The fertilizing effects						
		are evaluated in plant growth tests and compared with						
		common extraction methods and the new promising						

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		diffusive gradients in thin films (DGT)-method. The results of the agronomic investigation of various ashes based products should provide targeted and integrated recommendations for the thermal conversion of bagasse/straw to secondary fertilizers in line with the so-called Next Generation fertilizer strategy. ASHES-partners are Fraunhofer UMSICHT (coordinator), Karlsruhe Institute of Technology (KIT), Bundesanstalt für Materialforschung und -prüfung (BAM), Fraunhofer IGB, Forschungszentrum Jülich (FZJ), CUTEC Institute, the Brazilian Center for Research in Energy and Materials (CNPEM), Federal Institute of Goiás (IFG), Laboratório Nacional Agropecuario (LANAGRO) and the Universidade Federal de Goiás (UFG), as well as the companies Tecnaro and Outotec.						
AVA- CleanPho s	AVA- CleanPhos phosphorus recovery process from sewage sludge by hydrother mal carbonizati on (HTC)	In Germany, the AVA cleanphos pilot plant in Karlsruhe, sponsored by the German Federal Environment Foundation (DBU), came online at the beginning of July 2016. Leading biotechnology company AVA-CO2 has developed the AVA cleanphos process which enables efficient and cost-effective recovery of phosphorus from sewage sludge. The process also allows for coincineration in the future and therefore the direct substitution of fossil fuels such as lignite. Over summer 2016, AVA cleanphos process will be tested at a pilot scale at AVA Green Chemistry Development GmbH in Karlsruhe. For industry, AVA cleanphos represents a breakthrough in phosphorus recovery as required by the German amendment to the Sewage Sludge Ordinance. The process has the potential to be more efficient and cost-effective than existing phosphorus recovery methods, as municipal sewage sludge is converted first into HTC-coal before the phosphate is isolated. This creates two commercially interesting products — a valuable fertiliser and phosphorus-free HTC-coal. In the future, CO2-neutral HTC-coal could be used as a direct	?	?	DBU (Germa ny)	http://s ustainab ilitycons ult.com/ news/1 59- press- release- valuable phosph orus- from- sewage- sludge- ava- cleanph os-pilot- plant- comes- online	info@ ava- co2.co m, k.germ und@r cuc.de	Thomas M. Kläusli

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		substitute for lignite, which would lead to substantial						person
		CO2 emission reductions.						
Bio-Ore	Recovering	The enrichment of metals from diffusely distributed	1-1-2013	16-4-2014	75%	http://w	office	Heinz
	metals	concentrations (e.g. sewage and sewage sludges) under			funded	ww.alch	@alch	Gattringer,
	from	currently available technology systems is possible only			by FFG	emia-	emia-	Monika
	sewage	with great expenditure of energy. This exploratory			from	nova.ne	nova.n	Iordanopoul
	sludge and	project investigated the usability of the adaptation			the	t/en/pr	et,	os-Kisser
	similar	strategy of plants that hyperaccumulate metals in their			Austrian	ojects/b	<u>office</u>	
	substances	tissue. An array of tests and analysis demonstrated which			Ministry	io-ore/	<u>@mjki</u>	
	by	plants under which conditions provide good			of		sser.at	
	hyperaccu	accumulations of antimony, chromium, cobalt,			Infrastru			
	mulator	manganese, nickel, zinc and rare earths when grown on			cture			
	plants	communal sludge "enriched" with fly ashes from waste			and			
		incineration plants. In addition lead, cadmium, copper			Innovati			
		and mercury were analysed because they represent limit			on			
		values for heavy metal concentrations in sewage sludge.						
		While the aim was to explore best-fit plants for antimony,						
		chromium, cobalt, manganese, nickel, zinc and rare						
		earths accumulation, the macro-nutrient concentration						
		(N, P, K, Ca, Mg) in the sludge was very high. It was						
		observed that some plants rather absorbed the						
		macronutrients while "blocking" toxic components at the						
		root level. Particularly in some sunflower-varieties very						
		high concentrations of phosphorus and potassium were						
		found in the leaves and stem, while very low toxic						
		"pollutants" were observed. The concentration in the						
		plants was so high, that theoretical calculations resulted						
		in the harvest of one ha of sunflowers grown on sludge						
		could serve to sufficiently fertilize as green manure 5 to 7						
		ha of crop land with P and K for others crops.						
BIOUREA	Innovative	The project aims at creating a model for and to test large	2015	2016	Finland	http://w	toimist	?
	fertilizer	scale utilisation of toilet based fertiliser products. Key			Ministry	<u>ww.huu</u>	<u>o@hu</u>	
	products	objectives are to develop and test technologies for			of	ssi.net/e	<u>ussi.ne</u>	
	used in	collection and management, acquire official acceptance			Environ	<u>n/activit</u>	<u>t</u>	
	closed	and permit for using these fertilizers in agriculture in			ment,	ies/on-		
	nutrient	Finland, and to demonstrate the efficiency and safety of			RAKI-	going-		

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	cycles	the use of these products. In addition, the cost efficiency of the alternative models and systems are estimated.			program me	projects /biourea		person
BioVakka	Nutrient	?	,	?	?	https://	teija.p	Teija
Vehmaa	recovery					ec.euro	aavola	Paavola
biogas /	and closing					pa.eu/ei	@biov	
digestate	loops with					p/agricu	akka.fi	
	biogas					<u>lture/sit</u>		
	technology					es/agri-		
	in Western					eip/files		
	Finland					<u>/field_e</u>		
						vent_att		
						<u>achmen</u>		
						ts/ws-		
						<u>circulare</u>		
						conomy		
						Ξ		
						<u>201510</u>		
						<u>28-</u>		
						pres07-		
						<u>teija pa</u>		
						avola.pd		
						<u>f</u>		
DemoWa	?	?	?	?	?	?	<u>Christi</u>	Christian
re							<u>an.Re</u>	Remy
							my@k	
							<u>ompet</u>	
							enz-	
							wasser	
							<u>.de</u>	
EDASK	ElectroDial	Development of an electrodialetic process for	1-1-2015	1-1-2016	Danish	http://w	<u>mdj@</u>	Mette Dam
	ytic	phosphorus recovery from sewage sludge incineration			EPA &	ww.krug	<u>kruger</u>	Jensen
	recovery of	and other ashes. The EDASK project is aiming to develop			MUDP	er.dk/en	<u>.dk</u>	
	sludge	a technology enabling continuous recovery of			2014			
	incineratio	phosphorus bound in the incineration ash. The method is			(Environ			
	n ashes	using just water and electricity, thanks to a new electro-			mental			
	(Danish:	dialysis technology. Moreover, the process is 'cleaning'			Technol			

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
ePhos	ElektroDial ytisk genanvend else af slamASKe)  Fraunhofer IGB ePHOS® electroche mical nutrient recovery unit	the ashes of heavy metal impurities allowing the inorganics to be reused in the construction industry instead of going to landfill. The ongoing activity is demonstrating the technology in a pilot plant giving the necessary design figures for the technology to be upscaled in order to meet industrial volumes in a second phase. An expected business case and value chain will be developed.  A 2 m3/hour pilot unit for electrochemical recovery of phosphorus from waste waters has been presented at IFAT (the global waste and water treatment show) and is ready for market deployment. ePHOS® is a patented electrochemical process, requiring no chemical input, using a sacrificial magnesium anode to produce magnesium phosphates such as struvite (magnesium ammonium phosphate) or K-struvite (potassium magnesium phosphate), which can be used as fertilisers. Energy consumption is stated as 1,5 kWh/m³ wastewater. Fraunhofer IGB indicate that the process can recover up to 98% of soluble phosphorus from sewage sludge dewatering liquors, food or industrial wastewaters. The technology has been licensed to OVIVO the water treatment technology company, for the North American market. First commercial installation will be in operation	2014	2018	ogy Develop ment and Demons tration Program , 2014) Fraunho fer IGB private funding	https:// www.fr aunhofe r.de/en/ press/re search- news/2 016/Jun e/ifat20 16- fertilizer -from- wastew ater.ht ml	jennife r.bilba o@igb .fraun hofer. de	Jennifer Bilbao
		in 2017 treating sewage sludge dewatering liquors for the recovery of struvite as fertiliser.						
ExtraPho s	Low temperatur e CO2 phosphorus extraction from sewage sludge to produce phosphoric	?	?	?	Private compan y	https:// www.bu denhei m.com/ en/bude nheim- the- compan y/histor y/conqu	eva.st oessel @bud enhei m.com	Eva Stoessel

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
EIV DHOS	acid (Budenhei m process)	Dravantian of Struvita Scaling in Digastors in Combination	2	2	DNADE	ering- the- world- with- phospha te	MEng	
FIX-PHOS	Phosphorus recovery from sewage sludge with calcium silicate hydrate (CSH)	Prevention of Struvite Scaling in Digesters in Combination with Phosphorus Removal and Recovery. The fixation of phosphorus (FIX-Phos) combines struvite prevention and phosphorus recovery by the addition of calciumsilicatehydrate (CSH) particles into the anaerobic digester. The CSH fixates phosphorus as calcium phosphate and reduces the phosphorus concentration in the sludge water that allows for control of struvite formation. The phosphorus-containing recovery product can be separated and recovered from the digested sludge. In pilot plant experiments, 21% to 31% of phosphorus contained in digested sludge could be recovered when CSH was added at concentrations of 2 g/L to 3.5 g/L to a mixture of primary sludge and waste activated sludge (WAS) from enhanced biological phosphorus removal. The recovery product contained few heavy metals and a phosphorus content of 18 wt % P2O5, which allows for recycling as fertilizer. The fixation of phosphorus within the digester may increase wastewater sludge dewaterability. The phosphorus recycle stream to the headworks of the wastewater treatment plant is reduced.	?	?	BMBF (Germa ny)	http://w ww.iwar .tu- darmsta dt.de/m edia/iw ar_abwa ssertech nik/abg eschloss eneforsc hungspr ojekte/F IXPhos Poster I FAT201 2.pdf	M.Eng elhart @iwar .tu- darmst adt.de, m.wag ner@i war.tu - darmst adt.de	Prof. Dr Ing. Markus Engelhart
Global TraPs	Transdiscipl inary processes for sustainable phosphorus manageme nt	Global TraPs is to engage key stakeholders through transdisciplinary mutual learning in building a human-environment system- based understanding of the complete phosphorus supply and demand chain, identifying pools, sinks, and the underlying dynamics of flows so as to jointly identify with strategic stakeholders through case study research alternatives in use, reuse and recycling. Answering the guiding question "What	6-2-2011	31-12- 2014	IFDA and private funding	http://w ww.glob altraps.c h	scholz @env. ethz.c h, aroy@ ifdc.or g, a.pha	Prof. Dr. Roland W. Scholz & Amit H. Roy

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		new knowledge, technologies and policy options are needed to ensure that future phosphorus use is sustainable, improves food security and environmental quality and provides benefits for the poor?" shall lead to improved resource understanding and awareness, funneling into sustainable P management and stewardship. The objectives were: (1) To be a leading global learning forum for sustainable P use, management and stewardship in providing an open discourse space for all stakeholders along the P supply chain in a transdisciplinary (joint, eye-level, transparent), complementary and non-politicized arena; (2) To define the current state of knowledge on phosphorus and its use, and new knowledge which is necessary to ensure sustainability over the whole P value chain from diverse case studies which are being conducted by partners in 2013 and 2014; (3) To define new technologies which are needed to better process, use and re-use phosphorus; (4) To define most valuable areas for policy intervention to ensure sustainable P use in the future.					m@g mx.ch, DHellu ms@if dc.org	person
GOBI	The holistic optimization of the biogas process chain focusing on its operational, material, energetic and ecological efficiency.	The holistic optimization of the biogas process chain focusing on its operational, material, energetic and ecological efficiency. Fraunhofer IGB developed and tested at pilot scale a technology to recover nitrogen and phosphorus from digestate originated the fermentation of biowaste in a biogas plant and convert it to valuable fertilisers and soil improvers.	1-5-2013	31-12- 2016	German Ministry of Educati on and Researc h	https:// www.ig b.fraunh ofer.de/ en/rese arch/co mpeten ces/mol ecular- biotech nology/f unction al- genomic s/next-	jennife r.bilba o@igb .fraun hofer. de	Jennifer Bilbao

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
						generati on- sequenc ing/gobi .html		person
GreenSpe ed	GreenSpee d – Integrated wastewater treatment and biobased production	GreenSpeed® is a new method in which algae technology is integrated into traditional wastewater treatment. This transforms into a resource capture plant with binding of NPK in an algal mass and a greatly increased carbon capture for biogas production. In addition, the symbiosis between bacteria and algae will reduce the emission of greenhouse gases considerably.	1-10-2015	1-7-2017	Foundat ion for Develop ment of Technol ogy in the Danish Water Sector	?	mth@ envs.a u.dk	Marianne Thomsen
H2O-C2C	Water cradle-to-cradle (C2C) in intensive livestock farming	The H2O-C2C project wants to provide sustainable alternatives for the water supply in intensive livestock farming, such as the valorization of low value water resources, in response to a possible future (ground)water shortage in Flanders. By the use of constructed wetlands, manure gets biologically converted to dischargeable greywater. The H2O-C2C project subsequently researches the purification of this greywater to reusable high quality water (e.g. drinking water for pigs) by means of membrane filter techniques. The project is a cooperation between UGent and VLAKWA, VITO, Ivaco, Innova Manure, Inagro, DLV-InnoVision and De Watergroep.	1-1-2013	1-12-2013	Province West- Flanders (Belgiu m)	http://w ww.bior efine.eu /cluster/ projects /h2oc2c	erik.m eers@ ugent. Be, vd@vl akwa. be	Erik Meers & Veerle Depuydt
IF2O - COOPERL	Manufactur e of organic fertilizers derived from livestock manure	?	?	?	?	http://w ww.pho sphorus platfor m.eu/im ages/Co nferenc e/ESPC2	bconv ers@c ooperl .com, stepha nie.so mmier @eval or.fr,	Bertrand Convers

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
						material s/Conve rs%20IF 20%20p oster%2 0ESPC2. pdf	gabriel .meng uy@n utrea.f r	
IMPROVE -P	Improved Phosphorus Resource efficiency in Organic agriculture Via recycling and Enhanced biological mobilizatio n	The IMPROVE-P project assessed phosphorus recycling in organic farming, taking into account potential for urban nutrient recycling and risk assessment of possible contaminants as well as life cycle analysis and acceptance in the organic sector. The different options have been evaluated from an agronomical and ecological point of view in the frame of this project. The information is summarized in a video tutorial: www.youtube.com/watch?v=LBKmgw5LjLA	1-6-2013	1-5-2017	Private compan y	https://i mprove- p.uni- hohenh eim.de	kurt.m oeller @uni- hohen heim.d e, julia.c ooper @ncl.a c.uk, else.b uenem ann@f ibl.org	Kurt Möller
KIVIREKI	Urban agriculture as a part of resource efficient business	The aim of this project is to develop and test different business opportunities of urban agriculture based on closed nutrient cycles in urban areas. In addition to volunteer and free-time urban agriculture, urban agriculture can also be widespread, professional and economically profitable. This kind of urban agriculture would not only meet the requirements of low carbon and energy efficient food production, more resource efficient nutrient use, but also the challenges that are related to the welfare of urban citizens. This project aims at increasing the know-how of the project participants in professional urban agriculture. It also works as an innovation platform for different urban agriculture solutions. The project is implemented in cooperation with the Tampere University of Applied Sciences and the	<b>∪.</b>	?-	·.	http://w ww.huu ssi.net/e n/activit ies/on- going- projects /kivireki	toimist o@hu ussi.ne t	Ç.·.

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		Global Dry Toilet Association of Finland along with numerous collaborative entrepreneurs, urban agriculture farmers, and authorities. The main partners in the project are four fine dining restaurants from Tampere, Finland. In 2016 urban farming pilots were started with the restaurants.						
KRN- Mephrec	Transformi ng sewage sludge to energy, fertiliser and iron in a single step using metallurgic al phosphorus recycling	The joint partners in the project aim to investigate the technical feasibility, cost-effectiveness and ecological sustainability of metallurgical phosphorus recycling as an integrated, thermal process of melt-gassing sewage sludge. With the aid of a pilot system on a semi-technical scale, the process is to be tested in its core components and developed until it is suitable for constant operation.	?	?	BMBF (german y)	https:// bmbf.na wam- erwas.d e/en/pr oject/kr n- mephre c https:// www.nu ernberg. de/inter net/krn mephr ec	burkar d.hags piel@s tadt.n uernb erg.de	Burkard Hagspiel
MAB3	The MacroAlga eBiorefiner y – sustainable production of 3G bioenergy carriers and high value aquatic fish feed from	MAB3 is a four-year research project promoting biomass resources from the sea, namely algae. The overall goal is to contribute to solving the challenges with food and energy supply and find ways to exploit the sea instead of farm land. The project aim is to develop new technologies in laboratory and pilot scale that will lead to sustainable growth and subsequent conversion of two brown algae (Saccharina latissima and Laminaria digitata) into three energy carriers - bioethanol, biobutanol and biogas - and a high-protein fish feed supplemented with essential amino acids. Besides the above mentioned biobased products, seaweed cultivation is an instrument for circular nutrient management, returning excess	1-2-2012	30-3-2016	Danish Innovati on fund	http://w ww.mab 3.dk http://e nvs.au.d k/filead min/Res ources/ ENVS/E MMI/M AB3_we b.pdf	mth@ envs.a u.dk	Marianne Thomsen

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	macroalgae	nutrient from aquatic system back into the economic system. Multiple output products from biorefinery have been explored including also biofertilizer products contributing to climate change mitigation, water quality restoration and nutrient self-supply.						
Manure Nutrient Calculato r	Finnish tool to to plan regional manure nutrient recycling	The Nutrient Calculator uses this information to model the effect of different manure handling and processing technologies on nutrient quantities. It further calculates the potential of these end-products as fertilizers on national and regional scales using different fertilization scenarios: according to (1) crop need or (2) voluntary agri-environmental program or (3) maximum limits set in legislation for phosphorus and nitrogen. The change in plant-available soil phosphorus content over time is estimated depending on the manure management and fertilizing scenario chosen. The tool also includes other municipal and industrial wastes and by-products rich in nutrients and their recycling options.	?	Finished	Finland govern ment?	http://ju kuri.luke .fi/handl e/10024 /481761	sari.lu ostarin en@lu ke.fi, juha.gr onroos @ymp aristo.f i, eila.tu rtola@ luke.fi, risto.u usitalo @luke. fi	Sari Luostarinen
Manuval or	Manure valorization with manure treatment	Full scale pilot manure treatment plants, in the Netherlands (100 000 tonnes manure raw weight per year) and one in Germany.	?	?	?	Ş	oscar.s choum ans@ wur.nl	Oscar Schoumans
Normativ e Manure System	Finnish tool to calculate manure quantity and quality	The Finnish Normative Manure System provides the quantity and quality of all manure types as excreted by the animals, as collected directly from housing, and as to be spread on fields after storage. Manure location is derived when the data is coupled to animal statistics.	?	Finished	Finland govern ment?	http://ju kuri.luke .fi/handl e/10024 /540238	sari.lu ostarin en@lu ke.fi, juha.gr onroos @ymp aristo.f i, eila.tu	Sari Luostarinen

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
Nutricycl e	Green fertilizers from digestate and manure	This project focusses on the clear need of the market to recycle nutrients out of organic streams, and the reprocessing of the organic streams to green replacers of inorganic fertilizers. The project (1) investigates the possibility of the recuperation of nutrients out of manure and digestate and the reuse as green replacers of organic fertilizers (cradle to cradle) and (2) contributes to the sustainable development of industrial livestock and biofermentation as renewable (energy) technology in Flanders.	1-1-2012	31-12- 2013	MIP	http://w ww.dlvi nnovisio n.be/dlv innovisi on/en/ mip- icon- 2011- nutricycl e	rtola@ luke.fi, risto.u usitalo @luke. fi erik.m eers@ ugent. Be	Erik Meers
Nutrient Clearing House	Centralized upgrading plant for the recovery of mineral nutrients and critical metals	?	?	?	?	NOT WORKIN G http://w ww.i- cleantec hvlaand eren.be /nl/nch	info@r hdhv.c om, gert.d e.bruy n@rhd hv.co m	Gert de Bruyn
Nutrient Neutral Municipal ity	Nutrient recycling tool for municipaliti es and regions	The Nutrient Neutral Municipality is a brand new concept. It is an opportunity for municipalities and other regional actors to take an additional step towards sustainable development and at the same time support the innovative business of nutrient recycling and a good environment. The concept was developed with six different municipalities in a three-year project in western Finland (2015-2017) and now the operating model is spreading. Nutrient neutrality in municipalities means the	2015	2017	Six Finish municip alities	http://w ww.ymp aristo.fi/ en- US/Nutr ient Ne utral M unicipali ty	sanna. tikand er@el Y- keskus .fi, anni.k arhun en@el	Sanna Tikander and Anni Karhunen

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		most effective and safe use of nutrients in the whole area benefiting both the regional economy, people and the environment. Municipalities can act as partners to other operators, and nutrient recycling will also benefit the					<u>Y-</u> <u>keskus</u> <u>.fi</u>	
		municipalities in return. The Nutrient Neutral  Municipality concept is a seven-step approach to						
		organizations to implement nutrient recycling in their						
		everyday activities and decision-making processes. First						
		you have to make an initial survey of the nutrient flows in						
		the municipality. Then the situation is presented						
		thorough in the municipal administration. Nutrient recycling goals should be included in the plans and						
		strategies of the municipality's future activities and this						
		requires support and approval from the management at						
		the beginning of the work. On the third and fourth steps						
		objectives and measures are agreed. Then it's time for						
		action. Do not forget to follow up the results and make						
		change if needed. And make sure to tell about the actions						
		to stakeholders and the public. Municipalities can't,						
		however, alone be held responsible for turning nutrient						
		recycling into everyday practice. All regional actors need						
		to get engaged into action: companies, institutions, schools, organizations, NGOs and individual citizens. The						
		study was conducted in Finland, but its principles are						
		suitable for municipality-level work anywhere in Europe.						
		Municipalities should be viewed as trendsetters, partners						
		and enablers of nutrient recycling everywhere in Europe.						
Nutrient	Evaluation	The discharge permit of the new Grødaland biogas plant	1-4-2015	1-11-2015	Private	-	mmes	Maria M.
recovery	of	required a preliminary study for the implementation of			compan		@cowi	Estevez
Grødalan	technologie	nutrient recovery technologies for the reject streams of			У		.com	
d	s for	the plant. The project evaluated, technologically and						
	nutrient	economically, the potential implementation of struvite						
	recovery at	production processes and evaporation processes for the						
	Grødaland biogas	recovery of nitrogen, potassium and phosphorous.						
	plant in							

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	Rogaland, Norway.							person
NUTS	Transition towards Sustainable Nutrient Economy in Finland	NUTS is a unique three-year project developing sustainable nutrient economy together with different domains and stakeholders. The project is a part of the Tekes program – Towards a Sustainable Economy. In addition, the project involves pioneer work in studying how extensive transitions can be managed and executed within a whole society.	?	?	Finnish govern ment?	http://w ww.nutr ient.fi/e n	mirja. mikkila @lut.fi _ lassi.li nnane n@lut. fi	Mirja Mikkilä
OCAPI	Optimisatio n of CArbon, nitrogen and Phosphorus cycles in the city	The objective of the project is to explore possible ways of developing sanitation systems to meet the challenges of the 21st century: maximizing the value of the carbon, nitrogen and phosphorus resources present in wastewater, while limiting the use of energy and resources and the environmental impact of the sanitation system. In order to do this, the project will study possible changes at all stages in the sanitation chain.	1-11-2014	1-2-2018	Greater Paris Wastew ater Authorit y, Seine- Norman dy Water Agency, Ministry of Ecology	http://w ww.lees u.u- pec.fr/O CAPI- present ation	fabien. esculie r@pon ts.org	Fabien Esculier
Ochre and biochar research	Ochre and biochar: technologie s for phosphorus capture and re-use	This project comprised Jessica Shepherd's PhD research in the School of GeoSciences and UK Biochar Research Centre at the University of Edinburgh. The research aim was to design and test tailored biochars to be used as P recycling materials as a way of using wastewater effluent P to meet agricultural crop P requirements. Biochar created from combined anaerobic digestate and ochre feedstocks had higher P removal rates than other sorbents in laboratory experiments and contained environmentally acceptable concentrations of potentially toxic elements. Probing the mechanisms of P capture by the biochars highlighted the importance of Fe minerals and subsidiary roles for Al, Ca and Si. Crop growth	1-9-2012	30-9-2016	Universi ty of Edinbur gh & Icon Water, Australi a	For links to papers arising from this research see: http://w ww.rese arch.ed. ac.uk/p ortal/en	k.heal @ed.a c.uk	Kate Heal (University of Edinburgh)

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		experiments using rhizoboxes showed that the biochars were as effective as conventional fertiliser in promoting spring barley growth.				/person s/kate- heal(aa3 451d2- c9c3- 4802- 9874- a03baa9 b7fc5)/p ublicatio ns.html		person
Organic waste P recycling Norway	Better utilisation of phosphoro us derived from organic waste products in Norway.	COWI and NIBIO conducted a feasibility study for better utilisation of phosphorous derived from organic waste products. Norway has an excess phosphorous excluding the import of phosphorous from mineral fertiliser. The challenge is to make better use of Norway's phosphorous resources regardless of uneven regional distributions. Furthermore, there is a need for redistribution of phosphorous from the West of Norway to areas that need it in the East of Norway.	1-7-2016	1-3-2017	Norwegi an Environ mental Director ate	-	ldbl@c owi.co m	Line D. Blytt
Phorwärt s	LCA study to compare fertilizer production from rock phosphate with phosphorus recovery from the wastewater stream	Phosphorus is essential for life and an indispensable component of many fertilisers. The European and national legislation calls for the recovery of phosphorus form the wastewater stream in the medium term. Due to the lack of reliable data it has remained unanswered so far to what extent P-recovery can be considered appropriate in ecological and economic terms. By means of the LCA methodology, the PHORWÄRTS project compares conventional fertiliser production from rock phosphate with selected methods of phosphorus recovery from the wastewater path. Since the informative value of the parameter toxicity is rather limited in conventional LCAs, the project PHORWÄRTS additionally provides a comparative contaminant risk assessment for the fertilizer application for different	1-9-2016	28-2-2018	UBA (Germa ny)	http://w ww.kom petenz- wasser. org/PH ORWaer ts.608.0. html?&L =2&type =%2527 0	Fabian .Kraus @kom petenz - wasser .de	Fabian Kraus

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		fertilizers. In this context, the contamination with heavy metals and organic pollutants is spotlighted. This comparison will be completed by a cost estimate of the various production methods.						<b>P</b>
Phosph'O r	Struvite from manure	?	?	?	?	NOT WORKIN G https:// phosph or.cema gref.fr	speran dio@i nsa-toulou se.fr, apaulh e-massol @arte rris.fr	?
PIDA	Phosphorus recovery in decentraliz ed wastewater treatment – Developme nt of a novel method for electroche mical enhanced phosphate adsorption using ferric (hydr)oxide -based adsorbents and	The recovery of nutrients, especially phosphorus, is a major innovation in decentralized wastewater treatment. Closing the phosphorus cycle could provide a contribution to the development of sustainable resource management. Therefore, in collaboration with GEH Wasserchemie GmbH & Co. KG, an effective process for phosphorus recovery using iron oxide adsorbents is developed for decentralized wastewater treatment. The focus of the investigations is the establishment of an economically viable process for adsorbent regeneration. The aim of the regeneration is the recovery of adsorption capacity for a subsequent reloading as well as the recovery of a phosphate concentrate which makes it possible to produce a phosphate with fertilizer properties. Moreover, by developing an electrochemical fixed bed adsorption module (EFA module), the loading dynamics and capacity of the granulated iron hydroxide (GEH) should be substantially increased, which would contribute to a considerable improvement of the overall process. In addition, the EFA module is to allow a complete and selective loading with phosphate and can	1-6-2014	1-9-2016	AiF (Germa ny)		thoma s.dittm ar@m ailbox. tu- dresde n.de	Thomas Dittmar

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	regeneratio n	wastewater treatment plants.						person
Polonite	Polonite reactive filter systems	Reactive filter systems (a calcium silicate based material) have proved successful in removing phosphorus from farmland drainage and in individual household sewage treatment systems, with 4 000 installations sold to date. The used material can be spread to land to recycle the phosphorus. Industrial-scale pilot trials are currently underway at a UK sewage works and a Russian chicken farm.	?	?	Private compan y	http://w ww.ecof iltration. se/en	info@ ecofilt ration. se	Anders Norén
POWER	Renewable phosphorus fertilizer from livestock effluent to prevent water eutrophicat ion	Looking at different routes for nutrient recycling from digestates. Projects include production of fertiliser pellets from digestate and wood ash, struvite precipitation from manure digestate. Assessments of fertiliser value of digestates have been carried out on a range of crops including lettuce, beetroot and maize (data under publication).	?	?	CARIPLO Foundat ion	http://w ww.ifib2 015.talk b2b.net /membe rs/detail s/41 http://u sers.uni mi.it/rici cla	fulvia.t ambon e@uni mi.it, fabrizi o.adan i@uni mi.it	Fulvia Tambone and Fabrizio Adani
PProduct	Potential of sewage sludge phosphorus in plant production	The purpose of this study is to study the long term fertilizing effect of sludge bound phosphorus, which is not yet fully recognized as a possible alternative resource. One aim is also to study the concentrations of selected hazardous substances and pharmaceutical residues and their possible accumulation to food chain. A novel method for future handling of sewage sludge may be pyrolysis and now also its effect on the above mentioned factors is studied. Sewage sludge is the most significant source of phosphorus (P) that is barely utilized in plant production in Finland. However, it is estimated that easily exploitable P reserves will be depleted in the near future, requiring more efficient utilization of these unused P resources. Low solubility of sewage sludge	1-1-2015	31-3-2018	Finland Ministry of Agricult ure	?	kari.yli vainio @luke. fi	Kari Ylivainio

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		based P decreases its value as a fertilizer together with occurrence of hazardous substances and pharmaceutical residues, originating from the various domestic and industrial sources. There is also a concern that these harmful organic substances may have adverse effects to soil ecosystem and end up to surface and groundwater resources and to food chain.						
PRecover	Recovering phosphorus from sewage sludge to fertilizer	The proposed project (PRecover) aims to develop new methods for improving bioavailability of wastewater P capture products, creating a new fertilizer end product. The second aim is to develop a common method for estimating bioavailability of P for efficient and environmentally friendly use of the capture products. World's mineral phosphorus (P) reserves are diminishing, leading to elevated prices of P fertilizers. For sustainable agriculture practices, new ways of recycling P and closing the circulation are needed. In Finland, P in sewage sludge is the most neglected P source in agricultural production due to, among other things, low bio-availability of P in the capture products.	1-1-2012	31-3-2015	Finland Ministry of Agricult ure	?	kari.yli vainio @luke. fi	Kari Ylivainio
ProPhos	Phosphorus recovery from wastewater , sludge and ash with thermical treatment	The aim is to recover phosphate from sewage sludge and ash. Phosphorus is separated from sewage sludge and thermal sewage sludge treatment residues by chemical extraction methods, and extracted from the aqueous phase by various technologies, e.g. Membrane filtration, ion exchange but also precipitation / crystallization processes.		٥-	Bundes minister ium für Bildung und Forschu ng - BMBF	http://w ww.pho sphorre cycling. de/inde x.php/d e/bmbf- projekte = mainme nu- 22/prop hos- mainme nu- 25.html	s.petz et@iw ar.tu- darmst adt.de	Sebastian Petzet

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
RecoPhos Germany	Chemical treatment of ash with phosphoric acid to produce a phosphate fertiliser	?	?	?	?	http://w ww.reco phos.de	info@r ecoph os.de	?
Recoveri ng and Reusing Resource s in Urbanize d Ecosyste ms	Multi- project CGIAR program on business models for Resource Recovery and Reuse (RRR)	Several projects including (1) Reducing the human and environmental cost of growing cities, (2) Solutions for a growing sanitation problem, (3) Exploring business avenues for human waste reuse, and (4) A new vision for waste, and the future.	?	?	Multiple donors	http://w le.cgiar. org/rrr	p.drec hsel@ cgiar.o rg, m.dub beling @ruaf. org	Pay Drechsel & Marielle Dubbeling
RECYPHO S	Recycling of phosphoro us — contributio n to sustainabili ty in small domestic waste water treatment plants	The aim of this research project was the recovery of phosphorous (P) compounds from waste water in small domestic waste water treatment plants. Therefore an adsorption module was developed which selectively removes phosphate from wastewater and reduces the phosphorous concentration to less than 2 mg/L P. In a first step different potential adsorbents were tested in adsorption equilibrium tests. The highest P loading was observed using the iron hydroxide material goethite. The influence of dissolved carbon and dissolved anions was very low. In the following study the breakthrough behaviour of the materials was tested in small columns also using different matrices. Also the regeneration of the different materials was analysed. The best results were observed using sodium hydroxide. To practical test the method a pilot plant was established which run over 330 days with different filter velocities. Also the formation o biofilms was analysed. Additionally rapid small scale	1-9-2008	1-8-2011	BMBF (Germa ny)	-	thoma s.dittm ar@m ailbox. tu- dresde n.de	Thomas Dittmar

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		column tests (RSSCT) were performed to model the breakthrough behaviour of the pilot plant. In another sub-project the cost effectiveness was analysed and a concept of logistics was developed. In the third sub-project a manufacturer of small waste water treatment plants tested adsorption modules in existing treatment plants and proofed the practical suitability of the concept.						person
Redmedit e	Phospahte recovery from WWTP final effluent/ permanent binding of dissolved heavy metals	Approval has been received from EU commissioners to use an industry waste stream to be processed into Redmedite. Redmedite is manufactured into robust pellets or powder and has high percentage recovery rates of phosphorus and extremely high rates for permanently 'binding' dissolved heavy metals in mine water and tailings (Fe,As,Cu,Zn,Cd,Ni) all over 99% success rate. Currently working with the John Innes Centre, Norwich, UK proving non-leachable captured P is bio-available to plants (wheat, oil seed rape).	Ongoing	31-1-2018	KEEP+ Innovat e UK funding	http://w ww.red mediate ch.com	Chris.d rayson @red mediat ech.co m	Chris Drayson
ReNOx	Recovery of ammonium from digestates for industrial off-gas treatment	The ReNOx project investigates the recovery and industrial utilization of nitrogen (ammonium) from anaerobic sludge dewatering at wastewater treatment plants. A hybrid process (ion-exchanger-loop-stripping) was developed, which combines ion-exchange on natural zeolites and air stripping. A mobile pilot plant (500 L hr-1) was built together with Christof Industries and successfully operated at the wastewater treatment plant. Knittelfeld/Austria since 01/2017. Industrial scale NOx-removal experiments with the produced DeNOx-agent at the cement works of Lafarge/Retznei proved its applicability for off-gas denitrification. In the follow-up project "ReNOx 2.0" (application for national funding in 09/2017) the process will be extended for simultaneous phosphate recovery and tested in further applications (biogas digestates, liquid manure, landfill leachate, industrial waste waters).	1-7-2014	1-10-2017	National – FFG: Program "Produk tion der Zukunft "	https:// www.ch ristof.co m/en/re nox- research -project- pilot- phase- has- begun	marku s.ellers dorfer @unil eoben. ac.at	Ass.Prof. Markus Ellersdorfer
Short-	Safe use of	The project aimed to enable an efficiency increase in	2015?	2015?	?	https://	<u>Katrin.</u>	?

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact
Rotation- Plantatio n nutrient recycling	sewage sludge and sewage sludge for the production of high- efficiency biomass in high-speed energy shale	Short-Rotation-Plantation (SRP) biomass production up to 3 times throughout Europe, by reusing wastewater and sewage sludge for irrigation and fertilisation, and to enable the safe and efficient application of wastewater and sewage sludge in SRPs.				ec.euro pa.eu/ei p/agricu lture/en /find- connect /project s/reove e-ja- j%C3%A 4%C3% A4kmud a- ohutu- kasutus e- v%C3%B 5imalus ed- k%C3%B 5rge	heinso o@em u.ee	person
Sludge phosphor us reycling Norway	Increasing availability of phosphorus in the sludge coming from WWTPs (Norway)	Investigations on the use of lime in sludge handling with the aim to increase the phosphorus availability on sewage sludge from sewage treatment plants in Norway. Secondary objectives (1) Explain the effect of different dosage amounts of different types of lime on the phosphorus availability of the digested sludge (biorest); (2) Analyse changes in the odor potential of digested sludge after adding the different types of lime and doses; (3) Analyse the hygienisation effect of applying different types of limes and doses. Sub-objective (4) Determine costs associated with limestone dosage to digested sludge.	2017	2017	Regional research fund - the capital, RFFHST AD, Norway	·.	pau@c owi.co m	Bjarne Paulsrud
Sludge2S oil	From sewage sludge to	Define possibilities for future reuse of sewage sludge or sludge-derived minerals in agriculture.	1-1-2016	1-6-2017	Dutch waterbo ards and	http://w ww.wur. nl/nl/pr	inge.re gelink @wur.	Inge Regelink

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	fertilizers and soil improvers				sludge treatme nt compani es	oject/Sl udge2So il.htm	nl	
SLURRY- MAX	Holistic decision support for slurry storage and treatment	For farmers, slurry can be both a blessing and a curse: in the right place at the right time, it's a valuable source of fertilizing nutrients; in the wrong place at the wrong time, it's a dangerous and heavily-regulated potential pollutant. A number of decision support tools—such as RB209, Crap App and Planet—have been produced with the aim of helping farmers ensure their slurry and manure is a blessing, rather than a curse. But how useful are these tools to farmers in the field? How can they be made better? SLURRY-MAX is an interdisciplinary project led by Claire Waterton at Lancaster Unversity. Claire, alongside her colleagues Lisa Norton (Lancaster), Katrina Macintosh (Queen's Belfast), Ruben Sakrabani (Cranfield), James Gibbons and Dave Chadwick (Bangor), Shailesh Shrestha (SRUC) and Emma Cardwell (Lancaster), working alongside ADAS and AHDB, will investigate what decision support tools actually do for farmers, and how they can be made to do more.	1-11-2016	1-5-2018	NERC (United Kingdo m)	http://w p.lancs. ac.uk/sl urry- max	c.wate rton@l ancast er.ac.u k, e.card well@l ancast er.ac.u k	Claire Waterton and Emma Cardwell
Sustainab le Airport Cities	Pilot for phosphorus recycling from wastewater of airport/planes	A key component of this project involves selecting a technology, so that a number of different technologies were tested. One of the most important selection criteria was the quality, and therefore saleability, of the phosphorus recovered from Schiphol's wastewater by the technology. In the end, a technology was chosen that produced struvite (NH4MgPO4.6H2O, or magnesium ammonium phosphate) in pellet form, because this bore the greatest resemblance to traditional fertilisers. However, the pellets produced were generally smaller (ca. 0.5 mm) than regular fertiliser pellets. During the pilot, about 700 kg of struvite was extracted from centrate (water from digested sludge) and from toilet	1-1-2013	31-12- 2015	TKI (Netherl ands)	https:// www.k wrwater .nl/en/p rojecten /sustain able- airport- cities	Kees.R oest@ kwrwa ter.nl	Kees Roest

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		wastewater from aircraft (faecal water). On the basis of the results, it was concluded that phosphorus recovery by means of struvite production at the Schiphol WWTP is feasible, even if on only a small scale. An important prerequisite for struvite recovery is the implementation of biological phosphorus removal at the WWTP. At the moment the main uncertainty concerns whether the phosphorus removal efficiency of 85% in the struvite reactor is feasible on a continuous basis. The cost savings resulting from the production of struvite affect the WWTP primarily, and are related to the reduction in the use of iron and the disposal of chemical sludge (iron phosphate).						
TERRY-P Tool	Tool for Evaluating Resource Recovery – Phosphorus	The Tool for Evaluating Resource Recovery – Phosphorus (aka the TERRY Tool) can help utilities assess their plant's potential to recover phosphorus. TERRY can provide utilities with a quick and straight-forward idea of whether or not nutrient recovery may be viable at a specific facility. It can provide a rough estimate of the capital costs and the operating and maintenance costs of the system, as well as providing insight into non-cost factors such as environmental and social factors. Published by WERF. Interactive Excel file. (2015). The partners worked together to develop a comprehensive and foresighted set of European Union (EU) consumption indicators which were combined in an interactive software tool (EUREAPA) for EU policy makers. The project developed a network for decision-makers, civil society organisations and business leaders to share and agree on solutions to the challenges of transforming Europe to a one planet economy. These indicators, software tool and network can be used to facilitate greater transparency in decision making and support high quality, informed policy-making, and help transform the EU to a one planet economy by 2050. The project objectives are: Building the evidence base, Building the applications, and Building the capacity	?	2015?	?	https://www.werf.org/a/ka/Search/ResearchProfile.aspx?ReportId=NTRY1R12t	cradke @werf .org, rlatim er@ha zenan dsawy er.com z gstreet @werf .org	Christine Radke

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
		and dissemination.						person
Tetrapho	Phosphoric	Sewage treatment plants are no longer a place for	?	?	Remond	http://w	info@r	?
s	acid	disposing of waste materials but for recovering clean			is Aqua	ww.rem	emond	
	dissolution	water, energy and minerals. By using REMONDIS'			•	ondis-	is-	
	of ash then	processes and services, the wastewater can be treated,				<u>aktuell.c</u>	aqua.d	
	purification	the sewage sludge used for materials recycling or to				om/en/r	<u>e</u>	
		produce energy and valuable salts recovered from the				<u>emondis</u>		
		ash – in particular when the facility uses TetraPhos®, a				_		
		process developed by REMONDIS Aqua itself. With this				aktuell/		
		new method, the sewage sludge ash is not dissolved in				032014/		
		hydrochloric acid – the standard procedure – but in				water/p		
		phosphoric acid. The phosphoric acid is enriched with the				<u>hoenix-</u>		
		phosphorus contained in the ash and then processed in a				from-		
		number of different stages. This procedure produces a				the-		
		number of final products including RePacid® phosphoric				<u>ashes</u>		
		acid for the production of phosphates (inc. fertilisers),						
		gypsum for the building supplies trade, and iron and				http://w		
		aluminium salts which can be returned to the sewage				<u>ww.rem</u>		
		treatment plant to be used as a precipitating agent to				ondis-		
		treat wastewater and eliminate phosphorus. TetraPhos®				<u>sustaina</u>		
		is, therefore, an exceptionally efficient and cost-effective				bility.co		
		process that also contributes greatly towards conserving				m/en/ac		
		our planet's natural resources. REMONDIS has, however,				ting/pho		
		gone a step further. The ideal salt for recovering				<u>sphorus</u>		
		phosphorus is calcium phosphate, which can be produced				<u>-</u>		
		at sewage treatment plants with ReAlPhos®. By using				<u>recover</u>		
		aluminium (e.g. ALUMIN®) as a precipitating agent, the				Y		
		phosphorus can be recovered from the sewage sludge in						
		a more accessible form.						
The	Finland	VTT has designed a Resource Container concept that	3	?	3	http://w	<u>hanna.</u>	Kyllonen
Resource	Resource	consists of physico-chemical methods used or under				ww.vttr	<u>kyllon</u>	Hanna
Container	Container	development in the industrial sector. They will be				esearch.	en@vt	
	project for	combined in such a manner that the focus of substance				com/me	<u>t.fi,</u>	
	phosphorus	extraction will be specifically on the products (nutrients,				dia/new	Mona.	
	, nitrogen	bio-carbon and clean water), rather than on their				s/produ	arnold	
	and carbon	disposal. The operating model does not include biological				ction-of-	<u>@vtt.fi</u>	

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	recovery from wastewater	treatment, and can therefore be flexibly implemented in various scales locally or as a seasonal solution.				nitrogen - phosph orus- and- carbon- from- waste- water	juha.h eikkin en@vt t.fi, lotta.s orsam aki@vt t.fi	person
						http://w ww.goo dnewsfi nland.co m/vtt- makes- waste- water- work		
Tianshui Shui Sweetest Apples Ltd	Growing apples with urine	Tianshui Sweetest apples company has been using the urine as fertilizers to grow apples from the 31 UDDT blocks since 2010. The toilet was built and donated by SOHO China Foundation for the purpose of good sanitation of the students and teachers between 2008 and 2011.	2008	-	SOHO China Foundat ion	NOT WORKIN G: http://w ww.toile tchina.c om.cn	szqa@ sina.co m	Chen Xiang Yang
TURKISTE HO	Pyrolysis for improved phosphorus recycling of fur animal manure	Fur animal manure is rich in nutrients. Finnish fur farms seldom have own fields and fur production is concentrated to Western coast (Ostrobothnia regions) with also a high number of cattle, pigs and poultry. The region has a significant surplus of manure nutrients. Pyrolysis is one option to process fur animal manure into transportable fertilizer products to be used elsewhere. In the project TURKISTEHO, pyrolysis of fox and mink manure was tested at two different temperatures (350 and 450 °C). The results indicate that the fresh volume	?	Finished?	?	?	minna. sarvi@ luke.fi, kimmo .rasa@ luke.fi, Finlan d, saija.r asi@lu	Minna Sarvi

		from raw manure to resulting biochar was halved. The						person
	Optimal Valorizatio n of	phosphorus content in biochars was for mink and fox manure respectively 65-76 kg/tDM (original 39 kg/tDM) and 81-96 kg/tDM (original 57 kg/tDM). Its availability for crops remained high in biochar from mink manure, while in biochar of fox manure it decreased. Some nitrogen was lost. E.g. after pyrolysis in 450 °C biochar from mink and fox manure contained respectively 12% and 30% less nitrogen than in original dried manures. The energy recovered as gas and liquid fraction was evaluated. Energy content in liquid fraction was high, but solutions for it need to be addressed separately.  The objective of the VALODIM project is to optimize and standardise the digestate valorization units, evaluating the nutrient recovery techniques (nitrogen, phosphorus	1-1-2014	31-12- 2018	French Bank for industry	http://w ww.oval ie-	ke.fi, tapio.s alo@lu ke.fi, sari.lu ostarin en@lu ke.fi  marie- line.da umer	Marie-Line Daumer or Mathieu
	Digestate with nitrogen, phosphorus and potassium recovery	and potassium), considering both the nature of various substrates used in co-digestion units and the cultivation needs. The project will include an inventory of digestate characteristics, modullisation of nutrient recovery processes and drying as a function of different digestate properties, and tests with farmers' cooperatives of recovered struvite and organic pellets. The development of methanisation raises issues on the management of byproducts (the digestate) and the profitability of facilities. VALODIM works to resolve these two issues simultaneously by providing technologies that will enable methaniser operators and cooperatives to better recover the fertilising value from digestates for a win-win result: the profitability of the methanisation unit on the one hand and the compatibility of the fertilisers with local farming methods on the other.			(BPI)	innovati on.com/ en/valo dim-2	@cem agref.f r. speran dio@i nsa- toulou se.fr, apaulh e- massol @arte rris.fr	Spérandio
Product (W2P)	Valorizatio n of industrial wastes brines	Integration of technologies for valorization of phosphorus and nitrogen for agronomical applications using industrial by products. Solutions needed for valorization of diluted dissolved salts (e.g. P and N streams of urban and industrial WWTPs) need to implement selective separat	?	?	Spanish RD (Mineco )	http://w ww.pho sphorus platfor m.eu/im	jose.lu is.corti na@u pc.edu	Jose Luis Cortina

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact person
	containing nitrogen, phosphorus , calcium, magnesium as chemicals/f ertichemica ls	ion, concentration and purification processes.				ages/Co nferenc e/ESPC2 = material s/Cortin a%20po ster%20 ESPC2.p		
ZAWENT	Integrating water, energy and nutrient recovery in the cities of the future	?	?	?	MIP	NOT WORKIN G http://w ww.i- cleantec hvlaand eren.be /nl/zaw ent	peter. de.sm et@cle anener gyinve st.be	Peter de Smet

## 7 Projects to add (PLEASE FILL IN)

Acronym	Full name	Project description	Starttime	Endtime	Funding	Website	Email	Contact
								person